QUALITY SPARE PARTS



Ersatzteile passend für: **TRANSPORTER**

Spare parts suitable for: **LCV** **MERCEDES**

TRUCKTEC

GERMAN DRIVEN PRECISION

TRUCKTEC AUTOMOTIVE







QUALITÄT

Die bewährte TRUCKTEC-Qualität sichert unseren Partnern den entscheidenden Wettbewerbsvorteil. Unsere Partner können sich stets auf unsere exzellenten Produkte und den dazugehörigen Service verlassen. Der hohe Qualitätsanspruch unseres Unternehmens wird durch regelmäßige Zertifizierung durch den TÜV gemäß ISO 9001 bestätigt.

GARANTIE

Der maßgebliche Mehrwert für unsere Partner ist die Garantiedauer von 36 Monaten. Diese können wir dank der Einhaltung erforderlicher Prüfstandards gewähren. Fachkundige Ingenieure und externe Prüfinstitute sorgen dafür, dass die Qualität ständig überwacht, eingehalten und falls erforderlich optimiert wird.

MADE IN GERMANY

Bei der Produktion unserer Teile sind wir weltweit aufgestellt, um unseren Partnern den bestmöglichen Qualitäts- und Preisanspruch gewährleisten zu können. Wir setzen hier jedoch einen großen lokalen Schwerpunkt auf europäische und deutsche Produktionsstätten. Zusätzlich investieren wir in hochmoderne Prüfeinrichtungen.

QUALITY

Proven, reliable TRUCKTEC quality is a strong competitive advantage for our partners. Our partners can rely on our excellent products and the associated service. The high quality standard of our company is guaranteed by constant certification by Technical Supervisory Association appopriate ISO 9001.

GUARANTEE

The leading additional benefit for our partners is the guarantee of 36 months. We can confirm that gratitude by the compliance of the essential control standards. Competent engineers and external testing laboratories take care of the quality standard.

MADE IN GERMANY

We manufacture and source our parts worldwide to maintain our quality and price competitiveness for our partners, but our preference and focus is on European and German production facilities and sources. Our innovative and durable products are the result of our investment in “state of the art“ testing equipment.

INDEX

In unserem Onlineshop finden Sie detaillierte Verwendungen und Referenzen:
shop.trucktec.com

On our onlineshop you will find all detailed models and references:
shop.trucktec.name

Neu in unserem Sortiment

NEW

New in our range

Originalqualität

OE

Original Quality

Dieser Artikel ist für rechtslenkende Fahrzeuge.



This part is for right hand drive application.

	Hauptgruppe	Main Group	Page
10	**Zylinderkopf / Motorgehäuse**	Cylinder head/Engine housing	**13 – 36**
11	**Triebwerksteile**	Moving parts	**36 – 39**
12	**Motor-/Ventilsteuerung**	Engine timing	**39 – 67**
13	**Einspritzanlage/Vergaser**	Injection/Carburetor	**67 – 86**
14	**Luftfilter/Turbolader**	Air cleaner/Turbocharger	**86 – 99**
16	**Ansaug- / Abgaskrümmer**	Intake/Exhaust manifolds	**99 – 108**
17	**Elektrische Anlage Motor**	Electrical equipment	**108 – 129**
18	**Motorschmierung**	Engine lubrication	**129 – 142**
19	**Motorkühlung**	Engine cooling system	**142 – 178**
22	**Motoraufhängung**	Engine suspension	**179 – 182**
23	**Kupplungssystem**	Clutch system	**182 – 192**
24	**Schaltgetriebe**	Manual transmission	**192 – 195**
25	**Automatikgetriebe**	Automatic transmission	**196 – 207**
27	**Pedalanlage**	Pedals	**208 – 209**
30	**Federung**	Springs/Suspension	**209 – 235**
31	**Vorderachse**	Front axle	**235 – 247**
32	**Hinterachse**	Rear axle	**247 – 251**
33	**Räder**	Wheels	**251 – 253**
34	**Gelenkwelle**	Propeller shaft	**253 – 258**
35	**Bremssystem**	Brake System	**258 – 291**
37	**Lenkungssystem**	Steering system	**291 – 304**
38	**Kraftstoffanlage**	Fuel system	**304 – 309**
39	**Abgasanlage**	Exhaust system	**309 – 312**
40	**Kühler/Kühlerschläuche**	Radiator/Cooling hoses	**313 – 321**
42	**Elektrische Anlage Fahrzeug**	Electrical equipment (Vehicle)	**321 – 338**
53	**Türen**	Doors	**338 – 365**
58	**Elektrische Anlage Beleuchtung**	Electrical equipment lightning	**365 – 376**
59	**Heizung/Lüftung/Klima**	Heating/Ventilation/AC	**376 – 384**
61	**Scheibenwischanlage**	Windshield washer	**384 – 389**
62	**Aussenklappen**	Outer flaps	**389 – 391**
63	**Karosserieteile**	Body parts	**391 – 395**
66	**Werkzeug/Zubehör**	Tools/Accessories	**395 – 397**
DIN	**DIN Teile**	DIN parts	**397 – 430**
Index	**Index**	Index	**431 – 482**



GESCHICHTE

Die Erfolgsstory von TRUCKTEC Automotive begann vor über 30 Jahren. 1989 unter dem Namen „TRUCKTEC Fahrzeugteile GmbH“ gegründet, spezialisierten wir uns auf Fahrzeugteile, passend für Mercedes LKW und Busse. Es dauerte nicht lange bis Ersatzteile passend für PKW, Transporter und Trailer so wie weitere Hersteller-Marken in unser Sortiment aufgenommen wurden.

VISION

TRUCKTEC Automotive steht weltweit seit vielen Jahren als Synonym für perfekte Leistungen, exzellente Qualität, faire Preise und eine große Teilevielfalt. Dies dient vor allem dem Ziel, ein verlässlicher Partner im weltweiten Ersatzteilgeschäft zu sein. Und dies 24h rund um die Uhr – 365 Tage im Jahr.

INTERNATIONALES TEAM

Ein Team aus qualifizierten, mehrsprachigen Mitarbeitern kümmert sich im Innen- und Außendienst um den reibungslosen Ablauf von der Angebotserstellung bis hin zur Auslieferung der Ware. Diese Internationalität wird vor allem durch die Zusammenarbeit der weltweit aufgestellten Standorte geprägt und ermöglicht somit auch unseren Partnern den bestmöglichen Service.

HISTORY

TRUCKTEC´s success story started 30 years ago, founded in 1989 as “TRUCKTEC Fahrzeugteile GmbH“ and specialising in quality aftermarket spare parts suiteable for Mercedes Benz trucks and buses. Component parts for cars, light commercial vehicles, trailers and other brands have been added to our range.

VISION

The TRUCKTEC brand is synonymous with excellent quality and service, fair prices and a wide range of parts. Our aim is to be a reliable partner in the worldwide automotive aftermarket. We are available 24/7, 365 days of the year.

INTERNATIONAL TEAM

A sales team of qualified, multilingual staff insures a smooth process from the offer to the shipment of goods. This internationality is embossed by the cooperation of the worldwide offices and enables the best possible service to our partners.

TRUCKTEC

GERMAN **DRIVEN**
PRECISION

Welcome to the world of **TRUCKTEC Automotive**



www.trucktec.de



36 MONATE
PREMIUM GARANTIE

36 MONATE PREMIUM GARANTIE

Qualität sichert unseren Partnern den entscheidenden Wettbewerbsvorteil. Unsere Käufer können sich auf die exzellente Verarbeitung, eine hohe Lebensdauer und eine perfekte Kundenbetreuung, die auch das hält was sie verspricht, verlassen. Diese Garantien geben wir mit Stolz, da alle unsere Teile vor Aufnahme in das Sortiment geprüft, getestet und von unabhängigen Instituten genauestens freigegeben werden. Um Ihnen eine gleichbleibend hohe Qualität unserer Produkte gewährleisten zu können, führen wir immer wiederkehrende Qualitätstests an unseren Produkten durch.

(Vgl. Garantie-Bedingungen)

36 MONTHS PREMIUM GUARANTEE

Our partners can trust in the durability and excellent performance of our products, matched with reliable after sales service. We are proud of our quality assurance; all new parts are thoroughly tested by our team of engineers before independent validation. In order to ensure a consistently high quality of our products, we always carry out repeated quality tests on our products. (Our quality guidelines apply)



PREMIUM STANDARD



ZERTIFIZIERT

TRUCKTEC Automotive ist **DIN EN ISO 9001: 2008** zertifiziert. Das steht für gleichbleibend hohe Qualität und Zuverlässigkeit in allen Geschäftsbereichen. Auch all unsere Lieferanten müssen die strengen Anforderungen gemäß TS 16949, ISO und ECE erfüllen.

EINGETRAGENE MARKE

Seit dem Jahre 2004 sind **TRUCKTEC Automotive** und **TRUCKTEC Germany** international eingetragene und geschützte Warenzeichen. Unsere Marke **TRUCKTEC** ist für unsere Partner in der ganzen Welt Synonym für Premium Qualität und besten Service.

CERTIFIED

TRUCKTEC Automotive is DIN EN ISO 9001: 2008 certified. This stands for consistently high quality and reliability in all business areas. Also, all of our suppliers have to comply with the strict requirements according to TS 16949, ISO and ECE.

REGISTERED BRAND

TRUCKTEC Automotive and **TRUCKTEC Germany** are international registered and protected trade marks since 2004. Our Brand Trucktec is a synonym for premium quality and best services for our customers all over the world.



TRUCKTEC ONLINE SHOP

Registrieren Sie sich noch heute in unserem Online Shop, um die Vorteile in vollem Umfang nutzen zu können. Als registrierter Kunde haben Sie Zugriff auf Ihre Bestellhistorie, Preise, Versandstatus sowie die Möglichkeit, des Downloads unserer Kataloge. Sie können Teile umfassend suchen, Verwendungen prüfen und sich über unsere neuesten Teile informieren. Außerdem erhalten Sie einen Überblick über unser stetig wachsendes Sortiment.

TRUCKTEC ONLINE SHOP

Register today in our online shop to take full advantage of the benefits. As a registered customer you have access to your order history, prices, shipping status as well as the possibility of downloading our catalogues. You can search parts extensively, check usage and keep informed about our latest parts. You will also get an overview of our constantly growing range.



24H SERVICE



IHR WELTWEITER PARTNER

TRUCKTEC Automotive – auf der ganzen Welt vernetzt – steht Ihnen als starker Partner zur Seite, ganz egal wo Sie sich befinden.

Durch unsere Standorte in Deutschland, den Vereinigten Arabischen Emiraten, Südafrika, Panama und Asien, sowie unsere Partner auf der ganzen Welt, ermöglichen wir unseren Kunden eine verlässliche Lieferung unserer Produkte auf dem schnellsten Wege, in bester Qualität. Unsere hohen Ansprüche bezüglich unserer Produkte geben wir ebenso an unsere Partner weiter.

YOUR GLOBAL PARTNER

TRUCKTEC Automotive – connected throughout the world – will become a valuable partner to you, no matter where you are.

Locations in Germany, the United Arab Emirates, South Africa, Panama and Asia, as well as our partners worldwide, guarantee a reliable delivery of our products as fast as possible in the best quality.

Our high standards regarding our products are passed on to our customers.







Vertrauen.

Erfahrung.

Partnerschaft.

Gemeinsames Wachstum

OUR PROMISE





Trust.

Knowledge.

Partnership.

Mutual growth.



NEW PARTS week 21/2020

Dear Dr. Dario A. Damm,

Please find attached the latest additions to our product range.
For further information or assistance don't hesitate to contact me.

Best regards,

Claudia van Norden

Your contact at TRUCKTEC

Name: Claudia van Norden
Phone: +49 6894 9369 73
E-Mail: c.vannorden@trucktec.de

TRUCKTEC Automotive GmbH,
St. Ingbert, Germany

TRUCKTEC-NEWSLETTER

Registrierte Kunden erhalten regelmäßig unseren **TRUCKTEC**-Newsletter, der unsere neuesten Ersatzteile präsentiert. Mit diesem Service möchten wir Sie mit allen Neuigkeiten und Highlights stets auf dem neuesten Stand halten.

TRUCKTEC-AUFTRITT

TRUCKTEC Automotive nimmt als globales Unternehmen auch regelmäßig an den namhaften Fachmessen der Branche teil. Hierzu zählt vor allem die Teilnahme an der Automechanika in Deutschland sowie diverse Hausmessen.

TRUCKTEC-NEWSLETTER

Registered customers regularly receive our **TRUCKTEC**-newsletter, which presents our latest spare parts. With this service, we would like to keep you up-to-date with all the latest news and highlights.

TRUCKTEC-APPEARANCE

As a global company, **TRUCKTEC Automotive** regularly participates in the industry's renowned trade fairs. This includes above all the participation in the Automechanika in Germany as well as various house exhibitions.



GERMAN **DRIVEN** PRECISION

LIEBE PARTNER,

in Ihren Händen halten Sie, was **TRUCKTEC Automotive** seit 1989 ausmacht: ein ausgereiftes Produktsortiment von höchster Qualität. Damit unsere Ersatzteile schnell bei Ihnen sind, achten wir auf eine hohe Verfügbarkeit und stehen Ihnen mit einem zuverlässigen Lieferservice zur Seite – weltweit.
Wir freuen uns auf eine erfolgreiche Zusammenarbeit mit Ihnen.

DEAR PARTNER,

we have been working hard since 1989 to provide the best quality replacement parts to guarantee our partners an advantage in a competitive aftermarket. Our ambition includes availability across the range and reliable, fast delivery – worldwide.
We invite you to participate in a genuine, long term, mutually beneficial partnership.

Your Trucktec-Team

CODE	TYPE	YEAR	ENGINE
T1			
W 601	T1	04.1977 - 10.1989	M 102
W 601	T1	05.1989 - 02.1996	M 102
W 601	T1	07.1982 - 02.1996	M 102
W 601	T1	04.1977 - 10.1989	M 115
W 601	T1	05.1977 - 12.1982	M 115
W 601	T1	11.1988 - 02.1996	OM 601
W 601	T1	11.1988 - 02.1996	OM 602
W 601	T1	05.1977 - 12.1982	OM 616
W 601	T1	12.1977 - 10.1989	OM 616
W 601	T1	06.1982 - 01.1990	OM 616
W 601	T1	12.1982 - 01.1990	OM 617
W 602	T1	01.1982 - 12.1994	M 102
W 602	T1	06.1989 - 02.1996	OM 601
W 602	T1	06.1989 - 02.1996	OM 602
W 602	T1	01.1977 - 12.1990	OM 616
W 602	T1	10.1982 - 01.1990	OM 616
W 602	T1	10.1982 - 01.1990	OM 617
W 611	T1/TN	08.1982 - 06.1995	M 102
W 611	T1/TN	11.1988 - 06.1995	OM 601
W 611	T1/TN	11.1988 - 06.1995	OM 602
W 611	T1/TN	07.1981 - 01.1989	OM 616
W 611	T1/TN	04.1982 - 01.1989	OM 617
T2/L			
W 309	T2/L	08.1982 - 12.1988	M 102
W 309	T2/L	08.1972 - 12.1974	M 115
W 309	T2/L	01.1975 - 08.1982	M 115
W 309	T2/L	01.1975 - 08.1982	M 115
W 309	T2/L	01.1968 - 12.1972	M 115
W 309	T2/L	01.1970 - 12.1988	OM 314
W 309	T2/L	09.1972 - 06.1988	OM 314
W 309	T2/L	01.1972 - 12.1980	OM 615
W 309	T2/L	01.1975 - 12.1988	OM 616
W 310	T2/L	01.1970 - 12.1988	OM 314
W 310	T2/L	04.1977 - 12.1988	OM 353
W 313	T2/L	04.1977 - 12.1988	OM 353
W 328	T2/L	01.1972 - 07.1983	OM 352
W 667	T2/LN1	04.1986 - 12.1994	M 102
W 667	T2/LN1	03.1989 - 12.1994	OM 601
W 667	T2/LN1	04.1986 - 04.1989	OM 616
W 668	T2/LN1	06.1994 - 12.1994	OM 354
W 668	T2/LN1	04.1986 - 12.1994	OM 364
W 669	T2/LN1	04.1986 - 12.1994	OM 364
W 670	T2/LN1	04.1986 - 12.1994	OM 354
W 672	T2/LN1	07.1987 - 12.1992	OM 364
MB 100			
W 631	MB100	04.1988 - 08.1993	OM 615
W 631	MB100	12.1990 - 12.1994	OM 616
W 631	MB100	02.1988 - 05.1992	OM 616
Citan			
W 415	Citan 112	06.2013 -	M 200
W 415	Citan 108, 109, 111 CDI	11.2012 -	OM 607

CODE	TYPE	YEAR	ENGINE
V-Class			
W 447	V 200, 220 CDI	03.2014 -	OM 651
W 447	V 250 BlueTEC	03.2014 -	OM 651
W 447	V 250	03.2014 -	M 274
W 447	V 250 BlueTEC	12.2014 -	OM 651
W 447	V 200, 220 CDI	04.2015 -	OM 651
W 638/2	V-class V280	08.1997 - 07.2003	M 104
W 638/2	V-class 200, 230	10.1996 - 07.2003	M 111
W 638/2	V-class V230 TD	09.1996 - 07.2003	OM 601
W 638/2	V-class V200, 220 CDI	03.1999 - 07.2003	OM 611
Viano			
W 639	Viano 3.0	09.2003 - 07.2007	M 112
W 639	Viano 3.5	09.2007 - 07.2014	M 272
W 639	Viano 3.0 CDI	03.2006 - 07.2014	OM 642
W 639	Viano 2.0, 2.2 CDI	09.2003 - 07.2014	OM 646
W 639	Viano 2.0, 2.2 CDI	07.2010 - 07.2014	OM 651
Vito			
W 447	VITO Dualiner 109, 111, 114, 116 CDI	10.2014 -	OM 622
W 447	VITO Dualiner 119 BlueTEC	10.2014 -	OM 651
W 447	VITO Box Van 109, 111, 114, 116 CDI	10.2014 -	OM 622
W 447	VITO Box Van 119 CDI BlueTEC	10.2014 -	OM 651
W 447	VITO Tourer 109, 111, 114, 116, 119 CDI BlueTEC	10.2014 -	OM 622
W 447	VITO Dualiner 119 CDI BlueTEC	12.2014 -	OM 651
W 447	VITO Tourer 119 CDI BlueTEC	12.2014 -	OM 651
W 447	VITO Dualiner 114, 116 CDI	07.2015 -	OM 651
W 447	VITO Box Van 114, 116, 119 CDI	07.2015 -	OM 651
W 447	VITO Tourer 114, 116 CDI BlueTEC	07.2015 -	OM 651
W 638	Vito 113, 114	10.1996 - 07.2003	M 111
W 638	Vito 108, 110 D	02.1996 - 07.2003	OM 601
W 638	Vito 108, 110, 112 CDI	03.1999 - 07.2003	OM 611
W 639	Vito 119, 122, 123	09.2003 - 07.2007	M 112
W 639	Vito 126	09.2007 - 07.2014	M 272
W 639	Vito 120, 122 CDI	03.2006 - 07.2014	OM 642
W 639	Vito 109, 111, 115 CDI	09.2003 - 07.2014	OM 646
W 639	Vito 110, 113, 116 CDI	07.2010 - 07.2014	OM 651
Vario			
W 667	Vario	09.1996 - 12.2010	OM 602
W 668	Vario	09.1996 - 12.2010	OM 602
W 668	Vario	09.1998 - 12.2011	OM 904
W 670	Vario	09.1996 - 12.2010	OM 602
W 670	Vario	09.1996 - 12.2013	OM 904

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

CODE	TYPE	YEAR	ENGINE
Sprinter W 901 - 905			
W 901/902	Sprinter 214, 214 NGT	02.1995 - 05.2006	M 111
W 901/902	Sprinter 208 D	01.1995 - 04.2000	OM 601
W 901/902	Sprinter 210, 212 D	01.1997 - 04.2000	OM 602
W 901/902	Sprinter 208 CDI	04.2000 - 05.2006	OM 611
W 901/902	Sprinter 211, 213 CDI	04.2000 - 05.2006	OM 611
W 901/902	Sprinter 216 CDI	04.2000 - 05.2006	OM 612
W 903	Sprinter 314, 314 (NGT)	02.1995 - 05.2006	M 111
W 903	Sprinter 308 D	02.1995 - 04.2000	OM 601
W 903	Sprinter 310, 312 D	05.1997 - 08.2002	OM 602
W 903	Sprinter 308, 311 CDI	04.2000 - 05.2006	OM 611
W 903	Sprinter 311, 313 CDI	04.2000 - 05.2006	OM 611
W 903	Sprinter 316 CDI	04.2000 - 05.2006	OM 612
W 904	Sprinter 414	02.1996 - 05.2006	M 111
W 904	Sprinter 408 D	02.1996 - 05.2006	OM 601
W 904	Sprinter 410, 412 D	02.1996 - 05.2006	OM 602
W 904	Sprinter 408 CDI	04.2000 - 05.2006	OM 611
W 904	Sprinter 411, 413 CDI	04.2000 - 05.2006	OM 611
W 904	Sprinter 416 CDI	04.2000 - 05.2006	OM 612
W 905	Sprinter 616 CDI	04.2001 - 05.2006	OM 612

CODE	TYPE	YEAR	ENGINE
Sprinter W 906			
W 906	Sprinter 216, 316, 516 (NGT)	09.2008 - 05.2016	M 271
W 906	Sprinter 224, 324, 424, 524	06.2006 -	M 272
W 906	Sprinter 209, 309, 509 CDI	06.2006 - 03.2009	OM 646
W 906	Sprinter 210, 310, 510 CDI	03.2009 -	OM 651
W 906	Sprinter 211, 311, 411, 511 CDI	06.2006 - 03.2009	OM 646
W 906	Sprinter 213, 313, 413, 513 CDI	06.2006 - 03.2009	OM 646
W 906	Sprinter 213, 313 CDI	03.2009 -	OM 651
W 906	Sprinter 215, 315, 415, 515 CDI	06.2006 - 03.2009	OM 646
W 906	Sprinter 216, 316, 416, 516 CDI	03.2009 -	OM 651
W 906	Sprinter 218, 318, 418, 518 CDI	06.2006 - 03.2009	OM 642
W 906	Sprinter 219, 319, 419, 519 CDI	03.2009 -	OM 642
W 906	Sprinter 211, 214 CDI	04.2016 -	OM 651
W 906	Sprinter 319, 516 CDI	05.2011 -	OM 651
W 906	Sprinter 513 CDI	05.2011 - 05.2016	OM 651
W 906	Sprinter 311, 314, 414, 511, 514 CDI	05.2016 -	OM 651
W 906	Sprinter 311, 411 CDI	09.2013 -	OM 646
W 906	Sprinter 313 CDI	08.2011 - 05.2016	OM 651
W 906	Sprinter 316 CDI	08.2011 -	OM 651

CODE	TYPE	YEAR	ENGINE
Sprinter W 907			
W 907	Sprinter 319 CDI	02.2018 -	OM 642
W 907	Sprinter 419 CDI	02.2018 -	OM 642
W 907	Sprinter 519 CDI	02.2018 -	OM 642
W 907	Sprinter 211 CDI	02.2018 -	OM 651
W 907	Sprinter 214 CDI	02.2018 -	OM 651
W 907	Sprinter 311 CDI	02.2018 -	OM 651
W 907	Sprinter 314 CDI	02.2018 -	OM 651
W 907	Sprinter 316 CDI	02.2018 -	OM 651
W 907	Sprinter 411 CDI	02.2018 -	OM 651
W 907	Sprinter 414 CDI	02.2018 -	OM 651
W 907	Sprinter 416 CDI	02.2018 -	OM 651
W 907	Sprinter 511 CDI	02.2018 -	OM 651
W 907	Sprinter 514 CDI	02.2018 -	OM 651
W 907	Sprinter 516 CDI	02.2018 -	OM 651

Sprinter W 910			
W 910	Sprinter 319 CDI	02.2018 -	OM 642
W 910	Sprinter 419 CDI	02.2018 -	OM 642
W 910	Sprinter 211 CDI	02.2018 -	OM 651
W 910	Sprinter 214 CDI	02.2018 -	OM 651
W 910	Sprinter 311 CDI	02.2018 -	OM 651
W 910	Sprinter 314 CDI	02.2018 -	OM 651
W 910	Sprinter 316 CDI	02.2018 -	OM 651
W 910	Sprinter 411 CDI	02.2018 -	OM 651
W 910	Sprinter 414 CDI	02.2018 -	OM 651
W 910	Sprinter 416 CDI	02.2018 -	OM 651

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

PETROL ENGINE

ENGINE	CAPACITY (CCM)	CYLINDER	VALVE	KW
M 102	1797 - 2498	4	8, 16	77 - 173
M 104	2792 - 3606	6	12, 24	128 - 206
M 111	1799 - 2295	4	16	89 - 145
M 112	2398 - 3724	6	18	125 - 180
M 115	1988 - 2307	4	8	40 - 81

ENGINE	CAPACITY (CCM)	CYLINDER	VALVE	KW
M 200	1192	4	16	84
M 271	1796	4	16	90 - 150
M 272	2496 - 3498	6	24	150 - 232
M 274	1991	4	16	155

DIESEL ENGINE

ENGINE	CAPACITY (CCM)	CYLINDER	VALVE	KW
OM 314	3780 - 3782	4	8	35 - 63
OM 352	5670 - 5700	6	12	48 - 115
OM 353	5675 - 5700	6	12	62 - 130
OM 354	3972	4	8	77 - 103
OM 364	3970 - 3973	4	8	50 - 103
OM 601	1997 - 2300	4	8	53 - 72
OM 602	2497 - 2874	5	10	62 - 93
OM 607	1461	4	8	55 - 81
OM 611	2148 - 2151	4	16	60 - 105
OM 612	2685 - 2950	5	20	110 - 170

ENGINE	CAPACITY (CCM)	CYLINDER	VALVE	KW
OM 615	1988 - 2197	4	8	40 - 49
OM 616	2399 - 2448	4	8	41 - 53
OM 617	2998	5	10	59 - 92
OM 642	2987	6	24	135 - 195
OM 646	2148	4	16	65 - 125
OM 647	2685	5	20	60 - 130
OM 648	3222	6	24	130 - 150
OM 651	1796 - 2143	4	16	70 - 150
OM 904	4249 - 4250	4	12	75 - 142

DESCRIPTION

3 13

Gross vehicle weight in tons (t)

1 = 2 tons
2 = 3 tons
3 = 3,5 tons
4 = 4 tons
5 = 5 tons

Engine power in HP (-x 10)
(mathematical rounded)

for example: (13 x 10 = 130 HP)

D = prechamber Diesel
CDI = Common Rail direct injection
NGT = Natural gas technologie
BlueTec = with NOx Adsorber

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtring **Seal ring**	**50**	**02.67.112**	**012 997 5148**	

Engine M 103, 104
OM 601 - 606, 628, 629, 646, 661, 662

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Fitting position: cylinder head; Thickness: 4 mm; Inner Ø: 17 mm; Outer Ø: 25 mm

Dichtring, Kerzenschacht **Seal ring, spark plug shaft**	**1**	**02.10.136**	**611 016 0221**	

Engine OM 611, 612, 628, 629, 646 - 648

Type W 638, 638/2, 639, 901 - 906



02.10.103 02.10.119 02.10.120 02.10.121 02.10.171


Dichtring, Kerzenschacht **Seal ring, spark plug shaft**	**1**	**02.10.135**	**161 016 3121**	

Engine M 111
OM 611

Type W 638, 638/2, 901 - 904



02.10.045 02.10.115

Dichtring, Kerzenschacht **Seal ring, spark plug shaft**	**1**	**02.10.137**	**271 016 0121**	

Engine M 271

Type W 906



02.10.116 02.10.117

Dichtung, Kurbelgehäuseentlüftung **Seal, crankcase breather**	**50**	**02.10.064**	**601 016 0163**	

Engine OM 601 - 603, 606, 661, 662




Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Dichtung, Ölpeilstab **Seal / gasket, oil dipstick**	**10**	**02.10.006**	**029 997 6648**	

Engine OM 611, 612, 642, 646 - 648

Type W 639, 906, 909

02.10.129

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Ölwanne** **Gasket, oil sump** Engine M 102 Type W 309, 601, 602, 611, 667	1	02.10.031	102 014 0722
	**Dichtung, Ölwanne** **Gasket, oil sump** Engine M 111 OM 601, 604, 611, 646 Type W 601, 602, 611, 638, 638/2, 639, 667, 901 - 904, 906 Details Equipment variant: without silikon	1	02.10.043	611 014 0222
	**Dichtung, Ölwanne** **Gasket, oil sump** Engine M 111 OM 601, 604, 611, 646 Type W 601, 602, 611, 638, 638/2, 639, 667, 901 - 904, 906 Details Equipment variant: with silikon  02.10.065 02.10.161	1	02.10.100	646 014 0222
	**Dichtung, Ölwanne** **Gasket, oil sump** Engine OM 651 Type W 639, 906, 907, 910	1	02.10.024	651 014 0028
	**Dichtung, Ölwanne** **Gasket, oil sump** Engine OM 900, 904 Type W 668 - 670	1	01.10.078	904 014 0622
	**Dichtung, Ölwanne** **Gasket, oil sump** Engine OM 900, 904 Type W 668 - 670	1	01.10.080	904 014 0722

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Ölwanne **Gasket, oil sump**	**1**	**02.10.061**	**612 014 0122**	

Engine OM 612, 647
Type W 901 - 905



Dichtung, Steuergehäuse **Gasket, timing case**	**1**	**02.10.041**	**611 159 0480**	

Engine OM 611 - 613, 628, 646 - 648
Type W 638, 638/2, 901 - 905



NEW

Dichtung, Steuergehäusedeckel **Gasket, timing case cover**	**1**	**02.10.193**	**651 096 1480**	

Engine OM 651
Type W 447, 639, 906, 907, 910




02.10.194

Dichtung, Steuergehäusedeckel **Gasket, timing case cover**	**10**	**02.18.058**	**112 184 0280**	


Engine M 112, 113
Type W 639




02.18.051 02.43.300


Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.091**	**616 016 2020**	

Engine OM 616
Type W 309, 601, 602, 611, 631, 667
Details Cylinder bore: 92 mm





Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.155**	**651 016 0320**	

Engine OM 651
Type W 447, 639, 906, 907, 910
Details Cylinder bore: 84 mm





02.10.194 02.10.217

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 602 Type W 601, 602, 611 Details Cylinder bore: 88 mm	1	02.10.092	602 016 3120
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 617 Type W 601, 602, 611 Details Cylinder bore: 92 mm	1	02.10.089	617 016 0820
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 601 Type W 601, 602, 611, 638, 638/2, 667, 901 - 904 Details Cylinder bore: 88 mm	1	02.10.090	601 016 2920
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 601, 661 Type W 601, 602, 611, 638, 667, 901 - 904 Details Cylinder bore: 90 mm  02.10.183	1	02.10.151	601 016 3320
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 602, 606, 662 Type W 601, 602, 611, 667, 668, 670, 901 - 904 Details Cylinder bore: 90 mm	1	02.10.152	602 016 3520
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine M 111 Type W 638, 638/2 Details Cylinder bore: 91 mm	1	02.10.110	111 016 2620

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.113**	**646 016 0520**	

Engine OM 611, 646
Type W 638, 638/2, 639, 901 - 904, 906
Details Cylinder bore: 88,8 mm





02.10.182

Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.112**	**112 016 0320**	

Engine M 112
Type W 639
Details Fitting position: left; Cylinder bore: 92 mm






02.10.111

Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.111**	**112 016 0420**	

Engine M 112
Type W 639
Details Fitting position: right; Cylinder bore: 92 mm






02.10.112

Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.187**	**272 016 2020**	

Engine M 272
Type W 639, 906
Details Fitting position: left; Cylinder bore: 94 mm






02.10.188

Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.188**	**272 016 1920**	

Engine M 272
Type W 639, 906
Details Fitting position: right; Cylinder bore: 94 mm






02.10.187




Dichtung, Zylinderkopf **Gasket, cylinder head**	**1**	**02.10.153**	**642 016 5120**	

Engine OM 642
Type W 639, 906, 907, 910
Details Fitting position: left; Cylinder bore: 83,8 mm






02.10.154 02.10.210

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 642 Type W 639, 906, 907, 910 Details Fitting position: right; Cylinder bore: 83,8 mm  02.10.153 02.10.195	1	02.10.154	642 016 5220
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 900, 904 Type W 668 - 670 Details Cylinder bore: 103,5 mm	1	01.10.155	904 016 1320
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine OM 612, 647 Type W 901 - 905 Details Cylinder bore: 88,8 mm	1	02.10.131	647 016 0620
	**Dichtung, Zylinderkopf** **Gasket, cylinder head** Engine M 271 Type W 906 Details Cylinder bore: 83 mm	1	02.10.186	271 016 1520
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine M 102 Type W 309, 601, 602, 611, 667 Details Vehicle equipment: for vehicles with leveling control	1	02.10.008	102 016 1121
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine OM 615, 616, 621 Type W 309, 601, 602, 611, 667	1	02.10.018	615 016 0080

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.148**	**668 016 0421**	


Engine OM 668
Type W 414



Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.146**	**651 016 0021**	

Engine OM 651
Type W 447, 639, 906



02.10.194



Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.029**	**651 016 0321**	

Engine OM 651
Type W 447, 639, 906, 907, 910



02.10.194



Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.012**	**601 016 0721**	

Engine OM 601, 661
Type W 601, 602, 611
Details Vehicle equipment: for vehicles with leveling control


02.10.183



Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.019**	**617 016 0180**	

Engine OM 617
Type W 601, 602, 611



Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.009**	**102 016 1221**	

Engine M 102
Type W 601, 602, 611, 667
Details Vehicle equipment: for vehicles without leveling control










ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine OM 611, 646 Type W 638, 638/2, 639, 901 - 904, 906  02.10.119 02.10.136 02.10.182	1	02.10.103	611 016 0121
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine OM 601 Type W 638, 638/2, 667, 901 - 904 Details Vehicle equipment: for vehicles without leveling control  02.10.183	1	02.10.011	601 016 0621
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine M 111 OM 611 Type W 638, 638/2, 901 - 904  02.10.115 02.10.135	1	02.10.045	111 016 0221
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine M 112 Type W 639 Details Fitting position: left  02.10.074	1	02.10.073	112 016 0221
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine M 112 Type W 639 Details Fitting position: right  02.10.073	1	02.10.074	112 016 0321
	**Dichtung, Zylinderkopfhaube** **Gasket, cylinder head cover** Engine OM 611, 646 Type W 639, 906  02.10.121 02.10.136 02.10.171	1	02.10.120	646 016 1221

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.013**	**602 016 0221**	

Engine OM 602, 662
Type W 667, 668, 670, 901 - 904



Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**01.10.158**	**000 016 0421**	


Engine OM 900, 904
Type W 668 - 670




01.10.161

Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**01.10.161**	**904 016 0721**	


Engine OM 900, 904
Type W 668 - 670




01.10.158

Dichtung, Zylinderkopfhaube **Gasket, cylinder head cover**	**1**	**02.10.116**	**271 016 0921**	

Engine M 271
Type W 906




02.10.117 02.10.137

Dichtung, Zylinderkopfhaubenschrauben **Seal ring, cylinder head cover bolt**	**10**	**01.10.189**	**000 016 0040**	






Engine OM 900, 902, 904
Type W 668 - 670



Dichtung, Zylinderkopfhaubenschrauben **Seal ring, cylinder head cover bolt**	**10**	**01.10.190**	**906 016 0080**	

Engine OM 900, 902, 904
Type W 668 - 670



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtungssatz, Kurbelgehäuse** **Gasket set, crank case** Engine OM 904 Type W 668 - 670	1	01.10.246	904 010 4505
	**Dichtungssatz, Zylinderkopf** **Gasket set, cylinder head** Engine OM 651 Type W 447, 639, 906, 907, 910  02.10.029 02.10.146 02.10.155 02.10.193 02.10.217	1	02.10.194	651 016 0320 cpl.1
	**Dichtungssatz, Zylinderkopf** **Gasket set, cylinder head** Engine OM 651 Type W 447, 639, 906, 907, 910  02.10.155 02.10.194	1	02.10.217	651 016 0320 cpl.2
	**Dichtungssatz, Zylinderkopf** **Gasket set, cylinder head** Engine OM 601, 661 Type W 601, 602, 611, 638, 667, 901 - 904  02.10.011 02.10.012 02.10.151	1	02.10.183	601 010 5020
	**Dichtungssatz, Zylinderkopf** **Gasket set, cylinder head** Engine OM 611, 646 Type W 638, 638/2, 901 - 904  02.10.103 02.10.113 02.10.138 02.10.218	1	02.10.182	611 010 4520
	**Dichtungssatz, Zylinderkopf** **Gasket set, cylinder head** Engine OM 642 Type W 639, 906, 907, 910 Details Fitting position: left  02.10.153 02.10.195 02.10.211	1	02.10.210	642 016 5120 cpl.1

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtungssatz, Zylinderkopf **Gasket set, cylinder head**	**1**	**02.10.195**	**642 016 5220** **cpl.1**	

Engine OM 642
Type W 639, 906, 907, 910
Details Fitting position: right






02.10.154 02.10.210 02.10.211

Dichtungssatz, Zylinderkopf **Gasket set, cylinder head**	**1**	**02.10.211**	**642 016 5220** **cpl.2**	

Engine OM 642
Type W 639, 906, 907, 910
Details Fitting position: left, right






02.10.195 02.10.210

Dichtungssatz, Zylinderkopfhaube **Gasket set, cylinder head cover**	**1**	**02.10.121**	**646 016 1221** **cpl.1**	

Engine OM 611, 628, 629, 646
Type W 638, 638/2, 639, 901 - 904, 906






02.10.120 02.10.136 02.10.171

Dichtungssatz, Zylinderkopfhaube **Gasket set, cylinder head cover**	**1**	**02.10.115**	**111 010 0430** **cpl.1**	

Engine M 111
OM 611
Type W 638, 638/2, 901 - 904






02.10.045 02.10.135

Dichtungssatz, Zylinderkopfhaube **Gasket set, cylinder head cover**	**1**	**02.10.119**	**611 016 0121** **cpl.1**	

Engine OM 611, 646
Type W 638, 638/2, 901 - 904






02.10.103 02.10.136



Dichtungssatz, Zylinderkopfhaube **Gasket set, cylinder head cover**	**1**	**02.10.117**	**271 016 0921** **cpl.1**	

Engine M 271
Type W 906





02.10.116 02.10.137

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
 NEW	**Dichtungsvollsatz, Motor** **Full gasket set, engine** Engine OM 611, 646 Type W 638, 638/2, 901 - 904  02.10.103 02.10.113 02.10.182	**1**	**02.10.218**	**611 010 4520 cpl.1**
	**Filter, Kurbelgehäuseentlüftung** **Filter, crankcase breather** Engine OM 611, 612, 647 Type W 901 - 905  02.10.030	**1**	**02.10.209**	**000 016 0434**
	**Froststopfen** **Frost plug** Engine M 102, 103, 111, 115 OM 314, 601 - 603, 611, 615, 616 Type W 309, 310, 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904 Details Ø: 25 mm	**100**	**02.67.042**	**403 997 0620**
	**Froststopfen** **Frost plug** Engine M 102, 103, 110, 111, 115 OM 364, 366, 601 - 603, 616, 617, 642, 646, 647, 651, 904 Type W 309, 601, 602, 611, 631, 638, 638/2, 639, 667 - 670, 901 - 904 Details Ø: 34 mm	**100**	**02.67.043**	**000443 034002**
	**Froststopfen** **Frost plug** Engine M 103, 104 OM 327, 360, 601 - 606, 661, 662 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904 Details Ø: 17 mm	**100**	**02.67.057**	**000443 017000**
	**Froststopfen** **Frost plug** Engine M 102, 103, 111 OM 604 - 606, 611, 612, 628, 629, 646 - 648 Type W 638, 638/2, 639, 901 - 906 Details Ø: 18 mm	**100**	**02.67.120**	**000443 018003**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Froststopfen **Frost plug**	**100**	**01.10.129**	**000 997 4320**	

Engine OM 900, 902, 904
Type W 668 - 670
Details Ø: 40 mm



Gehäusedeckel, Kurbelgehäuse **Housing cover, crankcase**	**1**	**02.10.189**	**272 010 0631**	

Engine M 272, 273
Type W 639, 906



Ölabscheider, Kurbelgehäuseentlüftung **Oil trap, crankcase breather**	**1**	**02.10.208**	**611 016 0234**	

Engine OM 611
Type W 638, 638/2



Ölabscheider, Kurbelgehäuseentlüftung **Oil trap, crankcase breather**	**1**	**02.10.133**	**611 016 0334**	

Engine OM 611 - 613, 646, 648
Type W 639



Ölabscheider, Kurbelgehäuseentlüftung **Oil trap, crankcase breather**	**1**	**02.10.030**	**646 010 0762**	

Engine OM 611, 612, 646, 647
Type W 639, 901 - 905






02.10.209

Ölabscheider, Kurbelgehäuseentlüftung **Oil trap, crankcase breather**	**1**	**02.10.178**	**272 016 0134**	

Engine M 272
Type W 639, 906



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ölabscheider, Kurbelgehäuseentlüftung** **Oil trap, crankcase breather** Engine OM 611, 612, 646 Type W 901 - 906	1	02.10.158	611 016 0134
	**Ölabscheider, Kurbelgehäuseentlüftung** **Oil trap, crankcase breather** Engine OM 646 Type W 906, 909	1	02.10.159	646 010 1562
	Ölpeilstab **Oil dipstick** Engine M 112 Type W 639 Details Length: 545 mm  02.10.006	1	02.10.129	112 010 0372
	**Ölwanne** **Oil sump** Engine OM 611 Type W 901 - 905  02.10.100 02.10.161	1	02.10.161	611 014 0902
	**Schlauch, Kurbelgehäuseentlüftung** **Hose, crankcase breather** Engine M 102 Type W 309, 601, 602, 611, 667	1	02.14.016	102 094 2187
NEW 	**Schlauch, Zylinderkopfhaubenentlüftung** **Hose, cylinder head cover breather** Engine OM 602, 603, 662 Type W 601, 602, 611	1	02.10.060	603 016 0081

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Zylinderkopfhaubenentlüftung **Hose, cylinder head cover breather**	**1**	**02.10.062**	**601 016 0381**	

Engine OM 601 - 603
Type W 601, 602, 611, 638, 901 - 904



Schlauch, Zylinderkopfhaubenentlüftung **Hose, cylinder head cover breather**	**1**	**02.10.063**	**601 016 0481**	

Engine OM 601 - 603
Type W 601, 602, 611, 638, 901 - 904



Schlauch, Zylinderkopfhaubenentlüftung **Hose, cylinder head cover breather**	**1**	**02.18.042**	**111 018 0382**	

Engine M 111
Type W 638, 638/2, 901 - 904



Schlauch, Zylinderkopfhaubenentlüftung **Hose, cylinder head cover breather**	**1**	**02.18.045**	**112 018 0182**	

Engine M 112, 113
Type W 639



Schlauch, Zylinderkopfhaubenentlüftung **Hose, cylinder head cover breather**	**1**	**02.18.082**	**112 018 0209**	

Engine M 112, 113
Type W 639



Schlauch, Zylinderkopfhaubenentlüftung **Hose, cylinder head cover breather**	**1**	**02.18.046**	**112 018 0282**	

Engine M 112, 113
Type W 639



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Schlauch, Zylinderkopfhaubenentlüftung** **Hose, cylinder head cover breather** Engine M 112, 113 Type W 639	1	02.18.047	112 018 0382
	**Schlauch, Zylinderkopfhaubenentlüftung** **Hose, cylinder head cover breather** Engine M 112, 113 Type W 639	1	02.18.048	112 018 0482
	**Schlauch, Zylinderkopfhaubenentlüftung** **Hose, cylinder head cover breather** Engine M 271 Type W 906	1	02.18.085	271 018 1282
	**Schlauch, Zylinderkopfhaubenentlüftung** **Hose, cylinder head cover breather** Engine M 271 Type W 906	1	02.18.086	271 018 1482
	**Schlauch, Zylinderkopfhaubenentlüftung** **Hose, cylinder head cover breather** Engine M 271 Type W 906	1	02.18.087	271 018 1582
	**Ventil, Kurbelgehäuseentlüftung** **Valve, engine block breather** Engine OM 642 Type W 639, 906, 907, 910	1	02.10.224	642 010 1791

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ventil, Kurbelgehäuseentlüftung **Valve, engine block breather**	1	02.10.225	642 010 2091	

Engine OM 642
Type W 906



NEW

Verschluss, Öleinfüllstutzen **Sealing cap, oil filling port**	10	02.10.046	111 018 0302	

Engine M 102 - 104, 108, 110 - 115, 271 - 273
OM 312, 314, 326, 327, 335, 346, 352, 354, 355, 360, 362, 364, 366, 601 - 606, 611 - 613, 615 - 617, 628, 640, 642, 646 - 648, 661, 662, 668, 900, 902, 904
Type W 309, 310, 313, 414, 601, 602, 611, 631, 638, 638/2, 639, 667 - 670, 672, 901 - 906



Verschluss-/Schutzkappe **Sealing/protective cap**	10	02.10.065	102 014 0033	

Engine M 102 - 104, 111
OM 601 - 606, 611 - 613, 646, 647
Type W 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 905





02.10.100

Verschluss-/Schutzkappe **Sealing/protective cap**	10	02.10.102	112 014 0133	

Engine M 112, 113
Type W 639



Verschluss-/Schutzkappe **Sealing/protective cap**	10	02.10.101	611 014 0033	


Engine OM 611, 612, 646, 647
Type W 906



Verschlussdeckel, Nockenwelle **Locking cover, camshaft**	10	02.10.086	000 997 6220	

Engine OM 642
Type W 639, 906, 907, 910
Details Outer Ø: 30 mm



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Verschlussdeckel, Nockenwelle** **Locking cover, camshaft** Engine OM 642 Type W 639, 906, 907, 910 Details Outer Ø: 40 mm	**10**	**02.10.104**	**000 997 6320**
	**Verschlussschraube, Kurbelgehäuse** **Screw plug, crankcase** Engine M 102 - 104, 110 - 113, 115, 271 - 273 OM 601 - 606, 611 - 613, 616, 617, 640, 646 - 648, 651 Type W 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 906 Details Thread size: M38 x 1,5  02.10.192 02.67.254	**10**	**02.10.099**	**117 997 0230**
	**Verschlussschraube, Kurbelgehäuse** **Screw plug, crankcase** Engine M 102 - 104, 110 - 113, 115, 271 - 273 OM 601 - 606, 611 - 613, 616, 617, 640, 646 - 648, 651 Type W 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 906 Details Thread size: M38 x 1,5  02.10.099 02.67.254	**1**	**02.10.192**	**117 997 0230 cpl.1**
	**Verschlussschraube, Ölwanne** **Sealing plug, oil sump** Engine M 102, 104, 110, 114, 115 OM 615 - 617 Type W 309, 601, 602, 611 Details Thread size: M12 x 1,5  02.43.117 02.67.047	**10**	**02.67.003**	**002 997 3430**
	**Verschlussschraube, Ölwanne** **Sealing plug, oil sump** Engine M 102, 104, 108, 110, 114, 115, 274 OM 601, 611, 615 - 617, 642, 646 Type W 309, 601, 602, 611, 667 Details Thread size: M12 x 1,5  02.67.003 02.67.047	**1**	**02.43.117**	**002 997 3430 cpl.1**
	**Verschlussschraube, Ölwanne** **Sealing plug, oil sump** Engine M 100, 102 - 104, 108, 110 - 115, 166, 271 - 274 OM 314, 364, 601 - 606, 611 - 613, 615 - 617, 621, 628, 629, 636, 640, 642, 646 - 648, 651, 668 Type W 309, 310, 414, 447, 601, 602, 611, 631, 638, 638/2, 639, 667 - 670, 672, 901 - 907, 910 Details Thread size: M14 x 1,5  02.43.264 02.67.048	**10**	**02.67.125**	**111 997 0330**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Verschlussschraube, Ölwanne **Sealing plug, oil sump**	**1**	**02.43.264**	**111 997 0330** **cpl.1**	

Engine M 100, 102 - 104, 108, 110 - 115, 166, 271 - 274
OM 314, 364, 601 - 606, 611 - 613, 615 - 617, 621, 628, 629, 636, 640, 642, 646 - 648, 651, 668

Type W 309, 310, 414, 447, 601, 602, 611, 631, 638, 638/2, 639, 667 - 670, 672, 901 - 907, 910

Details Thread size: M14 x 1,5





02.67.048 02.67.125

Verschlussschraube, Ölwanne **Sealing plug, oil sump**	**10**	**07.67.001**	**N 013 849 2**	

Engine M 102 - 104, 111 - 113, 166, 271
OM 601 - 606, 611 - 613, 628, 646 - 648

Type W 638, 638/2, 639, 901 - 906

Details Thread size: M14 x 1,5





02.67.048

Verschlussschraube, Ölwanne **Sealing plug, oil sump**	**1**	**02.43.286**	**210 997 0132** **cpl.1**	

Engine M 100, 102 - 104, 108, 110 - 115, 166
OM 314, 601 - 606, 611, 615 - 617, 621, 636, 668

Type W 309, 601, 602, 611, 631, 638, 638/2, 667, 901 - 904

Details Thread size: M24 x 1,5





01.67.056 02.67.046

Verschlussschraube, Ölwanne **Sealing plug, oil sump**	**10**	**02.67.138**	**130 997 0032**	

Engine M 100, 102 - 104, 108, 110 - 115, 166
OM 314, 601 - 606, 611, 615 - 617, 621, 636, 668

Type W 309, 601, 602, 611, 631, 638, 638/2, 667, 901 - 904

Details Thread size: M26 x 1,5





02.43.287 88.26.001


Verschlussschraube, Ölwanne **Sealing plug, oil sump**	**1**	**02.43.287**	**130 997 0032** **cpl.1**	

Engine M 100, 102 - 104, 108, 110 - 115, 166
OM 314, 601 - 606, 611, 615 - 617, 621, 636, 668

Type W 309, 601, 602, 611, 631, 638, 638/2, 667, 901 - 904

Details Thread size: M26 x 1,5





02.67.138 88.26.001

Wärmeschutzscheibe, Einspritzanlage **Heat shield, injection system**	**10**	**02.10.070**	**617 017 0360**	

Engine OM 615 - 617, 621

Type W 309, 601, 602, 611, 631, 667

Details Thickness: 2,62 mm; Inner Ø: 10 mm; Outer Ø: 20,1 mm



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Wärmeschutzscheibe, Einspritzanlage** **Heat shield, injection system** Engine OM 602, 611 - 613, 628, 629, 639, 640, 642, 646 - 648, 651, 660, 668 Type W 414, 447, 638, 638/2, 639, 667, 668, 670, 901 - 907, 909, 910 Details Thickness: 1,6 mm; Inner Ø: 7 mm; Outer Ø: 15 mm	10	02.10.078	611 017 0060
 02.13.100 02.13.101 02.13.141				
	**Wärmeschutzscheibe, Einspritzanlage** **Heat shield, injection system** Engine OM 602, 611 - 613, 628, 629, 639, 640, 642, 646 - 648, 651, 660, 668 Type W 414, 447, 638, 638/2, 639, 667, 668, 670, 901 - 907, 909, 910 Details Thickness: 1,9 mm; Inner Ø: 7 mm; Outer Ø: 15 mm	10	02.10.080	611 017 0460
	**Wärmeschutzscheibe, Einspritzanlage** **Heat shield, injection system** Engine OM 602, 611 - 613, 628, 629, 639, 640, 642, 646 - 648, 651, 660, 668 Type W 414, 447, 638, 638/2, 639, 667, 668, 670, 901 - 907, 910 Details Thickness: 1,7 mm; Inner Ø: 7 mm; Outer Ø: 15 mm	10	02.10.079	611 017 0660
	**Wärmeschutzscheibe, Einspritzanlage** **Heat shield, injection system** Engine OM 601 - 606, 661, 662 Type W 601, 602, 611, 638, 638/2, 667, 901 - 904 Details Thickness: 2,7 mm; Inner Ø: 10 mm; Outer Ø: 20,1 mm	10	02.10.071	601 017 0060
	**Wellendichtring, Kurbelwelle** **Shaft seal, crankshaft** Engine M 110, 115 OM 615 - 617, 621 Type W 309, 601, 602, 611, 631, 667 Details Fitting position: transmission end; Thickness: 8 mm; Inner Ø: 78 mm; Outer Ø: 94 mm	1	02.67.005	001 997 1241
	**Wellendichtring, Kurbelwelle** **Shaft seal, crankshaft** Engine M 102 - 104, 111 OM 601 - 606, 661, 662 Type W 309, 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 904 Details Fitting position: transmission end; Thickness: 8 mm; Inner Ø: 93 mm; Outer Ø: 114 mm	1	02.67.242	017 997 7447

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wellendichtring, Kurbelwelle **Shaft seal, crankshaft**	**1**	**02.43.306**	**166 997 0246**	

Engine M 166
OM 640, 660, 668

Type W 414

Details Fitting position: timing end; Inner Ø: 40 mm; Outer Ø: 62 mm



NEW

Wellendichtring, Kurbelwelle **Shaft seal, crankshaft**	**1**	**02.10.202**	**000 997 1908**	

Engine M 166, 274
OM 639, 640, 660, 668

Type W 414, 447

Details Fitting position: timing end; Inner Ø: 40 mm; Outer Ø: 62 mm



NEW

Wellendichtring, Kurbelwelle **Shaft seal, crankshaft**	**1**	**02.43.307**	**160 997 0146**	

Engine OM 607, 660

Type W 415

Details Fitting position: transmission end; Inner Ø: 80 mm; Outer Ø: 100 mm



NEW

Wellendichtring, Kurbelwelle **Shaft seal, crankshaft**	**1**	**02.67.264**	**014 997 5146**	

Engine OM 651

Type W 447, 639, 906, 907, 910

Details Fitting position: timing end; Inner Ø: 60 mm; Outer Ø: 75 mm



Wellendichtring, Kurbelwelle **Shaft seal, crankshaft**	**1**	**02.67.263**	**651 997 0046**	

Engine OM 651

Type W 447, 639, 906, 907, 910

Details Fitting position: transmission end; Inner Ø: 96 mm; Outer Ø: 114 mm



Wellendichtring, Kurbelwelle **Shaft seal, crankshaft**	**1**	**02.67.146**	**023 997 8447**	

Engine M 102 - 104, 111 - 113, 271 - 273
OM 601 - 606, 611 - 613, 628, 629, 642, 646 - 648, 651

Type W 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 907, 909, 910

Details Fitting position: timing end; Inner Ø: 45 mm; Outer Ø: 67 mm



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Wellendichtring, Kurbelwelle** **Shaft seal, crankshaft**	**1**	**02.12.159**	**611 010 0114**

Engine M 111
OM 601 - 606, 611 - 613, 646 - 648, 661, 662
Type W 638, 638/2, 639, 667, 668, 670, 901 - 906, 909
Details Fitting position: transmission end; Inner Ø: 93 mm; Outer Ø: 110 mm

	**Wellendichtring, Kurbelwelle** **Shaft seal, crankshaft**	**1**	**07.10.008**	**000 015 0246**

Engine M 104
Type W 638/2
Details Fitting position: transmission end; Inner Ø: 85 mm; Outer Ø: 105 mm

NEW

	**Wellendichtring, Kurbelwelle** **Shaft seal, crankshaft**	**1**	**01.10.073**	**013 997 1447**

Engine OM 352, 366, 616
Type W 639
Details Fitting position: transmission end; Inner Ø: 120 mm; Outer Ø: 140 mm

	**Zylinderkopf** **Cylinder head**	**1**	**02.10.138**	**611 010 2320**

Engine OM 611
Type W 638, 638/2, 901 - 904


02.10.182

	**Zylinderkopfhaube** **Cylinder head cover**	**1**	**02.10.171**	**646 010 1930**

Engine OM 611, 646
Type W 638, 638/2, 901 - 904, 906


02.10.120 02.10.121 02.10.136

	**Zylinderkopfschraube** **Cylinder head bolt**	**50**	**02.67.131**	**603 990 0110**

Engine OM 601 - 603, 616
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Length: 80 mm; Thread size: M10 x 1,5


02.67.132

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Zylinderkopfschraube **Cylinder head bolt**	**50**	**02.67.115**	**603 990 0210**	

Engine OM 601 - 606, 616
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Length: 102 mm; Thread size: M10 x 1,5





02.67.132

Zylinderkopfschraube **Cylinder head bolt**	**50**	**02.67.130**	**603 990 0310**

Engine OM 601 - 606, 616
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Length: 115 mm; Thread size: M10 x 1,5





02.67.132

Zylinderkopfschraube **Cylinder head bolt**	**50**	**02.67.139**	**611 990 1322**

Engine OM 611 - 613, 646 - 648
Type W 638, 638/2, 639, 901 - 905
Details Length: 102 mm; Thread size: M12 x 1,75



Zylinderkopfschraube **Cylinder head bolt**	**50**	**02.67.140**	**102 990 0810**

Engine M 102, 103, 111
Type W 638, 638/2, 901 - 904
Details Length: 102 mm; Thread size: M12 x 1,5



Zylinderkopfschraube **Cylinder head bolt**	**10**	**01.10.130**	**906 016 0769**

Engine OM 900, 902, 904
Type W 668 - 670
Details Length: 149 mm; Thread size: M16 x 2



NEW

Zylinderkopfschraubensatz **Bolt kit, cylinder head**	**1**	**02.67.132**	**603 990 0210** **cpl.1**

Engine OM 601 - 606, 616
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Length: 102 mm; Thread size: M10 x 1,5



02.67.115 02.67.130 02.67.131

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Zylinderlaufbuchse** **Cylinder sleeve**	**1**	**02.10.077**	**616 011 1210**

Engine OM 314, 616, 617
Type W 309, 601, 602, 611, 631, 667
Details Length: 158,4 mm; Cylinder bore: 89,95 mm

	**Zylinderlaufbuchse** **Cylinder sleeve**	**1**	**02.10.087**	**601 011 0210**

Engine OM 601, 602, 661, 662
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Length: 156,5 mm; Cylinder bore: 89 mm

	**Zylinderlaufbuchse** **Cylinder sleeve**	**1**	**02.10.082**	**601 011 0310**

Engine OM 601, 602, 661, 662
Type W 601, 602, 611, 638, 667, 668, 670, 901 - 904
Details Length: 156,5 mm; Cylinder bore: 89 mm

	**Zylinderlaufbuchse** **Cylinder sleeve**	**1**	**02.10.172**	**611 011 0010**

Engine OM 611, 612
Type W 638, 638/2, 639, 901 - 906
Details Length: 147,5 mm; Cylinder bore: 88 mm

	**Federscheibe** **Spring disc**	**50**	**02.11.006**	**108 991 0067**

Engine M 102 - 104, 108, 110, 111, 114, 115, 166, 271, 274
OM 601 - 606, 611 - 613, 615 - 617, 628, 629, 640, 646 - 648, 668
Type W 309, 414, 447, 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 906

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Laufring, Kurbelwelle **Ring gear, crankshaft**	**1**	**01.11.002**	**314 035 0214**	

Engine OM 312, 314, 352, 354, 362, 364, 366, 374
Type W 309, 310
Details Height: 11,5 mm; Inner Ø: 50 mm; Outer Ø: 65 mm



Nabe, Kurbelwelle **Hub, crankshaft**	**1**	**02.11.017**	**104 030 0008**	

Engine M 102 - 104
OM 601 - 606
Type W 601, 602, 611, 667, 668, 670, 901 - 904



Pleuel **Connecting rod**	**1**	**01.11.056**	**366 030 3520**	

Engine OM 314, 352, 354, 362, 364, 366
Type W 309, 310, 313, 668 - 670, 672



Pleuel **Connecting rod**	**1**	**02.11.047**	**651 030 0020**	

Engine OM 651
Type W 447, 639, 906, 907, 910





02.11.054

Pleuel **Connecting rod**	**1**	**02.11.019**	**646 030 0020**	

Engine OM 611 - 613, 646 - 648
Type W 638, 638/2, 639, 901 - 906





02.11.054

Pleuel **Connecting rod**	**1**	**01.11.068**	**906 030 0220**	

Engine OM 904
Type W 668 - 670



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Pleuellager** **Big end bearings** Engine OM 314, 352, 354, 362, 364, 366, 374 Type W 309, 310, 313, 668 - 670, 672	1	01.11.075	352 131 2533
	**Pleuelschraube** **Connecting rod bolt** Engine M 111 - 113 OM 611 - 613, 628, 629, 640, 646 - 648, 651 Type W 447, 638, 638/2, 639, 901 - 906, 909 Details Length: 47 mm; Thread size: M8 X 1  02.11.019 02.11.047	10	02.11.054	112 038 0071
	**Riemenscheibe, Kurbelwelle** **Belt pulley, crankshaft** Engine OM 611, 642, 646, 651 Type W 638, 638/2, 639, 901 - 904, 906, 909	1	02.11.018	611 030 0503
	**Riemenscheibe, Kurbelwelle** **Belt pulley, crankshaft** Engine M 104, 112, 113, 272 Type W 639	1	02.11.016	112 035 1300
	**Schwungrad** **Flywheel** Engine OM 900, 904 Type W 669, 670 Details Number of teeth: 133; Parameter: 362	1	01.11.037	906 030 3205
	**Zahnkranz, Schwungrad** **Ring gear, flywheel** Engine M 102 Type W 309, 601, 602, 611 Details Equipment variant: without catalyzer	1	02.11.011	102 030 1712

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE

Zahnkranz, Schwungrad
Ring gear, flywheel

1 | 01.11.023 | 352 032 1105



Engine OM 314, 352, 354, 364, 366, 374
Type W 309, 310, 313, 668 - 670, 672
Details Number of teeth: 125; Height: 16 mm; Inner Ø: 334 mm; Outer Ø: 380 mm

Zahnkranz, Schwungrad
Ring gear, flywheel


1 | 02.11.007 | 102 032 0205



Engine M 102 - 104, 111
OM 601 - 606
Type W 309, 601, 602, 611, 638, 667, 901 - 904
Details Number of teeth: 144; Inner Ø: 275,20 mm; Outer Ø: 306,60 mm

Zahnkranz, Schwungrad
Ring gear, flywheel

1 | 02.11.008 | 180 032 0605



Engine M 108, 110, 114, 115
OM 615 - 617
Type W 309, 601, 602, 611, 667
Details Number of teeth: 140; Inner Ø: 268 mm; Outer Ø: 299,10 mm

Auslassventil
Outlet valve

1 | 02.12.038 | 651 050 0127



Engine OM 651
Type W 447, 639, 906




02.12.039 02.43.310

Auslassventil
Outlet valve

1 | 02.12.140 | 601 050 3027



Engine OM 601 - 603, 661, 662
Type W 601, 602, 611, 638, 638/2, 667, 901 - 904




02.12.139 02.43.295

Auslassventil
Outlet valve

1 | 02.12.138 | 111 050 1227




Engine M 104, 111
Type W 638, 638/2, 901 - 904



02.12.137 02.43.294

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Auslassventil** **Outlet valve** Engine OM 611 - 613 Type W 638, 638/2, 901 - 905	1	02.12.142	611 053 0105
	**Auslassventil** **Outlet valve** Engine OM 628, 629, 646 - 648 Type W 639, 906, 909	1	02.12.144	628 053 0005
	**Auslassventil** **Outlet valve** Engine OM 900, 902, 904 Type W 668 - 670	1	01.10.144	906 016 0791
	**Auslassventil** **Outlet valve** Engine OM 900, 902, 904 Type W 668 - 670	1	01.12.123	906 050 0327
	**Bolzen** **Bolt** Engine M 102 Type W 309, 601, 602, 611, 667	10	02.12.024	102 052 0174
	**Dichtring, Ventilschaft** **Seal ring, valve stem** Engine M 110, 114, 115 Type W 309 Details Fitting position: outlet side; Inner Ø: 11 mm	50	02.12.003	000 053 1058


01.12.122 01.43.529 01.43.530 02.12.129


02.12.012 02.12.045 02.12.051 02.12.076 02.12.077 02.12.097 02.12.102 02.12.210 02.12.211 02.67.071 02.67.076


02.12.001 02.43.005

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.023**	**000 053 3658**	

Engine M 102, 103
OM 601 - 603

Type W 309, 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Fitting position: outlet side, intake side; Inner Ø: 8 mm



Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.008**	**102 053 0258**

Engine M 102
OM 601 - 603

Type W 309, 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Fitting position: intake side; Inner Ø: 8 mm





02.12.009 02.43.006

Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.030**	**102 053 1658**

Engine M 102, 103
OM 601 - 603

Type W 309, 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Fitting position: intake side; Inner Ø: 8 mm





02.12.009 02.43.151 02.43.259

Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.009**	**102 053 0358**

Engine M 102, 103

Type W 309, 601, 602, 611, 667

Details Fitting position: intake side; Inner Ø: 9 mm





02.12.008 02.12.030 02.43.006 02.43.151

Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.162**	**615 050 0067**

Engine OM 615, 616, 621

Type W 309, 601, 602, 611, 667

Details Fitting position: outlet side, intake side; Inner Ø: 9 mm



Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.001**	**000 053 1958**

Engine M 110, 114, 115

Type W 309, 601, 611

Details Fitting position: intake side; Inner Ø: 9 mm





02.12.003 02.43.005

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtring, Ventilschaft** **Seal ring, valve stem**	**50**	**02.12.173**	**000 053 5158**

Engine M 271 - 273
OM 640, 642

Type W 414, 415, 447, 639, 906

Details Fitting position: outlet side, intake side; Inner Ø: 6 mm

	**Dichtring, Ventilschaft** **Seal ring, valve stem**	**50**	**02.12.172**	**000 053 4658**

Engine M 166, 271 - 274
OM 604 - 606, 640, 642, 651, 660, 668

Type W 414, 447, 639, 906

Details Fitting position: outlet side; Inner Ø: 6 mm

	**Dichtring, Ventilschaft** **Seal ring, valve stem**	**50**	**02.12.169**	**0003071V002**

Engine M 166, 271 - 274
OM 604 - 606, 640, 642, 651, 660, 668

Type W 414, 447, 639, 906

Details Fitting position: outlet side, intake side; Inner Ø: 5 mm

	**Dichtring, Ventilschaft** **Seal ring, valve stem**	**50**	**02.12.021**	**000 053 3558**

Engine OM 601 - 603, 661, 662

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Fitting position: outlet side, intake side; Inner Ø: 9 mm



02.43.008 02.43.259

	**Dichtring, Ventilschaft** **Seal ring, valve stem**	**50**	**01.12.136**	**000 053 5358**

Engine OM 601, 602

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Fitting position: outlet side, intake side; Inner Ø: 9 mm

	**Dichtring, Ventilschaft** **Seal ring, valve stem**	**50**	**07.12.054**	**000 053 4858**

Engine M 104

Type W 638/2

Details Fitting position: outlet side, intake side; Inner Ø: 5,5 mm

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**02.12.042**	**000 053 4358**	

Engine OM 606, 646
Type W 639, 906, 909
Details Fitting position: outlet side, intake side; Inner Ø: 7 mm





02.43.166 02.43.266

Dichtring, Ventilschaft **Seal ring, valve stem**	**50**	**01.12.135**	**906 053 0158**	

Engine OM 900, 902, 904
Type W 668 - 670
Details Fitting position: outlet side, intake side; Inner Ø: 8 mm; Outer Ø: 14,2 mm





02.12.129

Dichtungssatz, Ventilschaft **Seal set, valve stem**	**1**	**02.43.006**	**102 050 0158**	

Engine M 102
OM 601
Type W 309, 601, 602, 611, 638, 638/2, 667, 901 - 904
Details Inner Ø: 8, 9 mm





02.12.008 02.12.009

Dichtungssatz, Ventilschaft **Seal set, valve stem**	**1**	**02.43.151**	**102 053 1658** **cpl.1**	

Engine M 102, 103
Type W 309, 601, 602, 611, 667
Details Inner Ø: 8, 9 mm





02.12.009 02.12.030

Dichtungssatz, Ventilschaft **Seal set, valve stem**	**1**	**02.43.005**	**115 050 0067**	

Engine M 100, 110, 114, 115
Type W 309, 601, 611
Details Inner Ø: 11, 9 mm





02.12.001 02.12.003



Dichtungssatz, Ventilschaft **Seal set, valve stem**	**1**	**02.43.259**	**102 050 0058**	

Engine OM 601, 616, 661
Type W 601, 602, 611, 638, 638/2, 667, 901 - 904
Details Inner Ø: 8, 9 mm





02.12.021 02.12.030

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtungssatz, Ventilschaft** **Seal set, valve stem** Type W 601, 602, 611, 638, 638/2, 901 - 904 Details Inner Ø: 9 mm  02.12.021	1	02.43.008	117 050 0367
	**Dichtungssatz, Ventilschaft** **Seal set, valve stem** Engine M 104, 111 - 113, 271 OM 611 - 613, 628, 629, 642, 646 - 648 Type W 638, 638/2, 639, 901 - 904, 906 Details Inner Ø: 7 mm  02.12.042	1	02.43.166	104 050 0258
	**Dichtungssatz, Ventilschaft** **Seal set, valve stem** Engine M 104, 111 - 113, 271 OM 611 - 613, 628, 629, 646 - 648 Type W 638, 638/2, 639, 901 - 906, 909 Details Inner Ø: 7 mm  02.12.042	1	02.43.266	612 050 0058
	**Einlassventil** **Inlet valve** Engine OM 601 - 603, 661, 662 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904  02.12.140 02.43.295	1	02.12.139	601 053 1501
	**Einlassventil** **Inlet valve** Engine M 104, 111 Type W 638, 638/2, 901 - 904  02.12.138 02.43.294	1	02.12.137	111 053 2101
	**Einlassventil** **Inlet valve** Engine OM 611 - 613 Type W 638, 638/2, 901 - 905  02.12.142 02.43.296	1	02.12.141	611 053 0101

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Einlassventil **Inlet valve**	**1**	**02.12.039**	**651 053 0101**	

Engine OM 651
Type W 639, 906






02.12.038 02.43.310

Einlassventil **Inlet valve**	**1**	**02.12.143**	**628 053 0001**	

Engine OM 628, 629, 646 - 648
Type W 639, 906, 909






02.12.144 02.43.297

Einlassventil **Inlet valve**	**1**	**01.12.122**	**906 050 0326**	

Engine OM 900, 902, 904
Type W 668 - 670





01.12.123 01.43.529 01.43.530 02.12.129

Gleitschiene, Antriebskette-Ölpumpe **Rail, oil pump drive chain**	**1**	**02.12.086**	**601 181 0159**	

Engine M 103
OM 601 - 606
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904





02.67.142

Gleitschiene, Antriebskette-Ölpumpe **Rail, oil pump drive chain**	**1**	**02.18.035**	**111 180 0071**	

Engine M 111
OM 601, 611 - 613, 646 - 648
Type W 638, 638/2, 639, 901 - 904





02.67.142

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.034**	**615 050 0916**	

Engine OM 615 - 617
Type W 309, 601, 602, 611, 631, 667



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine OM 651 Type W 447, 639, 906, 907, 910	**1**	**02.12.188**	**651 050 0016**
NEW  02.12.181 02.12.186 02.12.223 02.12.241 02.12.250 02.67.246				
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine OM 651 Type W 447, 639, 906, 907, 910	**1**	**02.12.209**	**651 052 0100**
NEW  02.12.250				
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine OM 601 - 603 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.12.091**	**601 050 0816**
 02.12.080 02.12.093 02.12.094 02.12.096 02.12.126 02.12.219 02.67.078				
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine OM 601 - 603 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.12.093**	**601 052 0316**
 02.12.080 02.12.091 02.12.094 02.12.096 02.12.126 02.12.219 02.67.078				
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine OM 601 - 606 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.12.126**	**601 052 0516**
 02.12.080 02.12.091 02.12.093 02.12.094 02.12.096 02.12.128 02.12.219 02.67.078				
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine OM 601 - 606 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.12.128**	**606 050 0216**
 02.12.096 02.12.126				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.097**	**102 050 0816**	

Engine M 102
Type W 601, 602, 611, 667





02.12.012 02.12.024 02.12.045 02.12.076 02.12.077 02.12.210 02.67.071

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.102**	**102 050 1216**	

Engine M 102
Type W 601, 602, 611, 667





02.12.012 02.12.024 02.12.051 02.12.076 02.12.211 02.67.076

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.119**	**611 052 0016**	

Engine OM 611 - 613, 646 - 648
Type W 638, 638/2, 639, 901 - 906, 909





02.12.113 02.12.121 02.12.122 02.12.221 02.12.222 02.67.141

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.121**	**611 052 0316**	

Engine OM 611 - 613, 628, 646 - 648
Type W 638, 638/2, 639, 901 - 906, 909






02.12.113 02.12.119 02.12.122 02.12.221 02.12.222 02.67.141

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.122**	**611 052 0416**	

Engine OM 611 - 613, 646 - 648
Type W 638, 638/2, 639, 901 - 906, 909





02.12.113 02.12.119 02.12.121 02.12.222 02.67.141

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.149**	**111 050 1416**	

Engine M 111
OM 611
Type W 638, 638/2, 901 - 904





02.12.089 02.12.150 02.12.213 02.43.201 02.67.090

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine M 111 OM 611 Type W 638, 638/2, 901 - 904	**1**	**02.12.150**	**111 052 1016**
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine M 112, 113 Type W 639	**1**	**02.12.123**	**112 052 0016**
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine M 112, 113 Type W 639	**1**	**02.12.124**	**112 052 0116**
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine M 112, 113 Type W 639	**1**	**02.12.125**	**112 052 0216**
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine M 272, 273 Type W 639, 906	**1**	**02.12.184**	**272 052 0016**
	**Gleitschiene, Steuerkette** **Guides, timing chain** Engine M 272, 273 Type W 639, 906	**1**	**02.12.182**	**272 052 0216**





NEW









On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.183**	**272 052 1316**	

Engine M 272, 273
Type W 639, 906





02.12.178 02.12.179 02.12.182 02.12.184 02.12.185 02.12.218 02.67.244

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.185**	**272 052 1516**	

Engine M 272, 273
Type W 639, 906





02.12.178 02.12.179 02.12.182 02.12.183 02.12.184 02.12.218 02.67.244

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.186**	**651 052 0016**	

Engine OM 651
Type W 639, 906





02.12.181 02.12.188 02.12.223 02.12.241 02.67.246

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.164**	**271 052 1016**	

Engine M 271
Type W 906





02.12.163 02.12.165 02.12.217 02.67.231

Gleitschiene, Steuerkette **Guides, timing chain**	**1**	**02.12.163**	**271 052 1116**	

Engine M 271
Type W 906





02.12.164 02.12.165 02.12.217 02.67.231

Kette, Ölpumpenantrieb **Chain, oil pump drive**	**1**	**02.67.142**	**003 997 7494**	

Engine M 102, 104, 111 - 113
OM 601 - 606, 611 - 613, 642, 646 - 648
Type W 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 906
Details Number of chain links: 46; Chain type: simplex





02.12.086 02.18.035

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kette, Ölpumpenantrieb** **Chain, oil pump drive** Engine M 102, 103 OM 601 - 603, 628 Type W 601, 602, 611, 667 Details Number of chain links: 46; Chain type: simplex	**1**	**02.67.077**	**001 997 5394**
	**Kette, Ölpumpenantrieb** **Chain, oil pump drive** Engine M 112, 113 OM 611, 646 Type W 638, 638/2, 639, 901 - 904 Details Number of chain links: 44; Chain type: simplex	**1**	**02.67.145**	**003 997 8894**
	**Kette, Ölpumpenantrieb** **Chain, oil pump drive** Engine M 271 - 273 Type W 639, 906 Details Number of chain links: 60; Chain type: simplex	**1**	**02.67.247**	**000 993 0776**
	**Kettenglied, Steuerkette** **Link, timing chain** Engine M 100, 108, 110, 114, 115 OM 621 Type W 309 Details Chain type: simplex	**20**	**02.67.072**	**000 997 0498**
	**Kettenglied, Steuerkette** **Link, timing chain** Engine OM 601 - 606, 615 - 617, 621 Type W 309, 601, 602, 611, 638, 638/2, 667, 668, 901 - 904 Details Chain type: duplex	**20**	**02.67.094**	**000 997 1298**
	**Kettenglied, Steuerkette** **Link, timing chain** Engine M 100, 102, 104, 108, 110, 111, 114, 115 OM 621 Type W 309, 601, 638, 638/2, 667, 901 - 904 Details Chain type: duplex	**20**	**02.67.064**	**000 997 0598**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kipphebel, Motorsteuerung **Rocker arm, engine timing**	**1**	**02.12.110**	**113 050 1034**	

Engine M 112, 113
Type W 639
Details Fitting position: outlet side



Kipphebel, Motorsteuerung **Rocker arm, engine timing**	**1**	**02.12.108**	**113 050 1433**	

Engine M 112, 113
Type W 639
Details Fitting position: intake side



Kipphebel, Motorsteuerung **Rocker arm, engine timing**	**1**	**02.12.109**	**113 050 1633**	

Engine M 112, 113
Type W 639
Details Fitting position: intake side



Kontermutter, Ventilspieleinstellschraube **Counter nut, valve clearance adjusting screw**	**100**	**01.67.106**	**312 990 0251**	

Engine OM 312, 314, 327, 352, 360, 364, 366, 374
Type W 668 - 670
Details Thread size: M12 x 1



Kontermutter, Ventilspieleinstellschraube **Counter nut, valve clearance adjusting screw**	**100**	**01.67.008**	**326 990 0151**	

Engine OM 326, 335, 346, 355, 900, 902, 904
Type W 668 - 670
Details Thread size: M10 x 1



Nockenwellenversteller **Camshaft adjuster**	**1**	**02.12.238**	**272 050 5247**	


Engine M 272, 273
Type W 639, 906
Details Fitting position: intake side, left



02.12.218 02.12.239 02.12.240



NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Nockenwellenversteller** **Camshaft adjuster** Engine M 272, 273 Type W 639, 906 Details Fitting position: intake side, right  02.12.218 02.12.238 02.12.240	1	02.12.239	272 050 5347
	**Nockenwellenversteller** **Camshaft adjuster** Engine M 272, 273 Type W 639, 906 Details Fitting position: outlet side, left, right  02.12.218 02.12.238 02.12.239	1	02.12.240	272 050 6847
	**Nockenwellenversteller** **Camshaft adjuster** Engine M 271 Type W 906 Details Equipment variant: compressor; Fitting position: intake side  02.12.168 02.12.217	1	02.12.167	271 050 0800
	**Nockenwellenversteller** **Camshaft adjuster** Engine M 271 Type W 906 Details Equipment variant: compressor; Fitting position: outlet side  02.12.167 02.12.217	1	02.12.168	271 050 0900
	**Reparatursatz** **Repair kit** Engine OM 900, 904 Type W 668 - 670 Details Equipment variant: valve ring set  01.12.118 01.12.119	1	01.43.522	906 053 0131 cpl.1 (8x)
	**Reparatursatz** **Repair kit** Engine OM 902 Type W 668 - 670 Details Equipment variant: valve ring set  01.12.118 01.12.119	1	01.43.523	906 053 0131 cpl.2 (12x)

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Reparatursatz **Repair kit**	**1**	**01.43.529**	**906 050 0326** **cpl.1 (8x)**	
Engine OM 900, 902, 904 Type W 668 - 670 Details Equipment variant: valve set				
 01.12.122 01.12.123				
Reparatursatz **Repair kit**	**1**	**01.43.530**	**906 050 0326** **cpl.2 (12x)**	
Engine OM 900, 902, 904 Type W 668 - 670 Details Equipment variant: valve set				
 01.12.122 01.12.123				
Spanner, Steuerkette **Tensioner, timing chain**	**1**	**02.12.181**	**651 050 0800**	
Engine OM 651 Type W 447, 639, 906, 907, 910				
 02.12.186 02.12.188 02.12.223 02.12.241 02.12.250 02.67.246				
Spanner, Steuerkette **Tensioner, timing chain**	**1**	**02.12.080**	**601 050 0711**	
Engine OM 601 - 603 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904				
 02.12.091 02.12.093 02.12.094 02.12.096 02.12.126 02.12.219 02.67.078				
Spanner, Steuerkette **Tensioner, timing chain**	**1**	**02.12.012**	**102 050 1011**	
Engine M 102 Type W 601, 602, 611, 667				
 02.12.024 02.12.045 02.12.051 02.12.076 02.12.077 02.12.097 02.12.102 02.12.210 02.12.211 02.67.071 02.67.076				
Spanner, Steuerkette **Tensioner, timing chain**	**1**	**02.12.113**	**640 050 0111**	
Engine OM 611 - 613, 640, 646 - 648 Type W 638, 638/2, 639, 901 - 906, 909				
 02.12.119 02.12.121 02.12.122 02.12.221 02.12.222 02.67.141				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spanner, Steuerkette** **Tensioner, timing chain** Engine M 111 OM 611 Type W 638, 638/2, 901 - 904  02.12.089 02.12.149 02.12.150 02.12.213 02.67.090	1	02.43.201	111 050 0411
	**Spanner, Steuerkette** **Tensioner, timing chain** Engine M 112, 113 Type W 639  02.12.123 02.12.124 02.12.125 02.12.214 02.67.143	1	02.12.090	112 050 0811
	**Spanner, Steuerkette** **Tensioner, timing chain** Engine M 272 Type W 639, 906 Details Equipment variant: to engine: 30089231  02.12.182 02.12.183 02.12.184 02.12.185 02.67.244	1	02.12.178	272 050 0111
	**Spanner, Steuerkette** **Tensioner, timing chain** Engine M 272, 273 Type W 639, 906 Details Equipment variant: engine 30089232–>  02.12.182 02.12.183 02.12.184 02.12.185 02.12.218 02.67.244	1	02.12.179	272 050 0811
	**Spanner, Steuerkette** **Tensioner, timing chain** Engine OM 628, 629, 642 Type W 639, 906, 907, 910  02.67.245	1	02.12.148	642 050 0311
	**Spanner, Steuerkette** **Tensioner, timing chain** Engine M 271 Type W 906  02.12.163 02.12.164 02.12.217 02.67.231	1	02.12.165	271 050 0611

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.073**	**001 997 3094**	

Engine M 102
OM 615 - 617

Type W 309, 601, 602, 611, 631, 667

Details Number of chain links: 136; Chain type: duplex

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.071**	**003 997 8294**	

Engine M 102

Type W 309, 601, 602, 611, 667

Details Number of chain links: 106; Chain type: simplex



02.12.012 02.12.024 02.12.045 02.12.076 02.12.077 02.12.097 02.12.210

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.067**	**000 997 7194**	

Engine M 104, 111, 115

Type W 309, 601, 638, 638/2, 901 - 904

Details Number of chain links: 126; Chain type: duplex

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.246**	**000 993 8276**	

Engine OM 651

Type W 447, 639, 906, 907, 910

Details Number of chain links: 46; Chain type: simplex, open chain



02.12.181 02.12.186 02.12.188 02.12.223 02.12.241 02.12.250

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.078**	**003 997 5594**	

Engine OM 601 - 603

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Number of chain links: 126; Chain type: duplex




02.12.080 02.12.091 02.12.093 02.12.094 02.12.096 02.12.126 02.12.219

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.076**	**002 997 0394**	

Engine M 102

Type W 601, 602, 611, 667

Details Number of chain links: 106; Chain type: duplex



02.12.012 02.12.024 02.12.051 02.12.076 02.12.102 02.12.211

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Steuerkette** **Timing chain**	1	02.67.090	003 997 1794

Engine M 104, 111, 115
OM 611

Type W 601, 638, 638/2, 901 - 904

Details Number of chain links: 126; Chain type: duplex, closed chain



02.12.089 02.12.149 02.12.150 02.12.213 02.43.201

	**Steuerkette** **Timing chain**	1	02.67.141	003 997 7594

Engine OM 611 - 613, 628, 640, 646 - 648, 651, 668

Type W 638, 638/2, 639, 901 - 906

Details Number of chain links: 110; Chain type: duplex, open chain



02.12.113 02.12.119 02.12.121 02.12.122 02.12.221 02.12.222

	**Steuerkette** **Timing chain**	1	02.67.143	003 997 6894

Engine M 104, 112, 113

Type W 639

Details Number of chain links: 168; Chain type: duplex, closed chain



02.12.090 02.12.123 02.12.124 02.12.125 02.12.214

	**Steuerkette** **Timing chain**	1	02.67.244	000 993 0676

Engine M 272, 273

Type W 639, 906

Details Number of chain links: 216; Chain type: duplex, closed chain



02.12.178 02.12.179 02.12.182 02.12.183 02.12.184 02.12.185 02.12.218

	**Steuerkette** **Timing chain**	1	02.67.245	000 993 6376

Engine OM 642

Type W 639, 906

Details Number of chain links: 190; Chain type: duplex



02.12.148

	**Steuerkette** **Timing chain**	1	02.67.243	000 993 2076

Engine M 271

Type W 906

Details Number of chain links: 106; Chain type: simplex, open chain

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkette **Timing chain**	**1**	**02.67.231**	**000 993 2176**	

Engine M 271
Type W 906
Details Number of chain links: 142; Chain type: simplex, open chain


02.12.163 02.12.164 02.12.165 02.12.217

Steuerkettensatz **Timing chain kit**	**1**	**02.12.223**	**651 050 0800** **cpl.1**	

Engine OM 651
Type W 447, 639, 906, 907, 910


02.12.181 02.12.186 02.12.188 02.67.246

Steuerkettensatz **Timing chain kit**	**1**	**02.12.241**	**651 052 0001** **cpl.2**	

Engine OM 651
Type W 447, 639, 906, 907, 910


02.12.181 02.12.186 02.12.188 02.12.208 02.67.246

NEW

Steuerkettensatz **Timing chain kit**	**1**	**02.12.250**	**651 052 0100** **cpl.1**	

Engine OM 651
Type W 447, 639, 906, 907, 910


02.12.181 02.12.188 02.12.208 02.12.209 02.67.246

NEW

Steuerkettensatz **Timing chain kit**	**1**	**02.12.219**	**601 050 0816** **cpl.1**	

Engine OM 601 - 603
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904


02.12.080 02.12.091 02.12.093 02.12.094 02.12.096 02.12.126 02.67.078

Steuerkettensatz **Timing chain kit**	**1**	**02.12.210**	**102 050 0816** **cpl.1**	

Engine M 102
Type W 601, 602, 611, 667


02.12.012 02.12.024 02.12.045 02.12.076 02.12.077 02.12.097 02.67.071

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Steuerkettensatz** **Timing chain kit** Engine M 102 Type W 601, 602, 611, 667	1	02.12.211	102 050 1216 cpl.1
 02.12.012 02.12.024 02.12.051 02.12.076 02.12.102 02.67.076				
	**Steuerkettensatz** **Timing chain kit** Engine OM 611 - 613, 646 - 648 Type W 638, 638/2, 639, 901 - 906, 909	1	02.12.222	611 052 0416 cpl.1
 02.12.113 02.12.119 02.12.121 02.12.122 02.67.141				
	**Steuerkettensatz** **Timing chain kit** Engine OM 611 - 613, 628, 646 - 648 Type W 638, 638/2, 639, 901 - 906, 909	1	02.12.221	611 052 0516 cpl.1
 02.12.113 02.12.119 02.12.121 02.67.141				
	**Steuerkettensatz** **Timing chain kit** Engine M 111 Type W 638, 638/2, 901 - 904	1	02.12.213	111 050 1416 cpl.1
 02.12.089 02.12.149 02.12.150 02.43.201 02.67.090				
	**Steuerkettensatz** **Timing chain kit** Engine M 104, 112, 113 Type W 639	1	02.12.214	112 052 0016 cpl.1
 02.12.090 02.12.123 02.12.124 02.12.125 02.67.143				
	**Steuerkettensatz** **Timing chain kit** Engine M 272, 273 Type W 639, 906	1	02.12.218	272 052 0216 cpl.1
 02.12.179 02.12.182 02.12.183 02.12.184 02.12.185 02.12.238 02.12.239 02.12.240 02.67.244				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steuerkettensatz **Timing chain kit**	**1**	**02.12.217**	**271 052 1116** **cpl.1**	


Engine M 271
Type W 906
Details Equipment variant: compressor engine



02.12.163 02.12.164 02.12.165 02.12.167 02.12.168 02.67.231

Stößelstange **Push rod**	**1**	**01.12.133**	**906 054 0205**	

Engine OM 904
Type W 668 - 670
Details Length: 248,5 mm; Outer Ø: 8 mm

Ventil **Valve**	**1**	**02.43.295**	**601 050 0227** **cpl.1**	

Engine OM 601 - 603, 661, 662
Type W 601, 602, 611, 638, 667, 901 - 904
Details Valve type: for inlet valves, for exhaust valves



02.12.139 02.12.140

Ventil **Valve**	**1**	**02.43.294**	**104 053 1201** **cpl.1**	


Engine M 111
Type W 638, 638/2, 901 - 904
Details Valve type: for inlet valves, for exhaust valves



02.12.137 02.12.138

Ventil **Valve**	**1**	**02.43.296**	**611 050 0127** **cpl.1**	


Engine OM 611 - 613
Type W 638, 638/2, 901 - 905
Details Valve type: for inlet valves, for exhaust valves



02.12.141 02.12.142

Ventil **Valve**	**1**	**02.43.297**	**646 053 0001** **cpl.1**	

Engine OM 628, 629, 646 - 648
Type W 639, 906
Details Valve type: for inlet valves, for exhaust valves



02.12.143 02.12.144

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ventil** **Valve**	**1**	**02.43.310**	**651 050 0127 cpl.1**
	Engine OM 651 Type W 906 Details Valve type: for inlet valves, for exhaust valves			
 02.12.038 02.12.039				
	**Ventilfeder** **Valve spring**	**10**	**01.12.032**	**352 053 0320**
	Engine OM 314, 335, 352, 354, 355, 362, 364, 366, 374 Type W 309, 310, 313, 668 - 670, 672 Details Valve spring; intake and exhaust; Length: 62 mm; Outer Ø: 33,75 mm			
	**Ventilführung** **Valve guides**	**4**	**02.12.088**	**616 053 0330**
	Engine OM 615 - 617, 621 Type W 309, 601, 602, 611, 631, 667 Details Fitting position: outlet side; Inner Ø: 10 mm; Outer Ø: 14 mm			
	**Ventilführung** **Valve guides**	**4**	**02.12.071**	**102 050 0562**
	Engine M 102 Type W 309, 601, 602, 611, 667 Details Fitting position: outlet side; Inner Ø: 9 mm; Outer Ø: 14,028 mm			
NEW				
	**Ventilführung** **Valve guides**	**4**	**02.12.073**	**102 050 8924**
	Engine M 102 Type W 309, 601, 602, 611, 667 Details Fitting position: intake side; Inner Ø: 8 mm; Outer Ø: 14,05 mm			
	**Ventilführung** **Valve guides**	**4**	**02.12.056**	**130 050 0124**
	Engine M 108, 114, 115 Type W 309, 601, 611 Details Fitting position: intake side; Inner Ø: 9 mm; Outer Ø: 14,035 mm			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ventilführung **Valve guides**	**4**	**02.12.084**	**111 053 1029**	

Engine M 104, 111
Type W 414, 638, 638/2, 901 - 904
Details Fitting position: outlet side, intake side; Inner Ø: 7 mm; Outer Ø: 12,56 mm



Ventilführung **Valve guides**	**4**	**02.12.131**	**601 050 0724**	

Engine OM 601 - 603
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Fitting position: intake side; Inner Ø: 8 mm; Outer Ø: 14,02 mm



Ventilführung **Valve guides**	**4**	**02.12.132**	**601 050 1024**	

Engine OM 601 - 603
Type W 601, 602, 611, 638, 638/2, 667, 901 - 904
Details Fitting position: outlet side; Inner Ø: 9 mm; Outer Ø: 14,2 mm



Ventilführung **Valve guides**	**4**	**02.12.133**	**611 053 0329**	

Engine OM 611 - 613
Type W 638, 638/2, 901 - 905
Details Fitting position: outlet side, intake side; Inner Ø: 7 mm; Outer Ø: 12,52 mm



Ventilführung **Valve guides**	**4**	**02.12.134**	**611 053 0429**	


Engine OM 611 - 613, 628
Type W 638, 638/2, 901 - 905
Details Fitting position: outlet side, intake side; Inner Ø: 7 mm; Outer Ø: 12,7 mm



Ventilführung **Valve guides**	**4**	**01.12.125**	**906 053 0529**	

Engine OM 904
Type W 668 - 670
Details Fitting position: outlet side, intake side; Length: 60 mm; Inner Ø: 7,5 mm;
Outer Ø 1: 12 mm; Outer Ø 2: 14 mm



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ventilsicherungskeil** **Valve cotter** Engine OM 312, 314, 326, 335, 346, 352, 354, 355, 362, 364, 366, 374 Type W 309, 310, 313, 668 - 670, 672	**24**	**01.12.013**	**312 053 0127**
	**Ventilsicherungskeil** **Valve cotter** Engine M 102 - 104 OM 601 - 603, 661, 662, 900, 902, 904 Type W 309, 601, 602, 611, 638, 638/2, 667 - 670, 901 - 904  01.12.122 01.12.123 01.12.135	**10**	**02.12.129**	**102 053 0026**
	**Ventilsitzring** **Valve seat** Engine OM 354, 364, 366 Type W 309, 310, 313, 668 - 670, 672 Details Fitting position: outlet side; Outer Ø: 38,07 mm	**6**	**01.12.008**	**366 053 1632**
	**Ventilsitzring** **Valve seat** Engine OM 900, 902, 904 Type W 668 - 670 Details Fitting position: outlet side; Outer Ø: 40,07 mm  01.43.522 01.43.523	**10**	**01.12.119**	**906 053 1232**
	**Ventilsitzring** **Valve seat** Engine OM 314, 352 Type W 309, 310, 313 Details Fitting position: intake side; Outer Ø: 45,07 mm	**6**	**01.12.003**	**352 053 3131**
	**Ventilsitzring** **Valve seat** Engine OM 900, 902, 904 Type W 668 - 670 Details Fitting position: intake side; Outer Ø: 35,07 mm  01.43.522 01.43.523	**10**	**01.12.118**	**906 053 0131**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ventilstößel **Tappet**	**12**	**01.12.016**	**352 054 0501**	

Engine OM 314, 364
Type W 309, 310, 668 - 670, 672
Details Operating mode: mechanical



Ventilstößel **Tappet**	**8**	**02.12.147**	**642 050 0080**	

Engine M 271 - 274
OM 640, 642
Type W 414, 447, 639, 906
Details Equipment variant: eingine: 31216220 ->; Operating mode: hydraulic



Ventilstößel **Tappet**	**8**	**02.12.111**	**113 050 0080**	

Engine M 112, 113, 166
Type W 414, 639
Details Operating mode: hydraulic



Ventilstößel **Tappet**	**16**	**02.12.175**	**651 050 0080**	

Engine OM 651
Type W 447, 639, 906, 907, 910
Details Operating mode: hydraulic



Ventilstößel **Tappet**	**8**	**02.12.099**	**601 050 0825**	

Engine OM 601 - 603
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Operating mode: hydraulic



Ventilstößel **Tappet**	**8**	**02.12.083**	**103 050 0080**	

Engine M 102, 103
Type W 601, 611, 667
Details Operating mode: hydraulic



NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ventilstößel** **Tappet** Engine OM 611 - 613, 628, 629, 646 - 648 Type W 638, 638/2, 639, 901 - 906 Details Operating mode: hydraulic	**8**	**02.12.106**	**611 050 0225**
	**Ventilstößel** **Tappet** Engine M 104, 111 Type W 638, 638/2, 901 - 904 Details Operating mode: hydraulic	**8**	**02.12.103**	**104 050 1225**
	**Ventilstößel** **Tappet** Engine M 104 Type W 638/2 Details Operating mode: hydraulic	**8**	**07.12.078**	**000 054 0201**
	**Ventilstößel** **Tappet** Engine M 104, 112, 113 Type W 639 Details Operating mode: hydraulic	**8**	**02.12.112**	**113 050 0380**
	**Ventilstößel** **Tappet** Engine OM 900, 902, 904 Type W 668 - 670 Details Operating mode: mechanical	**1**	**01.12.112**	**906 054 1001**
	**Ventilteller** **Valve retainer caps** Engine OM 312, 314, 326, 335, 346, 352, 354, 355, 362, 364, 366, 374 Type W 309, 310, 313, 668 - 670, 672 Details Height: 12 mm; Inner Ø: 13 mm; Outer Ø 1: 24,5 mm; Outer Ø 2: 34 mm	**10**	**01.12.014**	**322 053 0125**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ventilteller **Valve retainer caps**	**8**	**02.12.145**	**606 053 1025**	OE

Engine OM 611 - 613, 628, 629, 646 - 648
Type W 638, 638/2, 639, 901 - 906, 909
Details Height: 7,5 mm; Inner Ø: 8,6 mm; Outer Ø 1: 14,5 mm; Outer Ø 2: 22 mm



Ventilteller **Valve retainer caps**	**8**	**02.12.146**	**611 053 0025**	OE

Engine OM 611 - 613, 628, 629, 646 - 648
Type W 638, 638/2, 639, 901 - 906, 909
Details Height: 3,6 mm; Inner Ø: 12,5 mm; Outer Ø 1: 19,5 mm; Outer Ø 2: 27 mm



Ventilteller **Valve retainer caps**	**10**	**01.12.130**	**906 053 0025**	

Engine OM 900, 902, 904
Type W 668 - 670
Details Height: 11,3 mm; Inner Ø: 9,5 mm; Outer Ø 1: 19,5 mm; Outer Ø 2: 28 mm



Zahnrad, Kurbelwelle **Gear, crankshaft**	**1**	**02.12.096**	**606 052 0003**	

Engine OM 601 - 606
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904





02.12.080 02.12.091 02.12.093 02.12.094 02.12.126 02.12.128 02.12.219 02.67.078

Zahnrad, Kurbelwelle **Gear, crankshaft**	**1**	**02.12.076**	**102 052 0003**	

Engine M 102
Type W 601, 602, 611, 667





02.12.012 02.12.024 02.12.045 02.12.051 02.12.077 02.12.097 02.12.102 02.12.210 02.12.211 02.67.071 02.67.076


Zahnrad, Kurbelwelle **Gear, crankshaft**	**1**	**02.12.089**	**111 052 0503**	

Engine M 111
Type W 638, 638/2, 901 - 904





02.12.149 02.12.150 02.12.213 02.43.201 02.67.090

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Zahnrad, Nockenwelle** **Gear, camshaft** Engine M 102 Type W 309, 601, 602, 611, 667	1	02.12.077	102 052 0201
 02.12.012 02.12.024 02.12.045 02.12.076 02.12.097 02.12.210 02.67.071				
	**Zahnrad, Nockenwelle** **Gear, camshaft** Engine OM 651 Type W 447, 639, 906, 907, 910	1	02.12.208	651 052 0000
NEW  02.12.241 02.12.250				
	**Zahnrad, Nockenwelle** **Gear, camshaft** Engine OM 601 - 603 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	1	02.12.094	601 052 0001
 02.12.080 02.12.091 02.12.093 02.12.096 02.12.126 02.12.219 02.67.078				
	**Zahnrad, Nockenwelle** **Gear, camshaft** Engine OM 611 - 613, 628, 646 - 648 Type W 638, 638/2, 639, 901 - 905	1	02.12.116	611 052 0101
NEW				
	**Zentralmagnet, Nockenwellenverstellung** **Central magnet, camshaft adjustment** Engine M 104, 111 Type W 638, 638/2, 901 - 903	1	02.12.085	119 051 0077
	**Zentralmagnet, Nockenwellenverstellung** **Central magnet, camshaft adjustment** Engine M 271 Type W 906	1	02.12.130	271 051 0177
 02.12.158				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Zwischenwelle **Intermediate shaft**	**1**	**02.12.045**	**102 050 0806**	

Engine M 102
Type W 601, 602, 611, 667





02.12.012 02.12.024 02.12.076 02.12.077 02.12.097 02.12.210 02.67.071

Zwischenwelle **Intermediate shaft**	**1**	**02.12.051**	**102 050 0906**	

Engine M 102
Type W 601, 602, 611, 667





02.12.012 02.12.024 02.12.076 02.12.102 02.12.211 02.67.076

Anschlussstutzen, Kraftstoffleitung **Connection piece, fuel line**	**10**	**02.13.124**	**646 070 1132** **n.cpl.1**	

Engine OM 611, 646
Type W 638, 638/2, 639, 901 - 904, 906, 909
Details Material: plastic





02.13.098 02.13.125 02.13.217 02.13.218 20.01.001

Anschlussstutzen, Kraftstoffleitung **Connection piece, fuel line**	**10**	**02.13.125**	**646 070 1132** **n.cpl.2**	

Engine OM 611, 646
Type W 638, 638/2, 639, 901 - 904, 906, 909
Details Material: plastic





02.13.098 02.13.124 02.13.217 02.13.218 20.01.001

Anschlussstutzen, Kraftstoffleitung **Connection piece, fuel line**	**1**	**02.13.217**	**646 070 1132** **n.cpl.3**	

Engine OM 611, 646
Type W 638, 638/2, 639, 901 - 904, 906, 909
Details Material: metal





02.13.098 02.13.124 02.13.125 02.13.215 02.13.218 20.01.001

NEW

Anschlussstutzen, Kraftstoffleitung **Connection piece, fuel line**	**1**	**02.13.218**	**612 070 3832** **n.cpl.1**	

Engine OM 612
Type W 903
Details Material: metal





02.13.098 02.13.124 02.13.125 02.13.216 02.13.217 20.01.001

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtring, Düsenhalter** **Seal ring, nozzle holder**	**100**	**01.10.007**	**346 017 0160**

Engine OM 314, 346, 352, 354, 360, 362, 364, 366
Type W 309, 310, 313, 668 - 670, 672
Details Thickness: 1 mm; Inner Ø: 9,5 mm; Outer Ø: 20 mm

	**Dichtring, Einspritzventil** **Seal ring, injector**	**100**	**08.13.004**	**019 997 1348**


Engine M 111 - 113, 166, 271, 272
Type W 414, 638, 638/2, 639, 901 - 904, 906
Details Thickness: 3,53 mm; Inner Ø: 7,52 mm; Outer Ø: 14,58 mm

NEW

	**Dichtung, Düsenhalter** **Seal, injector holder**	**25**	**01.10.213**	**906 017 0260**

Engine OM 900, 902, 904
Type W 668 - 670
Details Thickness: 1,5 mm; Inner Ø: 7 mm; Outer Ø: 15,1 mm


01.10.215

	**Dichtung, Kraftstoffilter** **Seal, fuel filter**	**50**	**01.38.004**	**000 477 3180**

Engine OM 314, 327, 335, 346, 352, 355, 360, 904
Type W 309, 310
Details Thickness: 3 mm; Inner Ø: 94,5 mm; Outer Ø: 102 mm

	**Dichtung, Kraftstoffilter** **Seal, fuel filter**	**100**	**01.67.010**	**000 997 0040**

Engine OM 314, 326, 327, 335, 346, 352, 355, 360, 362, 364, 366
Type W 309, 310, 313, 668 - 670, 672
Details Thickness: 2 mm; Inner Ø: 28 mm; Outer Ø: 36 mm

	**Dichtung, Kraftstoffilter** **Seal, fuel filter**	**5**	**01.14.172**	**002 094 1580**

Engine OM 900, 902, 904
Type W 668 - 670

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Kraftstoffleitung **Seal, fuel line**	**25**	**02.13.122**	**601 997 0645**	

Engine OM 604, 611 - 613, 646, 668
Type W 414, 638, 638/2, 901 - 905
Details Thickness: 2,5 mm; Inner Ø: 8 mm; Outer Ø: 13 mm



Dichtung, Kraftstoffleitung **Seal, fuel line**	**25**	**02.13.121**	**601 997 0445**	

Engine OM 601, 602, 604 - 606
Type W 638, 638/2, 668, 670, 901 - 904
Details Thickness: 2,5 mm; Inner Ø: 10 mm; Outer Ø: 15 mm




Dichtungssatz, Einspritzdüse **Seal kit, injector nozzle**	**1**	**01.10.215**	**906 017 0260** **cpl.2**	

Engine OM 904
Type W 668 - 670



01.10.213



Dichtungssatz, Einspritzpumpe **Seal kit, injector pump**	**1**	**02.13.133**	**000 078 0680**	

Engine OM 611, 612, 668
Type W 414, 638, 638/2, 901 - 905



Dichtungssatz, Vergaser **Gasket set, carburettor flange**	**1**	**02.43.020**	**4.02323.04E**	

Engine M 102, 115
Type W 309, 601, 602, 611, 667



Dichtungssatz, Vergaser **Gasket set, carburettor flange**	**1**	**02.43.021**	**4.02323.04N**	

Engine M 102, 115
Type W 309, 601, 602, 611, 667



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtungssatz, Vergaser** **Gasket set, carburettor flange** Engine M 102 Type W 309, 601, 602, 611, 667	1	02.43.022	4.02323.06E
	**Dichtungssatz, Vergaser** **Gasket set, carburettor flange** Engine M 102 Type W 309, 601, 602, 611, 667	1	02.43.023	4.02323.06N
	**Dichtungssatz, Vergaser** **Gasket set, carburettor flange** Engine M 115 Type W 309, 601, 611	1	02.43.015	003 2013N
	**Dichtungssatz, Vergaser** **Gasket set, carburettor flange** Engine M 115 Type W 309, 601, 611	1	02.43.076	003 2021N cpl.1
	**Dichtungssatz, Vergaser** **Gasket set, carburettor flange** Engine M 115 Type W 309, 601, 611	1	02.43.013	4.00308.00
	**Druckregelventil, Common-Rail-System** **Pressure control valve, common rail system** Engine OM 611 - 613, 628, 668 Type W 414, 638, 638/2, 901 - 905  02.13.180	1	02.13.080	611 078 0149

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Druckregelventil, Common-Rail-System **Pressure control valve, common rail system**	**1**	**02.13.180**	**611 078 0149**	

Engine OM 611 - 613, 628, 668
Type W 414, 638, 638/2, 901 - 905


02.13.080



Druckregelventil, Common-Rail-System **Pressure control valve, common rail system**	**1**	**02.13.079**	**611 078 0549**	

Engine OM 611, 612, 628, 646
Type W 638, 638/2, 901 - 905


02.13.179

Druckregelventil, Common-Rail-System **Pressure control valve, common rail system**	**1**	**02.13.179**	**611 078 0549**	

Engine OM 611, 612, 628, 646
Type W 638, 638/2, 901 - 905


02.13.079

Düsenhalter **Injector holder**	**25**	**02.13.100**	**611 016 0738**	

Engine OM 611 - 613, 628, 629, 640, 642, 646 - 648
Type W 638, 638/2, 639, 901 - 906


02.10.078 02.13.101 02.13.141

Düsenhalter **Injector holder**	**1**	**02.13.141**	**611 016 0738** **cpl.1**	

Engine OM 611 - 613, 628, 629, 640, 642, 646 - 648
Type W 638, 638/2, 639, 901 - 906


02.10.078 02.13.100 02.13.101

Düsennadel, Vergaser **Nozzle needle, carburettor**	**5**	**02.13.023**	**000 070 1887**	

Engine M 102, 115
Type W 309, 601, 602, 611, 667

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Düsennadel, Vergaser** **Nozzle needle, carburettor** Engine M 102 Type W 309, 601, 602, 611, 667	**5**	**02.13.038**	**000 070 1987**
	**Einspritzdüse** **Injector nozzle** Engine OM 651 Type W 447, 639, 906  02.13.089	**1**	**02.13.130**	**651 070 4987**
	**Einspritzdüse** **Injector nozzle** Engine OM 611 - 613 Type W 638, 638/2, 901 - 904  02.13.098	**1**	**02.13.128**	**613 070 0187**
	**Einspritzdüse** **Injector nozzle** Engine OM 611, 612, 646 Type W 638, 638/2, 901 - 905  02.13.098	**1**	**02.13.108**	**611 070 1387**
	**Einspritzdüse** **Injector nozzle** Engine OM 611, 612 Type W 638, 638/2, 901 - 905  02.13.098	**1**	**02.13.112**	**612 070 0487**
	**Einspritzdüse** **Injector nozzle** Engine OM 646 Type W 639	**1**	**02.13.115**	**646 070 0287**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Einspritzdüse **Injector nozzle** Engine OM 646 Type W 639	1	02.13.123	646 070 0487	OE 
Einspritzdüse **Injector nozzle** Engine OM 642 Type W 639, 906	1	02.13.138	642 070 1387	OE 
Einspritzdüse **Injector nozzle** Engine OM 611, 646, 647 Type W 639, 906, 909	1	02.13.102	611 070 1187	OE 
 02.13.098				
Einspritzdüse **Injector nozzle** Engine OM 646 Type W 639, 906, 909	1	02.13.116	646 070 1487	OE 
 02.13.088				
Einspritzdüse **Injector nozzle** Engine OM 611, 646 - 648 Type W 639, 906, 909	1	02.13.118	648 070 0187	OE 
 02.13.098				
Einspritzdüse **Injector nozzle** Engine OM 611, 646 - 648 Type W 639, 906, 909	1	02.13.119	648 070 0287	OE 
 02.13.098				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
OE	**Einspritzdüse** **Injector nozzle**	1	02.13.032	611 070 0687
	Engine OM 611, 612 Type W 901 - 905			
 02.13.098				
OE	**Einspritzdüse** **Injector nozzle**	1	02.13.106	611 070 1687
	Engine OM 611, 612 Type W 901 - 905			
 02.13.098				
OE	**Einspritzdüse** **Injector nozzle**	1	02.13.126	646 070 1287
	Engine OM 646 Type W 906			
	Einspritzpumpe **Injection pump**	1	01.13.195	028 074 6902
	Engine OM 900, 902, 904 Type W 668 - 670			
  01.10.134 01.13.183				
	**Filter, Unterdruckleitung** **Filter, vacuum line**	1	02.13.082	000 078 0956
	Engine M 111, 166, 271, 272 OM 601 - 606, 611 - 613, 642, 646, 651, 668 Type W 414, 638, 638/2, 901 - 906 Details Valve type: ventilation valve; Operating mode: pneumatic			
	**Flansch, Zentraleinspritzung** **Flange, central injection**	1	02.13.070	601 234 0244
	Engine OM 601, 602 Type W 601, 602, 611, 667			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Gaszug **Accelerator cable**	**1**	**01.28.015**	**318 300 0007**	

Engine OM 314, 352
Type W 309, 310
Details Cable wire with spindle and end piece; Length: 1290 mm



Halter, Kraftstoffleitung **Holder, fuel line**	**10**	**02.13.052**	**601 078 2041**	

Engine OM 601 - 606
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904



Halter, Kraftstoffleitung **Holder, fuel line**	**10**	**02.13.050**	**601 078 2641**	

Engine OM 601 - 605
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904



Halter, Kraftstoffleitung **Holder, fuel line**	**10**	**02.13.051**	**603 078 0141**	

Engine OM 601 - 606
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904



Handförderpumpe **Hand feed pump**	**1**	**01.14.005**	**000 090 0050**	

Engine OM 312, 314, 326, 327, 335, 346, 352, 355, 360, 364, 366, 615 - 617, 621
Type W 309, 310, 313, 601, 602, 611, 631, 667 - 670, 672




Handförderpumpe **Hand feed pump**	**1**	**01.14.182**	**000 090 0050**	

Engine OM 312, 314, 326, 327, 335, 346, 352, 355, 360, 364, 366, 615 - 617, 621
Type W 309, 310, 313, 601, 602, 611, 631, 667 - 670, 672



NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Handförderpumpe** **Hand feed pump** Engine OM 312, 314, 326, 327, 335, 346, 352, 354, 355, 360, 362, 364, 366, 615 - 617, 621 Type W 309, 310, 601, 602, 611, 631, 667 - 670  01.14.045 01.14.046 01.14.048	1	01.14.049	000 090 8850
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 651 Type W 447, 639, 906 Details For cylinder: 1, 2  02.13.030	1	02.13.029	651 070 2433
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 651 Type W 447, 639, 906 Details For cylinder: 3, 4  02.13.029	1	02.13.030	651 070 2533
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 601 - 603 Type W 601, 602, 611, 667 Details For cylinder: 1  02.13.067 02.13.068 02.13.069 02.13.071 02.13.072	1	02.13.066	601 070 3733
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 601 - 603 Type W 601, 602, 611, 667 Details For cylinder: 2  02.13.066 02.13.068 02.13.069 02.13.071 02.13.072	1	02.13.067	601 070 3833
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 601 - 603 Type W 601, 602, 611, 667 Details For cylinder: 3  02.13.066 02.13.067 02.13.069 02.13.071 02.13.072	1	02.13.068	601 070 3933

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.069**	**601 070 4033**	
Engine OM 601 - 603 Type W 601, 602, 611, 667 Details For cylinder: 4				
 02.13.066 02.13.067 02.13.068 02.13.071 02.13.072				
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.072**	**602 070 0333**	
Engine OM 601 - 603 Type W 601, 602, 611, 667 Details For cylinder: 5				
 02.13.066 02.13.067 02.13.068 02.13.069 02.13.071				
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.061**	**601 070 4533**	
Engine OM 601, 661, 662 Type W 638, 638/2, 901 - 904 Details For cylinder: 1				
 02.13.060 02.13.062 02.13.063 02.13.064				
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.062**	**601 070 4633**	
Engine OM 601, 661, 662 Type W 638, 638/2, 901 - 904 Details For cylinder: 2				
 02.13.060 02.13.061 02.13.063 02.13.064				
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.063**	**601 070 4733**	
Engine OM 601, 661, 662 Type W 638, 638/2, 901 - 904 Details For cylinder: 3				
 02.13.060 02.13.061 02.13.062 02.13.064				
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.064**	**601 070 4833**	
Engine OM 601, 661, 662 Type W 638, 638/2, 901 - 904 Details For cylinder: 4				
 02.13.060 02.13.061 02.13.062 02.13.063				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 611 - 613 Type W 638, 638/2, 901 - 905 Details For cylinder: 1-5  02.43.298	1	02.13.075	611 070 0233
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 611 - 613 Type W 638, 638/2, 901 - 905 Details Fitting position: high pressure pump to fuel distributor	1	02.13.076	611 070 0833
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 611, 612 Type W 638, 638/2, 901 - 905 Details Fitting position: high pressure pump to fuel distributor	1	02.13.104	611 070 1433
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 611, 646 - 648 Type W 639, 906, 909 Details Fitting position: high pressure pump to fuel distributor  02.43.299	1	02.13.077	611 070 1033
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 611, 646 - 648 Type W 639, 906, 909 Details For cylinder: 1-4  02.43.299	1	02.13.078	611 070 1133
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 646 Type W 639, 906, 909 Details For cylinder: 1-4	1	02.13.091	646 070 0233

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.092**	**646 070 0333**	

Engine OM 646
Type W 639, 906, 909
Details Fitting position: high pressure pump to fuel distributor



Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.055**	**602 070 3733**	

Engine OM 602
Type W 667, 668, 670, 901 - 904
Details For cylinder: 1





02.13.054 02.13.056 02.13.057 02.13.058 02.13.059

Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.056**	**602 070 3833**	

Engine OM 602
Type W 667, 668, 670, 901 - 904
Details For cylinder: 2





02.13.054 02.13.055 02.13.057 02.13.058 02.13.059

Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.057**	**602 070 3933**	

Engine OM 602
Type W 667, 668, 670, 901 - 904
Details For cylinder: 3





02.13.054 02.13.055 02.13.056 02.13.058 02.13.059

Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.058**	**602 070 4033**	

Engine OM 602
Type W 667, 668, 670, 901 - 904
Details For cylinder: 4





02.13.054 02.13.055 02.13.056 02.13.057 02.13.059



Hochdruckleitung, Einspritzanlage **High pressure pipe, injection system**	**1**	**02.13.059**	**602 070 4133**	

Engine OM 602
Type W 667, 668, 670, 901 - 904
Details For cylinder: 5





02.13.054 02.13.055 02.13.056 02.13.057 02.13.058

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Hochdruckleitung, Einspritzanlage** **High pressure pipe, injection system** Engine OM 900, 902, 904 Type W 668 - 670 Details For cylinder: 1-4  01.13.195	10	01.13.183	906 070 1433
	**Hochdruckleitungssatz, Einspritzanlage** **High pressure pipe set, injection system** Engine OM 601 - 603 Type W 601, 602, 611, 667 Details For cylinder: 1 - 5  02.13.066 02.13.067 02.13.068 02.13.069 02.13.072	1	02.13.071	602 070 0233 cpl.1
	**Hochdruckleitungssatz, Einspritzanlage** **High pressure pipe set, injection system** Engine OM 601, 661, 662 Type W 638, 638/2, 901 - 904 Details For cylinder: 1-4  02.13.061 02.13.062 02.13.063 02.13.064	1	02.13.060	601 070 4533 cpl.1
	**Hochdruckleitungssatz, Einspritzanlage** **High pressure pipe set, injection system** Engine OM 611 - 613 Type W 638, 638/2, 901 - 905 Details For cylinder: 1-5  02.13.075	1	02.43.298	611 070 0233 cpl.1
	**Hochdruckleitungssatz, Einspritzanlage** **High pressure pipe set, injection system** Engine OM 611, 646 - 648 Type W 639, 906, 909 Details Fitting position: high pressure pump to fuel distributor; For cylinder: 1-4  02.13.077 02.13.078	1	02.43.299	611 070 1133 cpl.1
	**Hochdruckleitungssatz, Einspritzanlage** **High pressure pipe set, injection system** Engine OM 602 Type W 667, 668, 670, 901 - 904 Details For cylinder: 1-5  02.13.055 02.13.056 02.13.057 02.13.058 02.13.059	1	02.13.054	602 070 4133 cpl.1

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kraftstoffdruckregler **Control valve, fuel pressure**	**1**	**02.13.044**	**000 078 1889**	

Engine M 104, 111
Type W 638, 638/2, 901 - 904
Details Operating pressure: 3,8 bar; Outlet Ø: 9 mm

Kraftstofffilter **Fuel filter**	**1**	**01.14.011**	**000 091 0039**	

Engine OM 314, 327, 352, 355, 360, 364
Type W 309, 310
Details Filter type: pre-filter


01.14.015 01.14.045 01.14.046

Kraftstofffilter **Fuel filter**	**1**	**01.14.014**	**000 090 0151**	

Engine OM 314, 326, 327, 335, 346, 352, 355, 360, 362, 364, 366
Type W 309, 310, 313, 668 - 670, 672
Details Filter type: pre-filter


01.14.015 01.14.045 01.14.046 01.43.120

Kraftstofffilter **Fuel filter**	**1**	**01.14.015**	**000 091 0840**	

Engine OM 314, 326, 327, 335, 346, 352, 355, 360, 362, 364, 366
Type W 309, 310, 313, 668 - 670, 672
Details Filter type: pre-filter


01.14.011 01.14.014 01.14.045 01.14.046 01.43.120

Kraftstofffilter **Fuel filter**	**1**	**01.14.058**	**000 090 0751**	

Engine OM 902, 904
Type W 668 - 670
Details Filter type: pre-filter


01.14.061

Kraftstofffilter **Fuel filter**	**1**	**01.14.071**	**000 090 1551**	

Engine OM 900, 902, 904
Type W 668 - 670

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kraftstofffilter** **Fuel filter** Engine OM 902, 904 Type W 668 - 670 Details Filter type: pre-filter  01.14.058	1	01.14.061	000 090 2051
	**Kraftstoffleitung** **Fuel line** Engine OM 611 Type W 638, 638/2	1	02.13.134	611 070 2132
	**Kraftstoffleitung** **Fuel line** Engine OM 611 Type W 638, 638/2, 901 - 904	1	02.13.094	611 070 2032
OE 	**Kraftstoffleitung** **Fuel line** Engine OM 611 Type W 638, 638/2, 901 - 904	1	02.13.095	611 070 2932
	**Kraftstoffleitung** **Fuel line** Engine OM 611 Type W 638, 638/2, 901 - 904	1	02.13.137	611 070 3232
OE 	**Kraftstoffleitung** **Fuel line** Engine OM 611, 612 Type W 638, 638/2, 901 - 905	1	02.13.096	611 070 6832

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.








BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kraftstoffleitung **Fuel line** Engine OM 611 Type W 901 - 904	1	02.13.097	611 070 7632	
Kraftstoffleitung **Fuel line** Engine OM 611, 612 Type W 901 - 905	1	02.13.093	611 070 1932	OE 
Kraftstoffleitung **Fuel line** Engine OM 611 - 613 Type W 901 - 905 Details Connection piece	1	02.13.182	611 070 0330	OE 
Kraftstoffpumpe **Fuel pump** Engine OM 900, 902, 904 Type W 668 - 670	1	01.14.183	004 091 0501	NEW 
Pumpe, Kraftstoffvorförderung **Pump, fuel pre-supply** Engine OM 314, 326, 327, 352, 355, 360, 364, 366 Type W 310, 313 Details With fuel pre-filter  01.14.011 01.14.014 01.14.015 01.14.049 01.43.046	1	01.14.045	000 090 1050	NEW 
Pumpe, Kraftstoffvorförderung **Pump, fuel pre-supply** Engine OM 611 - 613, 646, 648, 668 Type W 414, 638, 638/2, 901 - 904	1	02.13.081	611 090 0350	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Pumpe, Kraftstoffvorförderung** **Pump, fuel pre-supply** Engine OM 364, 366 Type W 668 - 670, 672  01.14.049	1	01.14.048	000 091 2190
	**Pumpe, Kraftstoffvorförderung** **Pump, fuel pre-supply** Engine OM 362, 364, 366 Type W 670  01.14.011 01.14.014 01.14.015 01.14.049 01.43.046	1	01.14.046	000 090 2250
	**Reparatursatz, Handförderpumpe** **Repair kit, hand feed pump** Engine OM 312, 314, 326, 327, 335, 346, 352, 355, 360, 362, 364, 366, 615 - 617, 621 Type W 309, 310, 313, 601, 602, 611, 631, 667 - 670, 672  01.14.014 01.14.015	1	01.43.120	000 091 0840 cpl.1
	**Reparatursatz, Kraftstoffpumpe** **Repair kit, fuel pump** Engine OM 312, 314, 326, 327, 335, 346, 352, 355, 360, 362, 364, 366, 615 - 617 Type W 309, 310, 313, 601, 602, 611, 631, 667, 670  01.14.045 01.14.046	1	01.43.046	000 090 0210
	**Schlauch, Leckkraftstoff** **Hose, fuel overflow** Engine OM 651 Type W 447, 639, 906 Details Material: plastic  02.13.090 02.13.130	1	02.13.089	651 070 0132
	**Schlauch, Leckkraftstoff** **Hose, fuel overflow** Engine OM 651 Type W 447, 639, 906 Details Material: plastic  02.13.089	1	02.13.090	651 070 2432

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Leckkraftstoff **Hose, fuel overflow**	**1**	**02.13.086**	**646 070 1132**	

Engine OM 611, 646
Type W 638, 638/2, 639, 901 - 904, 906, 909
Details Material: plastic


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Leckkraftstoff **Hose, fuel overflow**	**1**	**02.13.215**	**646 070 1132** **cpl.1**	

Engine OM 611, 646
Type W 638, 638/2, 639, 901 - 904, 906, 909
Details Material: metal



02.13.217 20.01.001

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Leckkraftstoff **Hose, fuel overflow**	**1**	**02.13.120**	**646 070 1532**	


Engine OM 646
Type W 639
Details Material: plastic


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Leckkraftstoff **Hose, fuel overflow**	**1**	**02.13.085**	**602 070 4732**	

Engine OM 602
Type W 667, 668, 670, 901 - 904
Details Material: plastic

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Leckkraftstoff **Hose, fuel overflow**	**1**	**02.13.098**	**612 070 3832**	


Engine OM 612
Type W 901 - 905
Details Material: plastic


02.13.032 02.13.102 02.13.106 02.13.108 02.13.112 02.13.118 02.13.119 02.13.124 02.13.125 02.13.128 02.13.216 02.13.217

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauch, Leckkraftstoff **Hose, fuel overflow**	**1**	**02.13.216**	**612 070 3832** **cpl.1**	

Engine OM 612, 647
Type W 901 - 905
Details Material: metal


02.13.098 02.13.218 20.01.001

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Schlauch, Leckkraftstoff** **Hose, fuel overflow** Engine OM 646 Type W 906, 909 Details Material: plastic  02.13.116	1	02.13.088	646 070 0932
	**Schraube, Einspritzdüsenhalter** **Screw, injection nozzle holder** Engine OM 602, 611 - 613, 628, 629, 640, 642, 646 - 648, 651, 668 Type W 414, 638, 638/2, 639, 667, 668, 670, 901 - 906  02.10.078 02.13.100 02.13.141	50	02.13.101	004 990 2812
	**Spannmutter, Düsenhalter** **Tensioning nut, injector holder** Engine OM 900, 902, 904 Type W 668 - 670 Details Thread size: M22 x 1,5; Bolt / nut version: union nut  01.13.195	10	01.10.134	541 017 0171
	**Ventil, Einspritzanlage** **Valve, injection system** Engine OM 354, 355, 364, 366 Type W 668 - 670 Details Thread size: M14 x 1,5; Switch point from: 1,3 bar; Switch point to: 1,8 bar	10	01.13.139	000 074 7684
	**Ventileinheit, Common-Rail-System** **Valve unit, common rail system** Engine OM 646 - 648 Type W 906	1	02.13.110	646 074 0084
	**Reparatursatz, Saugrohrmodul** **Repair kit, intake manifold module** Engine OM 651 Type W 447, 639, 906 Details For article number: 02.14.202  02.14.202 02.16.013	1	02.14.204	651 090 0037 n.cpl.1

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Anschlagpuffer, Luftfilter **Rubber buffer, air filter**	**10**	**02.66.002**	**615 988 0011**	

Engine M 102, 115
OM 615 - 617

Type W 601, 602, 611



Dichtring, Ansaugschlauch-Luftfiltergehäuse **Seal ring, air filter housing intake hose**	**1**	**02.14.096**	**651 091 0260**	

Engine OM 651

Type W 447, 639, 906, 907, 910



NEW

Drosselklappenstutzen **Throttle body**	**1**	**02.14.227**	**642 090 0270**	

Engine OM 642

Type W 639, 906, 907, 910



NEW

Halter, Luftfiltergehäuse **Holder, air filter housing**	**50**	**02.14.020**	**000 094 1255**	

Engine M 100, 102, 108, 110, 114, 115
OM 602, 615 - 617, 621

Type W 309, 601, 602, 611



Halter, Luftfiltergehäuse **Holder, air filter housing**	**25**	**02.14.062**	**611 997 0481**	

Engine M 104, 111, 112, 271, 272, 274
OM 601, 604 - 607, 611 - 613, 628, 642, 646, 651

Type W 415, 447, 639, 906



Halter, Luftfiltergehäuse **Holder, air filter housing**	**25**	**02.14.113**	**611 094 0385**	

Engine M 102
OM 602, 611 - 613, 646

Type W 638, 638/2, 901 - 905



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Halteschelle, Ladeluftschlauch** **Holding clamp, charger air hose** Engine M 111 OM 611, 612 Type W 901 - 904	**1**	**02.40.136**	**901 528 4782** **n.cpl.3**
	02.40.133 02.40.134 02.40.135 02.40.227 02.40.243			
	**Ladeluftschlauch** **Charger air hose** Engine OM 601 Type W 638, 638/2	**1**	**02.40.239**	**638 528 0982**
	**Ladeluftschlauch** **Charger air hose** Engine OM 601 Type W 638, 638/2	**1**	**02.40.238**	**638 528 1082**
	**Ladeluftschlauch** **Charger air hose** Engine OM 611 Type W 638, 638/2	**1**	**02.40.242**	**638 528 1982**
	**Ladeluftschlauch** **Charger air hose** Engine OM 601 Type W 638, 638/2	**1**	**02.40.240**	**638 528 2682**
	**Ladeluftschlauch** **Charger air hose** Engine M 104, 111 OM 611 Type W 638, 638/2	**1**	**02.40.236**	**638 528 2882**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ladeluftschlauch **Charger air hose**	**1**	**02.40.237**	**638 528 2982**	

Engine M 104, 111
OM 601, 611

Type W 638, 638/2



Ladeluftschlauch **Charger air hose**	**1**	**02.40.232**	**639 528 0982**	

Engine M 112, 272
OM 642, 646, 651

Type W 639



Ladeluftschlauch **Charger air hose**	**1**	**02.40.233**	**639 528 1882**	

Engine M 112, 272
OM 642, 646, 651

Type W 639



Ladeluftschlauch **Charger air hose**	**1**	**02.40.234**	**639 528 1982**	

Engine M 112, 272
OM 642, 646, 651

Type W 639



Ladeluftschlauch **Charger air hose**	**1**	**02.40.241**	**639 528 3082**	

Engine M 112, 272
OM 642, 646, 651

Type W 639




Ladeluftschlauch **Charger air hose**	**1**	**02.14.029**	**646 098 0083**	

Engine M 112
OM 642, 646, 651

Type W 639, 906



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ladeluftschlauch** **Charger air hose** Engine OM 602 Type W 901 - 904	**1**	**02.40.131**	**901 528 1882**
	**Ladeluftschlauch** **Charger air hose** Engine OM 602 Type W 901 - 904	**1**	**02.40.132**	**901 528 2282**
	**Ladeluftschlauch** **Charger air hose** Engine OM 611, 612 Type W 901 - 904  02.40.136 02.40.243	**1**	**02.40.227**	**901 528 3982** **n.cpl.1**
	**Ladeluftschlauch** **Charger air hose** Engine M 111 OM 611, 612 Type W 901 - 904  02.40.134 02.40.135 02.40.136	**1**	**02.40.133**	**901 528 4782**
	**Ladeluftschlauch** **Charger air hose** Engine M 111 OM 611, 612 Type W 901 - 904  02.40.133 02.40.136	**1**	**02.40.134**	**901 528 4782** **n.cpl.1**
	**Ladeluftschlauch** **Charger air hose** Engine M 111 OM 611, 612 Type W 901 - 904  02.40.133 02.40.136 02.40.243	**1**	**02.40.135**	**901 528 4782** **n.cpl.2**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ladeluftschlauch **Charger air hose** Engine OM 646 Type W 901 - 905	1	02.14.154	211 528 2082	
Ladeluftschlauch **Charger air hose** Engine OM 612 Type W 901 - 905 Details Set with hose clamps  02.40.135 02.40.136 02.40.227	1	02.40.243	901 528 3982	
Ladeluftschlauch **Charger air hose** Engine M 111 OM 611, 612 Type W 901 - 905	1	02.40.116	901 528 4382	
Ladeluftschlauch **Charger air hose** Engine M 111 OM 611, 612, 647 Type W 903, 904	1	02.40.317	901 528 5282	
Ladeluftschlauch **Charger air hose** Engine M 111 OM 611, 612, 647 Type W 903, 904	1	02.40.316	901 528 5482	
Ladeluftschlauch **Charger air hose** Engine M 272 OM 642, 646, 651 Type W 906	1	02.40.228	906 528 0182	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ladeluftschlauch** **Charger air hose** Engine OM 642, 646 Type W 906	**1**	**02.40.199**	**906 528 0382**
	**Ladeluftschlauch** **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906	**1**	**02.40.202**	**906 528 1182**
	**Ladeluftschlauch** **Charger air hose** Engine OM 642, 646 Type W 906	**1**	**02.40.200**	**906 528 2282**
	**Ladeluftschlauch** **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906	**1**	**02.40.230**	**906 528 2682**
	**Ladeluftschlauch** **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906	**1**	**02.40.201**	**906 528 3282**
	**Ladeluftschlauch** **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906	**1**	**02.40.231**	**906 528 3382**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ladeluftschlauch **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906	1	02.40.264	906 528 3782	
Ladeluftschlauch **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906	1	02.40.267	906 528 4182	
Ladeluftschlauch **Charger air hose** Engine M 271, 272 OM 642, 646, 651 Type W 906, 907, 910	1	02.40.229	906 528 2582	
Ladeluftschlauch **Charger air hose** Engine OM 642, 646, 651 Type W 906, 907, 910	1	02.40.268	906 528 5082	
Ladeluftschlauch **Charger air hose** Engine OM 651 Type W 906, 907, 910	1	02.40.269	906 528 5182	
Lader, Aufladung **Charger, charging system** Engine OM 646 Type W 639, 906 Details Charge type: exhaust turbocharger	1	02.14.058	646 096 0699	

14

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lader, Aufladung** **Charger, charging system** Engine OM 602 Type W 901 - 904 Details Charge type: exhaust turbocharger	1	02.14.022	602 096 0899
	**Lader, Aufladung** **Charger, charging system** Engine OM 611 Type W 901 - 904 Details Charge type: exhaust turbocharger	1	02.14.066	611 096 0899
	**Lader, Aufladung** **Charger, charging system** Engine OM 612 Type W 901 - 905 Details Charge type: exhaust turbocharger	1	02.14.091	612 096 0399
	**Luftfilter** **Air filter** Engine M 102, 115 OM 615 - 617 Type W 309, 601, 602, 611	1	02.14.106	001 094 9504
	**Luftfilter** **Air filter** Engine OM 668 Type W 414	1	02.14.131	668 094 0304
	**Luftfilter** **Air filter** Engine M 200 OM 607 Type W 415	1	02.14.134	415 094 0304

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Luftfilter **Air filter** Engine M 274 Type W 447	1	02.14.209	274 094 0004	
Luftfilter **Air filter** Engine M 274 OM 622, 651 Type W 447	1	02.14.203	651 090 0051	
Luftfilter **Air filter** Engine M 102 OM 601, 602 Type W 601, 602, 611	1	02.14.065	003 094 5104	
Luftfilter **Air filter** Engine M 104, 111 OM 601, 611 Type W 638, 638/2	1	02.14.111	638 090 0051	
Luftfilter **Air filter** Engine M 111 OM 601, 602, 611, 612 Type W 638, 638/2, 901 - 905, 909  02.14.867	1	02.14.067	004 094 2604	
Luftfilter **Air filter** Engine M 111 OM 601, 602, 611, 612 Type W 638, 638/2, 901 - 905, 909 Details With metal grille  02.14.067	1	02.14.867	004 094 2604 cpl.1	

14

NEW

NEW

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Luftfilter** **Air filter** Engine M 112, 272 OM 642, 646 Type W 639	1	02.14.097	000 090 1651
	**Luftfilter** **Air filter** Engine OM 364, 601, 602, 904 Type W 667 - 670, 672	1	02.14.109	004 094 6704
	**Luftfilter** **Air filter** Engine M 111 OM 601, 602, 611, 612 Type W 901 - 905, 909	1	02.14.063	003 094 8304
	**Luftfilter** **Air filter** Engine M 271 Type W 906	1	02.14.136	271 094 0204
	**Luftfilter** **Air filter** Engine OM 642, 646, 651 Type W 906, 907, 910	1	02.14.064	000 090 3751
	**Luftfilter, Kompressor-Ansaugluft** **Air filter, compressor intake** Engine M 271 - 274 OM 642, 646, 651 Type W 906 Details Filter type: In-Line Filter	1	02.30.336	212 320 0169

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Luftmassenmesser **Air mass sensor** Engine OM 611 - 613 Type W 414, 638, 638/2 Details Sensor without housing	**1**	**02.14.026**	**611 094 0048**	

NEW

Luftmassenmesser **Air mass sensor** Engine OM 646 Type W 639	**1**	**02.14.165**	**000 094 2048**	
Luftmassenmesser **Air mass sensor** Engine M 104, 111, 112 OM 601, 602, 611, 612 Type W 639, 901 - 905	**1**	**02.14.028**	**112 094 0048**	

NEW

Luftmassenmesser **Air mass sensor** Engine OM 642, 646, 651 Type W 639, 906	**1**	**02.14.166**	**000 094 3248**	

NEW

Luftmassenmesser **Air mass sensor** Engine OM 646, 651 Type W 639, 906	**1**	**02.14.167**	**651 090 0148**	

NEW

Luftmassenmesser **Air mass sensor** Engine M 104, 111 OM 601, 602, 611, 612 Type W 901 - 905	**1**	**02.14.052**	**000 094 1048**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Saugrohrmodul** **Intake manifold module** Engine OM 651 Type W 447, 639, 906  02.14.204 02.16.013	**1**	**02.14.202**	**651 090 0037** **n.cpl.2**
NEW 	**Saugrohrmodul** **Intake manifold module** Engine M 271 Type W 906	**1**	**02.14.214**	**271 140 0601**
NEW 	**Saugrohrmodul** **Intake manifold module** Engine OM 646 Type W 906	**1**	**02.14.228**	**646 090 3137**
NEW 	**Saugrohrmodul** **Intake manifold module** Engine M 272 Type W 906 Details Equipment variant: repair kit	**1**	**02.14.182**	**272 140 2401** **n.cpl.1**
	**Stellelement, Drallklappen (Saugrohr)** **Control, swirl covers (induction pipe)** Engine OM 642 Type W 639, 906 Details Equipment variant: clip  02.14.072	**50**	**02.14.093**	**642 091 0150**
	**Stellelement, Drallklappen (Saugrohr)** **Control, swirl covers (induction pipe)** Engine OM 642 Type W 639, 906  02.14.093	**1**	**02.14.072**	**642 150 0494**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Stutzen, Ansaugkrümmer **Fitting, intake manifold** Engine OM 642 Type W 639, 906	**5**	**02.14.071**	**642 098 0037**	
02.67.008				

14

16

AGR-Ventil **EGR valve** Engine OM 601, 602 Type W 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.16.028**	**002 140 2660**	 
AGR-Ventil **EGR valve** Engine OM 611 Type W 638, 638/2, 901 - 904	**1**	**02.16.029**	**611 090 0254**	
AGR-Ventil **EGR valve** Engine OM 611 Type W 638, 638/2, 901 - 904	**1**	**02.16.030**	**611 090 0354**	
AGR-Ventil **EGR valve** Engine OM 612, 646 - 648 Type W 639	**1**	**02.16.033**	**646 140 0860**	
AGR-Ventil **EGR valve** Engine OM 612, 646 Type W 639	**1**	**02.16.034**	**646 140 0960**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
 	**AGR-Ventil** **EGR valve** Engine OM 642 Type W 639, 906	1	02.16.032	642 140 1760
	**AGR-Ventil** **EGR valve** Engine OM 612 Type W 901 - 904	1	02.16.031	612 098 0417
	**AGR-Ventil** **EGR valve** Engine OM 642 Type W 906	1	02.16.026	642 140 1460
NEW 	**AGR-Ventil** **EGR valve** Engine OM 646, 647 Type W 906	1	02.16.035	646 142 0119
	**Dichtung, Abgaskrümmer** **Gasket, exhaust manifold** Engine M 102 Type W 309, 601, 602, 611, 667  02.43.265	4	02.16.011	102 142 1480
	**Dichtung, Abgaskrümmer** **Gasket, exhaust manifold** Engine M 102 Type W 309, 601, 602, 611, 667  02.43.265	4	02.16.017	102 142 1580

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Abgaskrümmer **Gasket, exhaust manifold**	**1**	**02.16.054**	**651 142 0580**	

Engine OM 651
Type W 447, 639, 906, 907, 910



Dichtung, Abgaskrümmer **Gasket, exhaust manifold**	**1**	**02.16.061**	**601 142 0280**	

Engine OM 601, 661
Type W 601, 602, 611, 638, 638/2, 667, 901 - 904



Dichtung, Abgaskrümmer **Gasket, exhaust manifold**	**1**	**02.16.062**	**602 142 0080**	

Engine OM 602, 662
Type W 601, 602, 611, 667, 668, 670, 901 - 904



Dichtung, Abgaskrümmer **Gasket, exhaust manifold**	**2**	**02.16.052**	**642 142 0080**	

Engine OM 642
Type W 639, 906



Dichtung, Abgaskrümmer **Gasket, exhaust manifold**	**10**	**01.16.096**	**926 142 0080**	

Engine OM 900, 902, 904
Type W 668 - 670



Dichtung, Abgaskrümmer **Gasket, exhaust manifold**	**1**	**02.16.064**	**271 142 0380**	


Engine M 271
Type W 906



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Abgasrohr** **Gasket, exhaust pipe** Engine OM 651 Type W 447, 639, 906, 907, 910	1	02.16.074	651 096 0480
	**Dichtung, Abgasrohr** **Gasket, exhaust pipe** Engine OM 642 Type W 639, 906, 907, 910 Details Fitting position: left	1	02.16.068	642 142 3180
	**Dichtung, Abgasrohr** **Gasket, exhaust pipe** Engine OM 642 Type W 639, 906, 907, 910 Details Fitting position: right	1	02.16.069	642 142 3280
	**Dichtung, Abgasrohr** **Gasket, exhaust pipe** Engine OM 611, 612, 646, 647 Type W 906, 909	1	02.16.024	611 141 0280
	**Dichtung, AGR-Ventil** **Seal, EGR valve** Engine OM 651 Type W 447, 639, 906	1	02.16.080	651 142 0480
	**Dichtung, AGR-Ventil** **Seal, EGR valve** Engine OM 651 Type W 447, 639, 906	1	02.16.075	651 142 1280

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, AGR-Ventil **Seal, EGR valve** Engine OM 651 Type W 447, 639, 906	**1**	**02.16.078**	**651 142 2380**	
Dichtung, AGR-Ventil **Seal, EGR valve** Engine OM 651 Type W 447, 639, 906	**1**	**02.16.076**	**651 142 2680**	
Dichtung, AGR-Ventil **Seal, EGR valve** Engine OM 651 Type W 447, 639, 906, 907, 910	**1**	**02.16.079**	**651 142 2480**	
Dichtung, AGR-Ventil **Seal, EGR valve** Engine OM 646 Type W 639, 906	**1**	**02.19.358**	**611 203 0480**	
Dichtung, AGR-Ventil **Seal, EGR valve** Engine OM 642 Type W 639, 906	**1**	**02.16.084**	**642 142 0580**	
Dichtung, AGR-Ventil **Seal, EGR valve** Engine OM 642 Type W 639, 906	**2**	**02.16.085**	**642 142 1880**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine M 102 Type W 309, 601, 602, 611, 667	**1**	**02.16.001**	**102 141 3480**
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine OM 651 Type W 447, 639, 906, 907, 910	**1**	**02.16.013**	**651 091 0060**
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine OM 601 - 603, 661, 662 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.16.019**	**602 141 0880**
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine OM 601, 661 Type W 601, 602, 611, 638, 638/2, 667, 901 - 904	**1**	**02.16.018**	**601 141 1180**
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine OM 611, 646 Type W 638, 638/2, 639, 901 - 904, 906, 909	**4**	**02.16.051**	**646 098 0280**
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine M 111 Type W 638, 638/2, 901 - 904	**1**	**02.16.008**	**111 141 0780**


02.14.202 02.14.204

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Ansaugkrümmer **Gasket, intake manifold**	**1**	**02.16.022**	**611 094 0080**	

Engine OM 611, 612, 646, 647
Type W 639, 901 - 905



Dichtung, Ansaugkrümmer **Gasket, intake manifold**	**5**	**02.67.008**	**012 997 9945**	

Engine OM 642
Type W 639, 906




02.14.071

Dichtung, Ansaugkrümmer **Gasket, intake manifold**	**1**	**02.16.066**	**272 141 2280**	

Engine M 272
Type W 639, 906
Details Fitting position: left, right



NEW

Dichtung, Ansaugkrümmer **Gasket, intake manifold**	**2**	**02.16.050**	**642 141 0580**	

Engine OM 642
Type W 639, 906



Dichtung, Ansaugkrümmer **Gasket, intake manifold**	**10**	**01.16.098**	**904 141 0280**	

Engine OM 900, 902, 904
Type W 668 - 670




Dichtung, Ansaugkrümmer **Gasket, intake manifold**	**10**	**01.16.097**	**906 141 0180**	

Engine OM 900, 902, 904
Type W 668 - 670



NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine OM 612, 647 Type W 901 - 905	1	02.16.063	612 141 0180
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine M 271 Type W 906	4	02.16.067	271 141 0880
	**Dichtung, Ansaugkrümmer** **Gasket, intake manifold** Engine OM 646 Type W 906, 909	1	02.16.048	015 997 1045
	**Dichtung, Ansaugkrümmergehäuse** **Gasket, intake manifold housing** Engine OM 651 Type W 447, 639, 906	4	02.16.058	651 091 0460
	**Dichtung, Ansaugkrümmergehäuse** **Gasket, intake manifold housing** Engine OM 611 Type W 638, 638/2, 901 - 904	10	02.16.056	611 098 0180
NEW 	**Dichtung, Ansaugkrümmergehäuse** **Gasket, intake manifold housing** Engine OM 611 Type W 638, 638/2, 901 - 904	4	02.16.055	611 098 0280

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Ansaugkrümmergehäuse **Gasket, intake manifold housing** Engine OM 642 Type W 639, 906	**1**	**02.14.175**	**642 098 0180**	
Dichtung, Ansaugkrümmergehäuse **Gasket, intake manifold housing** Engine OM 642 Type W 639, 906	**1**	**02.14.174**	**642 098 0280**	
Dichtung, Ansaugkrümmergehäuse **Gasket, intake manifold housing** Engine OM 642 Type W 639, 906	**1**	**02.14.176**	**642 141 0080**	
Dichtung, Ansaugkrümmergehäuse **Gasket, intake manifold housing** Engine M 271 OM 611, 646 Type W 639, 906, 909	**10**	**02.16.057**	**271 141 1080**	
Dichtung, Lader **Gasket, charger** Engine OM 642 Type W 639, 906	**1**	**02.16.081**	**642 142 1180**	
Dichtung, Öleinlass (Lader) **Seal, oil inlet (charger)** Engine OM 642 Type W 639, 906	**1**	**02.16.082**	**642 142 0681**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Öleinlass (Lader)** **Seal, oil inlet (charger)** Engine OM 642 Type W 639, 906, 907, 910	1	02.16.083	642 142 0980

16

17

	**Dichtungssatz, Abgaskrümmer** **Gasket set, exhaust manifold** Engine M 102 Type W 309, 601, 602, 611, 667  02.16.011 02.16.017	1	02.43.265	102 142 1480 cpl.1
	**Anschlussleitung, Nockenwellensensor** **Connector cable, camshaft sensor** Engine M 271 Type W 906  02.12.130	1	02.12.158	271 150 2733
	**Druckwandler** **Pressure converter** Engine OM 602, 604 - 606, 611 - 613, 646, 668 Type W 414, 638, 638/2, 668, 670, 901 - 904 Details Colour: black	1	02.42.357	000 545 0427
	**Druckwandler** **Pressure converter** Engine OM 611 - 613, 646 Type W 901 - 905 Details Colour: blue	1	02.42.316	000 545 0527
	**Druckwandler, Turbolader** **Pressure converter, turbocharger** Engine OM 640, 642, 646 Type W 639, 901 - 903, 906	1	02.42.317	005 153 5528

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Druckwandler, Turbolader **Pressure converter, turbocharger** Engine OM 651 Type W 906	**1**	**02.17.081**	**007 153 1428**	
Generator **Alternator** Engine OM 314, 352, 354, 360, 364, 366 Type W 309, 310, 313, 668 - 670, 672	**1**	**01.17.059**	**010 154 2002**	
Generator **Alternator** Engine OM 314, 364, 366 Type W 310, 668 - 670, 672	**1**	**01.17.060**	**007 154 9902**	
Generator **Alternator** Engine M 102, 103, 110 OM 601, 616 Type W 601, 602, 611, 631, 667	**1**	**02.17.051**	**008 154 7602**	
Generator **Alternator** Engine M 102 - 104, 111 OM 602, 603 Type W 601, 602, 611, 631, 901 - 904	**1**	**02.17.053**	**010 154 9902**	
Generator **Alternator** Engine M 102 - 104 OM 601 - 603 Type W 601, 602, 611, 667	**1**	**02.17.052**	**008 154 8002**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Generator** **Alternator** Engine OM 900, 902, 904 Type W 668 - 670	1	01.17.062	014 154 5302
	**Generatorfreilauf** **Alternator freewheel clutch** Engine EM 780 M 112, 271, 272 OM 642, 646, 651 Type W 447, 639, 906, 909	1	02.17.065	646 155 0115
	**Generatorfreilauf** **Alternator freewheel clutch** Engine OM 601, 602, 604 - 606 Type W 601, 602, 611, 667, 668, 670, 901 - 904	1	02.17.027	604 150 0360
	**Generatorfreilauf** **Alternator freewheel clutch** Engine OM 601 Type W 638, 638/2	1	02.17.029	604 150 0160
	**Generatorfreilauf** **Alternator freewheel clutch** Engine M 271 OM 611, 612, 646, 651 Type W 638, 638/2, 639, 901 - 906, 909	1	02.17.083	611 155 0715
	**Generatorfreilauf** **Alternator freewheel clutch** Engine OM 611, 612 Type W 638, 638/2, 901 - 905	1	02.17.028	611 155 0215

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Generatorfreilauf **Alternator freewheel clutch**	**1**	**02.17.044**	**271 155 0115**	
Engine M 271, 272 OM 642, 646, 651 Type W 639, 906				
Generatorfreilauf **Alternator freewheel clutch**	**1**	**02.17.064**	**642 150 0660**	
Engine M 112, 272 OM 642, 646, 651 Type W 639, 906				
Generatorfreilauf **Alternator freewheel clutch**	**1**	**01.17.045**	**906 155 1515**	
Engine OM 904 Type W 668 - 670				
Generatorfreilauf **Alternator freewheel clutch**	**1**	**02.17.114**	**604 150 0660**	
Engine OM 602, 904 Type W 668, 670				
Generatorregler **Alternator regulator**	**1**	**02.17.006**	**002 154 4006**	
Engine M 102, 103, 110, 115 OM 314, 352, 364, 602, 603, 616, 617 Type W 309, 310, 313, 601, 602, 611, 631, 667 - 670, 672, 901 - 904 Details Operating voltage: 14 V				
Generatorregler **Alternator regulator**	**1**	**01.17.031**	**000 154 1705**	
Engine OM 314, 335, 352, 354, 355, 360, 362, 364, 366 Type W 309, 310, 313, 668 - 670 Details Operating voltage: 24 V				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Generatorregler** **Alternator regulator** Engine M 100, 102, 103, 110, 115 OM 615 - 617 Type W 601 Details Operating voltage: 12 V	**1**	**01.17.011**	**001 154 1806**
	**Generatorregler** **Alternator regulator** Engine M 102 - 104, 110, 111, 115 OM 601 - 603, 605, 606, 615 - 617 Type W 601, 602, 611, 631 Details Operating voltage: 14,1 V	**1**	**02.17.005**	**002 154 4106**
	**Generatorregler** **Alternator regulator** Engine M 102 - 104, 111 - 113 OM 601, 602, 604 - 606, 616 Type W 601, 602, 611, 631, 638, 638/2, 667, 668, 670, 901 - 904 Details Operating voltage: 14 V	**1**	**02.17.013**	**002 154 8506**
	**Generatorregler** **Alternator regulator** Engine M 102 - 104, 111, 112 OM 601 - 606, 611 Type W 601, 602, 611, 638, 638/2, 668, 670, 901 - 904 Details Equipment variant: Valeo version; Operating voltage: 14,5 V	**1**	**02.17.076**	**002 154 9106**
	**Generatorregler** **Alternator regulator** Engine M 111 - 113, 272 Type W 601, 602, 901 - 903 Details Equipment variant: Bosch version; Operating voltage: 12 V	**1**	**02.17.110**	**003 154 2406**
NEW				
	**Generatorregler** **Alternator regulator** Engine OM 646 Type W 639, 906 Details Operating voltage: 14,3 V	**1**	**02.17.084**	**003 154 4206**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Generatorregler **Alternator regulator**	**1**	**02.17.087**	**003 154 8306**	

Engine M 271, 272
OM 642, 646, 651

Type W 639, 906

Details Equipment variant: Valeo version; Operating voltage: 14,2 V



Generatorregler **Alternator regulator**	**1**	**02.17.088**	**003 154 9206**	

Engine M 112, 271, 272
OM 642, 646, 651

Type W 639, 906

Details Operating voltage: 14,3 V



Generatorregler **Alternator regulator**	**1**	**02.17.111**	**003 154 9806**	

Engine M 271
OM 628, 646

Type W 639, 906

Details Operating voltage: 14,1 V




Generatorregler **Alternator regulator**	**1**	**01.17.067**	**000 154 3805**	

Engine OM 354, 900, 902, 904

Type W 668 - 670

Details Operating voltage: 24 V



Generatorregler **Alternator regulator**	**1**	**02.17.063**	**003 154 9006**	

Engine OM 611, 612

Type W 901 - 905

Details Operating voltage: 14,5 V



Generatorregler **Alternator regulator**	**1**	**02.17.089**	**003 154 9606**	

Engine M 271, 272
OM 642, 646, 651

Type W 906

Details Operating voltage: 14,1 V



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Gleichrichter, Generator** **Rectifier, alternator** Engine OM 314, 352, 354, 364, 366 Type W 309, 310, 313, 670 Details Voltage: 24 V	1	05.17.004	001 154 2116
NEW 	**Heizelement, Motorvorwärmsystem** **Heating element, engine preheater system** Engine OM 640, 642, 651 Type W 639, 906, 907, 909, 910  02.14.101	1	02.17.106	000 159 3304
NEW 	**Heizelement, Motorvorwärmsystem** **Heating element, engine preheater system** Engine OM 640, 642, 651 Type W 639, 906, 907, 909, 910  02.14.102	1	02.17.107	000 159 3404
NEW 	**Heizelement, Motorvorwärmsystem** **Heating element, engine preheater system** Engine OM 642, 651 Type W 906, 907, 910  02.14.103	1	02.17.108	000 159 3804
	**Impulsgeber, Kurbelwelle** **Sensor, crankshaft pulse** Engine M 111 - 113, 166, 271 OM 611 - 613, 628, 640, 642, 646 - 648, 668 Type W 414, 638, 638/2, 639, 901 - 906 Details Sensor type: inductive sensor; Number of poles: 2 -pin connector	1	02.17.031	003 153 2828
	**Impulsgeber, Kurbelwelle** **Sensor, crankshaft pulse** Engine M 271 - 273 OM 626, 629, 642 Type W 639, 906 Details Sensor type: hall sensor; Number of poles: 3 -pin connector	1	02.17.093	642 905 0000

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Impulsgeber, Kurbelwelle **Sensor, crankshaft pulse**	**1**	**02.17.032**	**003 153 7228**	

Engine M 104, 111, 166
OM 602, 604 - 606, 611

Type W 667, 668, 670, 901 - 904

Details Sensor type: inductive sensor; Number of poles: 2 -pin connector



Klopfsensor **Knock sensor**	**1**	**02.17.134**	**003 153 8628**	

Engine M 111 - 113, 166, 271
OM 611 - 613, 628, 640, 642, 646 - 648, 651, 668

Type W 414, 638, 638/2, 639, 901 - 906, 909



NEW

Lagerung, Generator **Mounting, alternator**	**10**	**01.17.003**	**352 155 0650**	

Engine OM 314, 335, 352, 355, 360, 362, 364, 366, 374

Type W 309, 310, 668 - 670

Details Height: 22 mm; Inner Ø: 10 mm; Outer Ø: 24 mm



Lagerung, Generator **Mounting, alternator**	**10**	**01.17.018**	**403 155 0250**	

Engine OM 314, 335, 352, 355, 360, 362, 364, 366, 374

Type W 309, 310, 668 - 670

Details Height: 25 mm; Inner Ø: 10 mm; Outer Ø: 24 mm



Lambdasonde **Lambda sensor**	**1**	**02.39.055**	**000 540 3917**	

Engine M 102, 111

Type W 638



Lambdasonde **Lambda sensor**	**1**	**02.39.048**	**000 540 7517**	

Engine M 104, 111 - 113

Type W 638, 638/2



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lambdasonde** **Lambda sensor** Engine M 104, 111 Type W 638, 638/2, 901 - 904	**1**	**02.39.049**	**000 540 4317**
	**Lambdasonde** **Lambda sensor** Engine M 111 Type W 638, 638/2, 901 - 904	**1**	**02.39.050**	**000 540 9217**
	**Lambdasonde** **Lambda sensor** Engine M 111 Type W 638, 638/2, 901 - 904	**1**	**02.39.045**	**001 540 0417**
	**Lambdasonde** **Lambda sensor** Engine M 104, 111 Type W 638, 638/2, 901 - 904	**1**	**08.39.045**	**006 542 90 17**
	**Lambdasonde** **Lambda sensor** Engine M 272, 273 Type W 639	**1**	**02.39.094**	**004 542 0718**
	**Lambdasonde** **Lambda sensor** Engine M 272, 273 OM 651 Type W 639, 906, 907, 909, 910	**1**	**02.42.050**	**003 542 7018**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lambdasonde **Lambda sensor**	**1**	**02.39.044**	**000 540 7617**	
Engine M 104, 111 - 113 Type W 901 - 904				
Lambdasonde **Lambda sensor**	**1**	**02.42.051**	**003 542 7118**	
Engine M 111, 271 - 273 OM 601, 602, 611, 612, 629, 642, 646, 651 Type W 903, 904, 906				
Magnetschalter, Starter **Solenoid switch, starter**	**1**	**02.17.014**	**001 152 1110**	
Engine M 102, 103, 110, 115 Type W 309, 601				
Magnetschalter, Starter **Solenoid switch, starter**	**1**	**02.17.016**	**000 152 6210**	
Engine M 102 - 104 Type W 309, 601, 602, 611, 667				
Magnetschalter, Starter **Solenoid switch, starter**	**1**	**02.17.038**	**001 152 6510**	
Engine M 103, 104 OM 601, 602, 604, 605, 611, 640, 646, 651, 668 Type W 414, 638, 638/2, 639, 667, 668, 670, 901 - 904, 906				
Magnetschalter, Starter **Solenoid switch, starter**	**1**	**02.17.024**	**000 152 7310**	
Engine OM 601 Type W 601, 602, 611, 638, 638/2, 667				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Magnetschalter, Starter** **Solenoid switch, starter** Engine M 104, 111 - 113, 272 Type W 638, 638/2, 639, 901 - 904	**1**	**02.17.020**	**001 152 2210**
	**NOx-Sensor, Harnstoffeinspritzung** **Nox sensor, urea injection** Engine M 271, 272, 274 OM 622, 642, 646, 651 Type W 447, 906 Details Cable length: 415 mm	**1**	**02.17.136**	**000 905 3403**
	**NOx-Sensor, Harnstoffeinspritzung** **Nox sensor, urea injection** Engine M 271, 272 OM 622, 626, 642, 646, 651 Type W 447, 906 Details Cable length: 815 mm	**1**	**02.17.137**	**000 905 3603**
	**NOx-Sensor, Harnstoffeinspritzung** **Nox sensor, urea injection** Engine OM 622, 642, 646, 651 Type W 447, 906 Details Cable length: 800 mm	**1**	**02.17.138**	**000 905 9803**
	**NOx-Sensor, Harnstoffeinspritzung** **Nox sensor, urea injection** Engine M 271, 272 OM 629, 642, 646, 651 Type W 447, 906 Details Cable length: 615 mm	**1**	**02.17.135**	**000 905 3503**
	**NOx-Sensor, Harnstoffeinspritzung** **Nox sensor, urea injection** Engine M 271, 272, 274 OM 622, 642, 646, 651 Type W 447, 906 Details Cable length: 900 mm	**1**	**02.17.152**	**000 905 4410**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Öldruckschalter **Oil pressure switch**	**1**	**02.42.265**	**005 542 9017**	

Engine M 102
OM 601, 602

Type W 309, 601, 602, 611

Details Switch point from: 0,25 bar; Switch point to: 0,55 bar



Öldruckschalter **Oil pressure switch**	**1**	**02.42.034**	**004 542 5917**	

Engine M 102, 110, 115
OM 616, 617

Type W 309, 601, 602, 611, 667

Details Switch point from: 0,3 bar; Switch point to: 0,55 bar



Schaltgerät, Zündanlage **Switch unit, ignition system**	**1**	**02.42.018**	**002 545 1832**	

Engine M 102

Type W 601, 611, 667



Schutzkappe, Zündverteilerstecker **Protective cap, distributor plug**	**10**	**02.17.021**	**102 159 1140**	

Engine M 102

Type W 309, 601, 602, 611, 667

Details Fitting position: upper



02.17.022

Schutzkappe, Zündverteilerstecker **Protective cap, distributor plug**	**10**	**02.17.022**	**102 159 1240**	

Engine M 102

Type W 309, 601, 602, 611, 667

Details Fitting position: lower



02.17.021

Sensor, Abgasdruck **Sensor, exhaust pressure**	**1**	**02.42.004**	**651 905 0200**	

Engine OM 651

Type W 447, 639, 906



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Abgasdruck** **Sensor, exhaust pressure** Engine OM 642, 646, 651 Type W 447, 906, 909	1	02.42.003	642 905 0200
	**Sensor, Abgasdruck** **Sensor, exhaust pressure** Engine OM 611, 612, 629, 640, 642, 646 Type W 638, 638/2, 639, 901 - 906, 909	1	02.17.080	007 153 4328
	**Sensor, Abgasdruck** **Sensor, exhaust pressure** Engine OM 611, 629, 640, 642, 646, 648, 651 Type W 639, 906, 907	1	02.17.077	006 153 9528
	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine OM 651 Type W 447, 639, 906 Details Cable length: 310 mm; Number of connectors: 2	1	02.17.103	008 153 2228
NEW 	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine OM 629, 640, 642, 651 Type W 447, 639, 906 Details Cable length: 475 mm; Number of connectors: 2	1	02.17.129	008 153 3428
NEW 	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine OM 651 Type W 447, 639, 906, 907, 909 Details Cable length: 500 mm; Number of connectors: 2	1	02.17.146	000 905 4005

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Abgastemperatur **Sensor, exhaust gas temperature**	**1**	**02.42.416**	**000 905 3905**	

Engine OM 651
Type W 447, 639, 906, 907, 910
Details Cable length: 500 mm; Number of connectors: 2

NEW

Sensor, Abgastemperatur **Sensor, exhaust gas temperature**	**1**	**02.42.418**	**000 905 9905**	

Engine OM 651
Type W 447, 639, 906, 907, 910
Details Cable length: 630 mm; Number of connectors: 2

NEW

Sensor, Abgastemperatur **Sensor, exhaust gas temperature**	**1**	**02.17.094**	**007 153 7528**	

Engine OM 642, 646, 651
Type W 447, 639, 906, 909
Details Cable length: 340 mm; Number of connectors: 2

NEW

Sensor, Abgastemperatur **Sensor, exhaust gas temperature**	**1**	**02.17.145**	**000 905 3300**	

Engine OM 642
Type W 639, 906
Details Cable length: 390 mm; Number of connectors: 2

NEW

Sensor, Abgastemperatur **Sensor, exhaust gas temperature**	**1**	**02.17.102**	**007 153 6628**	

Engine OM 642, 646, 651
Type W 639, 906
Details Cable length: 300 mm; Number of connectors: 2



NEW

Sensor, Abgastemperatur **Sensor, exhaust gas temperature**	**1**	**02.17.104**	**008 153 3628**	

Engine OM 642
Type W 639, 906
Details Cable length: 240 mm; Number of connectors: 2

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine OM 611, 646 Type W 639, 906, 909 Details Cable length: 400 mm; Number of connectors: 2	1	02.17.101	007 153 8528
	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine M 271, 272 OM 642, 646, 651 Type W 906 Details Length: 1220 mm; Number of connectors: 2	1	02.17.097	000 905 8700
	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine OM 642, 646, 651 Type W 906 Details Cable length: 555 mm; Number of connectors: 2	1	02.17.099	001 905 3000
	**Sensor, Abgastemperatur** **Sensor, exhaust gas temperature** Engine M 271, 272 OM 642, 646, 651 Type W 906 Details Cable length: 1050 mm; Number of connectors: 2	1	02.17.098	007 153 6228
	**Sensor, Ansauglufttemperatur** **Sensor, intake air temperature** Engine M 104, 111 - 113, 166, 271 OM 602, 604 - 606, 611 - 613, 628, 629, 640, 642, 646 - 648, 651, 668, 904 Type W 414, 447, 638, 638/2, 639, 667 - 670, 901 - 906, 909	1	02.17.050	000 542 2818
	**Sensor, Drehzahl** **Sensor, rpm** Engine OM 900, 902, 904 Type W 668 - 670	1	01.17.044	001 153 2120

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Kraftstoffdruck **Sensor, fuel pressure**	**1**	**02.17.035**	**004 153 7528**	

Engine OM 611, 612
Type W 414, 638, 638/2, 901 - 905
Details Thread size: M12 x 1,5



Sensor, Kraftstoffdruck **Sensor, fuel pressure**	**1**	**02.17.036**	**005 153 5828**	

Engine OM 611, 612, 628
Type W 638, 638/2, 901 - 905
Details Thread size: M18 x 1,5



Sensor, Ladedruck **Sensor, boost pressure**	**1**	**02.17.062**	**004 153 3028**	

Engine M 112, 113, 166, 271 - 273
OM 611, 612, 628, 629, 642, 646 - 648, 651
Type W 414, 447, 639, 906



Sensor, Ladedruck **Sensor, boost pressure**	**1**	**02.17.060**	**005 153 7228**	

Engine M 111 - 113, 271
OM 611 - 613, 628, 646 - 648, 668
Type W 414, 638, 638/2, 639, 901 - 906



Sensor, Ladedruck **Sensor, boost pressure**	**1**	**02.17.007**	**006 153 1628**	

Engine OM 646, 651
Type W 447, 639, 906, 907, 909, 910



Sensor, Ladedruck **Sensor, boost pressure**	**1**	**02.17.061**	**011 542 0717**	

Engine OM 601 - 603, 605, 606, 611, 668
Type W 638, 638/2, 667 - 670, 901 - 904



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Ladedruck** **Sensor, boost pressure** Engine OM 612 Type W 901 - 905	1	02.14.121	004 153 8228
	**Sensor, Ladedruck** **Sensor, boost pressure** Engine OM 611, 629, 640, 642, 646 - 648 Type W 639, 906, 909	1	02.17.079	006 153 9928
	**Sensor, Ladedruck** **Sensor, boost pressure** Engine OM 904 Type W 668 - 670	1	01.17.076	004 153 1828
NEW 	**Sensor, Ladedruck** **Sensor, boost pressure** Engine OM 900, 902, 904 Type W 668 - 670	1	01.17.077	004 153 7028
NEW 	**Sensor, Motorölstand** **Sensor, engine oil level** Engine M 112, 113 Type W 639	1	02.42.368	006 153 2928
	**Sensor, Nockenwellenposition** **Sensor, camshaft position** Engine M 111 - 113, 271 Type W 414, 638, 638/2, 639, 901 - 906	1	02.17.048	004 153 6928

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Nockenwellenposition **Sensor, camshaft position**	**1**	**02.17.039**	**003 153 9728**	

Engine M 166
OM 611 - 613, 628, 640, 642, 646 - 648, 668

Type W 414, 638, 638/2, 639, 901 - 906, 909

Sensor, Nockenwellenposition **Sensor, camshaft position**	**1**	**02.17.082**	**651 905 0100**	

Engine OM 646, 651

Type W 447, 639, 906, 907, 910

NEW

Sensor, Nockenwellenposition **Sensor, camshaft position**	**1**	**02.17.033**	**004 153 0028**	

Engine M 104, 111
OM 611

Type W 638, 638/2, 901 - 904

Sensor, Nockenwellenposition **Sensor, camshaft position**	**1**	**02.17.068**	**004 153 3728**	

Engine M 104

Type W 638/2

Sensor, Öldruck **Sender unit, oil pressure**	**1**	**01.42.036**	**004 542 8917**	

Engine M 115
OM 314, 346, 352, 354, 355, 362, 364, 366, 615, 616

Type W 309, 310, 667 - 670

Sensor, Öldruck **Sender unit, oil pressure**	**1**	**02.42.009**	**006 542 9417**	

Engine M 102 - 104, 110, 111
OM 601, 602, 605, 606

Type W 309, 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Öldruck** **Sender unit, oil pressure** Engine OM 904 Type W 668 - 670	1	01.17.082	009 153 4728
	Spannschraube, Generatorhalter **Tensioner bolt, alternator mounting** Engine OM 314, 352, 616 Type W 309, 310	1	01.17.005	403 150 0572
	 01.17.007			
	**Spannschraube, Generatorhalter** **Tensioner bolt, alternator mounting** Engine OM 314, 352, 616 Type W 309, 310	1	01.17.007	403 150 0572 cpl.1
	 01.17.005			
	**Starter** **Starter** Engine OM 314, 352, 354, 360, 362, 364, 366 Type W 309, 668 - 670 Details Voltage: 24 V; Rated power: 4,0 kW; Number of mounting bores: 3	1	01.17.053	376 151 0301
	**Starter** **Starter** Engine OM 314, 352, 354, 360, 362, 364, 366 Type W 309, 669 Details Voltage: 24 V; Rated power: 4,0 kW; Number of mounting bores: 3	1	01.17.056	151 010 0318
	**Starter** **Starter** Engine OM 352 Type W 310, 313 Details Voltage: 12 V; Rated power: 3,0 kW; Number of mounting bores: 3	1	01.17.057	004 151 5801

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Starter **Starter**	**1**	**02.17.112**	**651 906 0026**	

Engine OM 651
Type W 639, 906, 907, 910
Details Voltage: 12 V; Rated power: 1,7 kW; Number of mounting bores: 2



NEW

Starter **Starter**	**1**	**01.17.052**	**006 151 2203**	

Engine OM 364, 900, 904
Type W 668 - 670
Details Voltage: 24 V; Rated power: 4,0 kW; Number of mounting bores: 2




17

Stecker, Zündkerze **Plug, spark plug**	**2**	**02.42.323**	**000 156 7210**	

Engine M 104, 110, 111
Type W 638, 638/2, 901 - 904
Details For cylinder: 1+3






02.17.040 02.42.322

Stecker, Zündkerze **Plug, spark plug**	**2**	**02.42.322**	**000 159 3642**	

Engine M 104, 110, 111
Type W 638, 638/2, 901 - 904
Details For cylinder: 2+4





02.17.040 02.42.323

Steuergerät, Glühzeit **Control unit, glow plug system**	**1**	**02.42.282**	**646 153 6579**	

Engine OM 604, 611, 612, 642, 646, 651, 668
Type W 414, 638, 638/2, 639, 901 - 904, 906, 909



Steuergerät, Glühzeit **Control unit, glow plug system**	**1**	**02.42.122**	**642 900 2700**	

Engine OM 642
Type W 639, 906
Details Glow plug design: ceramic glow plug



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Steuergerät, Glühzeit** **Control unit, glow plug system** Engine OM 642 Type W 639, 906 Details Glow plug design: metal glow plug	1	02.42.120	642 900 7801
	**Steuergerät, Glühzeit** **Control unit, glow plug system** Engine OM 601, 602, 605, 606, 611 - 613, 648 Type W 901 - 905	1	02.42.283	648 900 0000
OE 	**Unterdrucksteuerventil, Abgasrückführung** **Vacuum control valve, egr** Engine M 104, 111 - 113, 166 OM 604 - 606, 611 Type W 414, 638, 638/2, 639, 901 - 904, 907, 910	1	02.42.070	002 540 1497
	**Wassersensor, Kraftstoffanlage** **Water sensor, fuel system** Engine OM 646 – 648 Type W 639, 906, 907, 909, 910	1	02.17.105	000 153 9513
NEW  02.38.045				
	**Zündspule** **Ignition coil** Engine M 104, 111 Type W 638, 638/2, 901 - 904	1	02.17.040	000 158 7503
 02.42.322 02.42.323				
	**Zündspule** **Ignition coil** Engine M 104 Type W 638/2	1	07.17.021	003 158 5001

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Zündspule **Ignition coil**	**1**	**02.17.041**	**000 158 7803**	

Engine M 112, 113
Type W 639




Dichtung, Ölfilter **Seal, oil filter**	**50**	**01.18.007**	**000 184 6580**	

17

18

Engine OM 314, 327, 335, 346, 352, 355, 360, 366
Type W 309, 310, 313



Dichtung, Ölfiltergehäuse **Seal, oil filter housing**	**10**	**02.18.055**	**019 997 0445**	

Engine OM 651
Type W 447, 639, 906





02.18.102 02.18.139 02.18.141 02.18.149

Dichtung, Ölfiltergehäuse **Seal, oil filter housing**	**10**	**02.18.090**	**019 997 0545**	

Engine OM 651
Type W 447, 639, 906






02.18.102 02.18.139 02.18.141 02.18.149

Dichtung, Ölfiltergehäuse **Seal, oil filter housing**	**10**	**02.18.052**	**112 184 0061**	

Engine M 112, 113
Type W 639






02.18.051 02.43.288 02.43.300 02.43.301



Dichtung, Ölfiltergehäuse **Seal, oil filter housing**	**10**	**02.18.057**	**112 184 0261**	

Engine M 112, 113
Type W 639





02.18.051 02.43.288 02.43.300 02.43.301

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Ölfiltergehäuse** **Seal, oil filter housing** Engine M 112, 113 Type W 639  02.18.051 02.43.288 02.43.300 02.43.301	10	02.18.054	112 184 0361
	**Dichtung, Ölfiltergehäuse** **Seal, oil filter housing** Engine M 272, 273 Type W 639, 906	1	02.18.129	272 184 0080
	**Dichtung, Ölfiltergehäuse** **Seal, oil filter housing** Engine OM 642 Type W 639, 906	10	02.18.142	642 180 1410 n.cpl.1
	**Dichtung, Ölfiltergehäuse** **Seal, oil filter housing** Engine OM 642 Type W 639, 906, 907, 910  02.18.092 02.18.101	1	02.18.091	642 184 0080
	**Dichtung, Ölfiltergehäuse** **Seal, oil filter housing** Engine OM 900, 902, 904 Type W 668 - 670	1	01.18.117	906 184 0280
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine OM 660, 668 Type W 414  02.18.065	10	02.18.066	160 184 0061

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

Dichtung, Ölkühler
Seal, oil cooler

10 | **02.18.067** | **668 184 0361**



Engine OM 660, 668
Type W 414


02.18.065

NEW

Dichtung, Ölkühler
Seal, oil cooler

10 | **02.18.068** | **668 184 0461**




Engine OM 660, 668
Type W 414


02.18.065

NEW

Dichtung, Ölkühler
Seal, oil cooler

10 | **02.18.093** | **651 184 0480**



Engine OM 651
Type W 447, 639, 906


02.18.102 02.18.139 02.18.141 02.18.149

Dichtung, Ölkühler
Seal, oil cooler

10 | **02.18.094** | **651 184 0580**



Engine OM 651
Type W 447, 639, 906


02.18.102 02.18.138 02.18.141 02.18.149

Dichtung, Ölkühler
Seal, oil cooler

10 | **02.18.095** | **651 184 0780**



Engine OM 651
Type W 447, 639, 906


02.18.102 02.18.138 02.18.141 02.18.149


Dichtung, Ölkühler
Seal, oil cooler

10 | **02.18.096** | **651 184 0880**



Engine OM 651
Type W 447, 639, 906


02.18.102 02.18.139 02.18.141 02.18.149

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine OM 651 Type W 447, 639, 906  02.18.102 02.18.138 02.18.141 02.18.149	10	02.18.097	651 184 0980
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine OM 611 - 613, 646, 647 Type W 638, 638/2, 639, 901 - 904, 906, 909  02.18.050	10	02.18.079	611 184 0280
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine M 272, 273 Type W 639, 906  02.18.130	1	02.18.128	272 184 0280
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine OM 629, 642 Type W 639, 906, 907, 910 Details For engine number: 41882911  02.18.091 02.18.101	2	02.18.092	642 188 0180
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine OM 900, 904 Type W 668 - 670  01.18.097	1	01.18.107	904 188 0280
	**Dichtung, Ölkühler** **Seal, oil cooler** Engine OM 326, 327, 335, 346, 352, 355, 360, 362, 366, 900, 902, 904 Type W 668 - 670	10	01.18.108	917003 026003

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Ölkühler **Seal, oil cooler**	**10**	**01.18.015**	**355 188 0080**	

Engine OM 335, 352, 354, 355, 360, 362, 364, 366
Type W 668 - 670, 672


01.18.008 01.43.160

Dichtung, Ölkühler **Seal, oil cooler**	**10**	**02.18.073**	**271 184 0080**	

Engine M 271
Type W 906


02.18.072

Dichtung, Ölkühler **Seal, oil cooler**	**10**	**02.18.074**	**271 184 0180**	

Engine M 271
Type W 906


02.18.072

Dichtungssatz, Ölkühler **Gasket set, oil cooler**	**1**	**02.18.139**	**651 184 0480** **cpl.1**	

Engine OM 651
Type W 447, 639, 906


02.18.055 02.18.090 02.18.093 02.18.096 02.18.102 02.18.141 02.18.149

Dichtungssatz, Ölkühler **Gasket set, oil cooler**	**1**	**02.18.138**	**651 184 0580** **cpl.1**	



Engine OM 651
Type W 447, 639, 906


02.18.094 02.18.095 02.18.097 02.18.102 02.18.141 02.18.149

Dichtungssatz, Ölkühler **Gasket set, oil cooler**	**1**	**02.18.149**	**651 184 0980** **cpl.2**	

Engine OM 651
Type W 447, 639, 906


02.18.055 02.18.090 02.18.093 02.18.094 02.18.095 02.18.096 02.18.097 02.18.102 02.18.138 02.18.139 02.18.141

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtungssatz, Ölkühler** **Gasket set, oil cooler** Engine M 112, 113 Type W 639  02.18.051 02.18.052 02.18.054 02.18.057	**1**	**02.43.288**	**112 184 0161 cpl.1**
	**Dichtungssatz, Ölkühler** **Gasket set, oil cooler** Engine M 112, 113 Type W 639  02.18.051 02.18.052 02.18.054 02.18.057 02.43.300	**1**	**02.43.301**	**112 184 0261 cpl.1**
	**Dichtungssatz, Steuergehäuse** **Gasket set, timing case** Engine M 112, 113 Type W 639  02.18.051 02.18.052 02.18.054 02.18.057 02.18.058 02.43.301	**1**	**02.43.300**	**112 184 0280 cpl.1**
	**Öldüse, Kolbenbodenkühlung** **Oil jet, piston underside cooling** Engine OM 611 - 613, 646 - 648 Type W 638, 638/2, 639, 901 - 906	**1**	**02.18.136**	**611 180 0043**
	**Öldüse, Kolbenbodenkühlung** **Oil jet, piston underside cooling** Engine OM 900, 902, 904 Type W 668 - 670	**1**	**01.18.123**	**906 180 0543**
	**Ölfilter** **Oil filter** Engine OM 615 - 617 Type W 309, 601, 602, 611, 631, 667	**1**	**02.18.117**	**000 180 2509**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ölfilter **Oil filter** Engine M 102 Type W 309, 601, 602, 611, 667	1	02.18.116	000 180 2409	
Ölfilter **Oil filter** Engine M 166 Type W 414	1	02.18.115	166 180 0009	 NEW
Ölfilter **Oil filter** Engine OM 607 Type W 415	1	02.18.122	607 184 0225	 NEW
Ölfilter **Oil filter** Engine M 274 Type W 447	1	02.18.147	270 180 0109	 NEW
Ölfilter **Oil filter** Engine OM 622 Type W 447	1	02.18.156	622 180 0000	 NEW
Ölfilter **Oil filter** Engine M 112, 113, 271 - 273 OM 611, 612, 646, 647, 651 Type W 447, 638, 638/2, 639, 901 - 906, 909	1	02.18.032	611 180 0009	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ölfilter** **Oil filter** Engine OM 651 Type W 447, 639, 906, 907, 910  02.18.141	**1**	**02.18.100**	**651 180 0109**
	**Ölfilter** **Oil filter** Engine OM 352, 601, 602, 604 - 606 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**1**	**02.18.033**	**606 180 0009**
	**Ölfilter** **Oil filter** Engine M 103, 104, 111 OM 601 - 606, 611 Type W 601, 602, 611, 638, 638/2, 667, 901 - 904	**1**	**02.18.031**	**601 180 0109**
	**Ölfilter** **Oil filter** Engine M 103, 104, 111, 112, 271 - 274 Type W 638, 638/2, 639, 901 - 904, 906	**1**	**02.18.040**	**271 180 0109**
	**Ölfilter** **Oil filter** Engine M 103, 104, 111, 271 Type W 638, 638/2, 901 - 904	**1**	**02.18.022**	**104 180 0109**
	**Ölfilter** **Oil filter** Engine M 104 Type W 638/2	**1**	**07.18.010**	**104 184 1025**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ölfilter **Oil filter** Engine M 104, 112, 113, 271 - 273 OM 612, 642, 651 Type W 639, 906	1	02.18.140	112 184 0625	
Ölfilter **Oil filter** Engine OM 642 Type W 639, 906, 907, 910	1	02.18.049	642 180 0009	
Ölfilter **Oil filter** Engine OM 900, 904 Type W 668 - 670 Details Height: 149 mm; Inner Ø: 39 mm; Outer Ø: 83 mm	1	01.18.103	906 180 0109	
Ölfilter **Oil filter** Engine OM 612, 613, 648 Type W 901 - 905	1	02.18.083	613 180 0009	
Ölkühler, Motoröl **Oil cooler, engine oil** Engine OM 668 Type W 414	1	02.18.065	668 180 0065	
02.18.066 02.18.067 02.18.068				
Ölkühler, Motoröl **Oil cooler, engine oil** Engine M 274 Type W 447	1	02.18.152	274 188 0101	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ölkühler, Motoröl** **Oil cooler, engine oil** Engine OM 651 Type W 447, 639, 906, 907, 910	**1**	**02.18.141**	**651 180 0610**
	 02.18.055 02.18.090 02.18.093 02.18.094 02.18.095 02.18.096 02.18.097 02.18.100 02.18.102 02.18.138 02.18.139 02.18.149			
	**Ölkühler, Motoröl** **Oil cooler, engine oil** Engine OM 651 Type W 447, 639, 906, 907, 910	**1**	**02.18.102**	**651 180 0610** **n.cpl.1**
	 02.18.055 02.18.090 02.18.093 02.18.094 02.18.095 02.18.096 02.18.097 02.18.138 02.18.139 02.18.141 02.18.149			
	**Ölkühler, Motoröl** **Oil cooler, engine oil** Engine OM 611, 612, 646, 647 Type W 638, 638/2, 639, 901 - 906, 909	**1**	**02.18.050**	**646 188 0301**
	 02.18.079			
	**Ölkühler, Motoröl** **Oil cooler, engine oil** Engine OM 601, 602 Type W 638, 638/2, 901 - 904	**1**	**02.18.061**	**601 180 0065**
	**Ölkühler, Motoröl** **Oil cooler, engine oil** Engine M 112, 113 Type W 639	**1**	**02.18.051**	**112 188 0401**
	 02.18.052 02.18.054 02.18.057 02.18.058 02.43.288 02.43.300 02.43.301			
	**Ölkühler, Motoröl** **Oil cooler, engine oil** Engine M 272 Type W 639, 906	**1**	**02.18.130**	**272 188 0001**
	 02.18.128			

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ölkühler, Motoröl **Oil cooler, engine oil**	**1**	**02.18.101**	**642 180 0165**	

Engine OM 642
Type W 639, 906, 907, 910



02.18.091 02.18.092

Ölkühler, Motoröl **Oil cooler, engine oil**	**1**	**02.18.062**	**605 180 0065**	

Engine OM 602, 605, 904
Type W 667, 668, 670

Ölkühler, Motoröl **Oil cooler, engine oil**	**1**	**01.18.097**	**000 180 2665**	

Engine OM 900, 904
Type W 668 - 670



01.18.107

Ölkühler, Motoröl **Oil cooler, engine oil**	**1**	**01.18.008**	**355 180 1265**	

Engine OM 335, 352, 354, 355, 360, 362, 364, 366
Type W 668 - 670, 672



01.18.015 01.43.160

Ölkühler, Motoröl **Oil cooler, engine oil**	**1**	**01.43.160**	**355 180 1265** **cpl.1**	


Engine OM 335, 352, 354, 355, 360, 362, 364, 366
Type W 668 - 670, 672



01.18.008 01.18.015

Ölkühler, Motoröl **Oil cooler, engine oil**	**1**	**02.18.072**	**271 188 0401**	

Engine M 271
Type W 906



02.18.073 02.18.074

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ölleitung, Lader** **Oil pipe, charger** Engine OM 900, 904 Type W 668 - 670	1	01.18.133	904 180 0620
	**Ölleitung, Lader** **Oil pipe, charger** Engine OM 611, 612, 646, 647 Type W 901 - 906	1	02.18.060	611 180 0620
	**Ölpumpe** **Oil pump** Engine OM 651 Type W 447, 639, 906, 907, 910 Details Equipment variant: engine: 30401961 →; Model year from: 10.2010	1	02.18.105	651 180 2801
	**Ölpumpe** **Oil pump** Engine OM 651 Type W 906 Details Equipment variant: engine: → 30401961; Model year until 10.2010	1	02.18.155	651 180 2001
	**Ölpumpe** **Oil pump** Engine OM 602 Type W 601, 602, 611, 901 - 904	1	02.18.084	602 180 3001
	**Ölpumpe** **Oil pump** Engine OM 611 Type W 638, 638/2, 901 - 904	1	02.18.039	601 180 1401

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ölpumpe **Oil pump** Engine OM 601, 604, 611, 646 Type W 638, 638/2, 901 - 904	**1**	**02.18.038**	**611 180 0001**	
Ölpumpe **Oil pump** Engine OM 601 Type W 638, 638/2, 901 - 904	**1**	**02.18.036**	**611 180 0101**	
Ölpumpe **Oil pump** Engine OM 642 Type W 639, 906	**1**	**02.18.104**	**642 180 2101**	
Ölpumpe **Oil pump** Engine OM 646 Type W 639, 906 Details Number of mounting bores at adapter: 1	**1**	**02.18.119**	**646 180 1401**	
Ölpumpe **Oil pump** Engine OM 646 Type W 639, 906, 909 Details Number of mounting bores at adapter: 2	**1**	**02.18.118**	**646 180 1601**	
Ölpumpe **Oil pump** Engine OM 900, 902, 904 Type W 668 - 670	**1**	**01.18.118**	**906 180 0801**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ölpumpe** **Oil pump** Engine OM 615, 616 Type W 601, 602, 667	1	02.18.024	616 180 0401
	**Rotorsatz, Ölpumpe** **Gear set, oil pump** Engine M 102 Type W 309, 601, 602, 611, 667 Details Thickness: 9,5 mm	1	02.18.017	102 180 0504
	**Rotorsatz, Ölpumpe** **Gear set, oil pump** Engine M 102 Type W 601, 602, 611, 667 Details Thickness: 7,5 mm	1	02.18.016	102 180 0404
	**Anschlussstutzen, Kühlmittelleitung** **Connection piece, coolant line** Engine OM 651 Type W 639, 906  02.14.101 02.14.102 02.14.105 02.38.064	1	02.19.007	651 200 1056
NEW 	**Anschlussstutzen, Kühlmittelleitung** **Connection piece, coolant line** Engine OM 651 Type W 447, 639, 906, 907, 910  02.14.101 02.14.102 02.14.105	1	02.19.361	651 200 3900
	**Anschlussstutzen, Kühlmittelleitung** **Connection piece, coolant line** Engine OM 900, 902, 904 Type W 668 - 670  01.19.143 01.19.190	1	01.19.238	906 203 0615

18

19

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Kühlmittelrohr **Seal, coolant pipe**	**10**	**01.19.217**	**906 203 0176**	

Engine OM 904
Type W 668 - 670




Dichtung, Kühlmittelrohr **Seal, coolant pipe**	**10**	**01.19.218**	**906 203 0180**	

Engine OM 900, 902, 904
Type W 668 - 670



Dichtung, Thermostat **Gasket, thermostat**	**10**	**02.67.006**	**001 997 3345**	

Engine M 100, 102 - 104, 110, 111, 115
OM 615, 616, 621
Type W 309, 601, 602, 611, 638, 638/2, 667, 901 - 904





02.19.005 02.19.006 02.19.099 02.19.118 02.19.119 07.19.015

Dichtung, Thermostatgehäuse **Gasket, thermostat housing**	**10**	**02.19.275**	**611 203 0380**	

Engine OM 611 - 613, 628, 646 - 648
Type W 638, 638/2, 639, 901 - 906





02.19.218 02.19.239 02.19.260 02.19.278

Dichtung, Wasserkasten **Seal, water box**	**1**	**02.19.346**	**651 203 1380**	

Engine OM 651
Type W 447, 639, 906



Dichtung, Wasserpumpe **Gasket, water pump**	**1**	**02.19.347**	**651 203 0480**	

Engine OM 651
Type W 447, 639, 906, 907, 910





02.19.264

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Frostschutz Antifreeze**	**12**	**88.19.001**	**000 989 0825**

Type Universal

Details Colour: blue; Chemical properties: free of nitrite, phosphate free, amine free; Packing type: bottle; Contents: 1500 ml

NEW

	Frostschutz Antifreeze	**12**	**88.19.003**	**000 989 1625**

Type Universal

Details Colour: red; Chemical properties: free of nitrite, free of silicate, phosphate free, amine free; Packing type: bottle; Contents: 1500 ml

NEW

	**Frostschutz Antifreeze**	**12**	**88.19.005**	**000 989 2825**

Type Universal

Details Colour: purple; Chemical properties: free of nitrite, phosphate free, amine free; Packing type: bottle; Contents: 1500 ml

NEW

	**Halter, Kühlerlüfter Support, cooling fan**	**1**	**01.43.126**	**327 504 5082 cpl.1**

Engine OM 314, 327, 352, 355, 360, 362, 364, 366

Type W 309, 310

Details Set

01.40.017 82.10.001

NEW


	Halter, Kühlerlüfter Support, cooling fan	**1**	**01.40.017**	**338 500 0045 cpl.1**



Engine OM 314, 327, 352, 355, 360, 362, 364, 366

Type W 309, 310

Details Set


01.43.126 82.10.001

NEW

	**Halter, Kühlerlüfter Support, cooling fan**	**1**	**02.19.288**	**642 200 0220**

Engine OM 642

Type W 639, 906

Details For fan van

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilriemen **V-belt**	**1**	**14.19.033**	**AVX10X925**	

Engine M 102, 108, 110, 114, 115
OM 615, 616, 621
Type W 309, 601, 602
Details Length: 925 mm; Width: 10 mm

Keilriemen **V-belt**	**1**	**01.19.182**	**AVX13X925**	

Engine OM 352, 354, 362, 364, 366, 616, 617
Type W 669, 670
Details Length: 925 mm; Width: 13 mm

Keilriemen **V-belt**	**1**	**01.19.183**	**AVX13X950**	

Engine OM 364, 366
Type W 668 - 670, 672
Details Length: 950 mm; Width: 13 mm

Keilriemen **V-belt**	**1**	**01.19.184**	**AVX13X975**	

Engine OM 314, 352, 360, 366
Type W 310, 906
Details Length: 975 mm; Width: 13 mm

NEW

Keilriemen **V-belt**	**1**	**01.19.043**	**AVX13X1000**	

Engine M 100, 110
OM 352, 360, 364, 366, 616, 617
Type W 601, 602, 611, 631
Details Length: 1000 mm; Width: 13 mm

NEW

Keilriemen **V-belt**	**1**	**07.19.142**	**AVX13X1025**	

Engine M 100
OM 364, 615, 616
Type W 601, 602, 667 - 670
Details Length: 1025 mm; Width: 13 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Keilriemen** **V-belt** Engine OM 314 Type W 309, 310 Details Length: 1250 mm; Width: 13 mm	**1**	**01.19.186**	**AVX13X1250**
	**Keilriemen** **V-belt** Engine OM 364, 366 Type W 669, 670 Details Length: 1275 mm; Width: 13 mm	**1**	**04.19.049**	**AVX13X1275**
	**Keilriemen** **V-belt** Engine M 114 OM 314, 352, 354, 364, 366 Type W 310, 313, 669, 670, 672 Details Length: 1300 mm; Width: 13 mm	**1**	**04.19.050**	**AVX13X1300**
	**Keilriemen** **V-belt** Engine M 110 OM 314, 360, 366 Type W 601, 611 Details Length: 1375 mm; Width: 13 mm	**1**	**05.19.067**	**AVX13X1375**
	**Keilriemen** **V-belt** Engine M 102 Type W 601, 602, 611, 667 Details Length: 1825 mm; Width: 13 mm	**1**	**04.19.061**	**AVX13X1825**
	**Keilrippenriemen** **V-ribbed belt** Engine M 166 Type W 414 Details Length: 1750 mm; Number of ribs: 5	**1**	**02.19.302**	**5PK1750**

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**02.19.340**	**6PK691**	

Engine M 271, 272
OM 612, 642, 646, 651

Type W 639, 906

Details Length: 691 mm; Number of ribs: 6

NEW

Keilrippenriemen **V-ribbed belt**	**1**	**02.19.360**	**6PK1200**	

Engine OM 607

Type W 415

Details Length: 1200 mm; Number of ribs: 6

NEW

Keilrippenriemen **V-ribbed belt**	**1**	**08.19.261**	**6PK1893**	

Engine M 102

Type W 601, 602, 611, 667

Details Length: 1893 mm; Number of ribs: 6

Keilrippenriemen **V-ribbed belt**	**1**	**02.19.230**	**6PK1980**	

Engine M 102, 115
OM 601, 602

Type W 309, 601, 602, 611, 667

Details Length: 1980 mm; Number of ribs: 6

Keilrippenriemen **V-ribbed belt**	**1**	**07.19.128**	**6PK2000**	

Engine OM 642, 651

Type W 601, 602, 611, 638, 667, 901 - 904

Details Length: 2000 mm; Number of ribs: 6

NEW

Keilrippenriemen **V-ribbed belt**	**1**	**02.19.169**	**6PK2020**	

Engine OM 601, 602

Type W 601, 602, 611, 638, 638/2, 667, 901 - 904

Details Length: 2020 mm; Number of ribs: 6

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Keilrippenriemen** **V-ribbed belt** Engine M 111 OM 601 - 604 Type W 601, 602, 611, 901 - 903 Details Length: 2050 mm; Number of ribs: 6	1	02.19.166	6PK2050
	**Keilrippenriemen** **V-ribbed belt** Engine M 102, 104 OM 601 - 603, 605, 606, 611 Type W 601, 602, 611, 638, 638/2, 901 - 904 Details Length: 2080 mm; Number of ribs: 6	1	08.19.079	6PK2080
	**Keilrippenriemen** **V-ribbed belt** Engine M 104, 111 OM 601 - 603 Type W 601, 602, 611, 638, 638/2, 901 - 904 Details Length: 2100 mm; Number of ribs: 6	1	07.19.139	6PK2100
	**Keilrippenriemen** **V-ribbed belt** Engine M 104, 111 OM 601 - 604, 611 Type W 901 - 904 Details Length: 2120 mm; Number of ribs: 6	1	07.19.140	6PK2120
	**Keilrippenriemen** **V-ribbed belt** Engine M 104, 111 OM 602, 603, 605, 606 Type W 901 - 904 Details Length: 2140 mm; Number of ribs: 6	1	02.19.303	6PK2140
	**Keilrippenriemen** **V-ribbed belt** Engine M 111 OM 602, 603, 606, 611 Type W 601, 611, 638, 638/2 Details Length: 2145 mm; Number of ribs: 6	1	07.19.138	6PK2145

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**07.19.141**	**6PK2155**	

Engine M 111
OM 602, 603, 606, 611, 651

Type W 638, 638/2

Details Length: 2155 mm; Number of ribs: 6

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**08.19.089**	**6PK2160**	

Engine OM 611

Type W 638, 638/2

Details Length: 2160 mm; Number of ribs: 6

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**02.19.258**	**6PK2215**	

Engine M 111
OM 646, 651

Type W 639, 901 - 904, 906

Details Length: 2215 mm; Number of ribs: 6

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**07.19.107**	**6PK2260**	

Engine OM 611, 612, 642, 646, 648

Type W 639, 901 - 904, 906

Details Length: 2260 mm; Number of ribs: 6

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**02.19.170**	**6PK2270**	

Engine OM 611 - 613, 646

Type W 639, 901 - 904

Details Length: 2270 mm; Number of ribs: 6

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**07.19.234**	**6PK2285**	

Engine M 104
OM 646

Type W 639, 906

Details Length: 2285 mm; Number of ribs: 6

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Keilrippenriemen** **V-ribbed belt** Engine M 112, 113, 271 Type W 639 Details Length: 2315 mm; Number of ribs: 6	**1**	**02.19.314**	**6PK2315**
	**Keilrippenriemen** **V-ribbed belt** Engine M 104, 112, 113 Type W 639 Details Length: 2380 mm; Number of ribs: 6	**1**	**02.19.315**	**6PK2380**
	**Keilrippenriemen** **V-ribbed belt** Engine M 272, 273 Type W 639, 906 Details Length: 2404 mm; Number of ribs: 6	**1**	**07.19.236**	**6PK2404**
	**Keilrippenriemen** **V-ribbed belt** Engine M 103, 104 Type W 668, 670 Details Length: 2415 mm; Number of ribs: 6	**1**	**02.19.226**	**6PK2415**
	**Keilrippenriemen** **V-ribbed belt** Engine OM 642 Type W 906 Details Length: 1970 mm; Number of ribs: 7	**1**	**02.19.336**	**7PK1970**
	**Keilrippenriemen** **V-ribbed belt** Engine OM 642 Type W 639, 906, 907, 910 Details Length: 2035 mm; Number of ribs: 7	**1**	**02.19.341**	**7PK2035**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Keilrippenriemen **V-ribbed belt**	**1**	**01.19.207**	**8PK1180**	

Engine OM 900, 904
Type W 668 - 670
Details Length: 1180 mm; Number of ribs: 8

Keilrippenriemen **V-ribbed belt**	**1**	**01.19.234**	**8PK1369**	

Engine OM 900, 902, 904
Type W 668 - 670
Details Length: 1369 mm; Number of ribs: 8

Keilrippenriemen **V-ribbed belt**	**1**	**05.19.012**	**8PK1376**	

Engine OM 900, 904
Type W 668 - 670
Details Length: 1376 mm; Number of ribs: 8

Keilrippenriemen **V-ribbed belt**	**1**	**01.19.153**	**8PK1420**	


Engine OM 904
Type W 668 - 670
Details Length: 1420 mm; Number of ribs: 8

Keilrippenriemen **V-ribbed belt**	**1**	**04.19.072**	**8PK1795**	

Engine OM 900, 904
Type W 668 - 670
Details Length: 1795 mm; Number of ribs: 8

Keilrippenriemen **V-ribbed belt**	**1**	**04.19.015**	**8PK1980**	

Engine OM 900, 902, 904
Type W 668 - 670
Details Length: 1980 mm; Number of ribs: 8

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Keilrippenriemen** **V-ribbed belt** Engine OM 352, 366, 642, 900, 902, 904 Type W 668 - 670 Details Length: 2040 mm; Number of ribs: 8	**1**	**02.19.304**	**8PK2040**
	**Keilrippenriemen** **V-ribbed belt** Engine OM 354, 364, 366, 900, 902, 904 Type W 668 - 670 Details Length: 2080 mm; Number of ribs: 8	**1**	**01.19.224**	**8PK2080**
	**Keilrippenriemen** **V-ribbed belt** Engine OM 904 Type W 668 - 670 Details Length: 2523 mm; Number of ribs: 8	**1**	**02.19.233**	**8PK2523**
	**Kühlmittelrohrleitung** **Coolant tube** Engine M 115 OM 615 - 617, 621 Type W 309, 601, 602, 611  02.43.054	**1**	**02.19.001**	**115 200 0058**
	**Kühlmittelrohrleitung** **Coolant tube** Engine M 115 OM 615 - 617, 621 Type W 309, 601, 602, 611  02.19.001 02.67.049 79.08.001	**1**	**02.43.054**	**115 200 0058** **cpl.1**
	**Kühlmittelrohrleitung** **Coolant tube** Engine M 102 Type W 309, 601, 602, 611, 667 02.43.051	**1**	**02.19.004**	**102 200 0258**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kühlmittelrohrleitung **Coolant tube**	**1**	**02.43.051**	**102 200 0258** **cpl.1**	

Engine M 102
Type W 309, 601, 602, 611, 667





02.19.004 02.67.049 79.08.001

Kühlmittelrohrleitung **Coolant tube**	**1**	**02.19.317**	**271 200 1352**	

Engine M 271
Type W 906



Kühlmittelrohrleitung **Coolant tube**	**1**	**02.19.316**	**271 200 1552**	

Engine M 271
Type W 906





02.19.238

Kupplung, Kühlerlüfter **Clutch, radiator fan**	**1**	**02.19.282**	**602 200 0122**	

Engine OM 602
Type W 601, 602, 611





02.19.132

Kupplung, Kühlerlüfter **Clutch, radiator fan**	**1**	**02.19.101**	**603 200 0022**	

Engine M 102
OM 601 - 603, 605, 606
Type W 601, 602, 611, 667



Kupplung, Kühlerlüfter **Clutch, radiator fan**	**1**	**02.19.284**	**616 200 0322**	

Engine OM 615, 616
Type W 631



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kupplung, Kühlerlüfter** **Clutch, radiator fan** Engine M 111 OM 904 Type W 638, 638/2, 668 - 670, 901 - 904	**1**	**02.19.281**	**000 200 3922**
	**Kupplung, Kühlerlüfter** **Clutch, radiator fan** Engine OM 611, 612 Type W 638, 638/2, 901 - 904  02.19.277	**1**	**02.19.215**	**000 200 5822**
	**Kupplung, Kühlerlüfter** **Clutch, radiator fan** Engine OM 646, 651 Type W 639  02.19.220 02.19.271	**1**	**02.19.214**	**000 200 6023** **n.cpl.1**
	**Kupplung, Kühlerlüfter** **Clutch, radiator fan** Engine M 272 OM 642, 646, 651 Type W 639, 906	**1**	**02.19.261**	**000 200 6323** **n.cpl.1**
	**Kupplung, Kühlerlüfter** **Clutch, radiator fan** Engine OM 602 Type W 667, 668, 670, 901 - 904  02.19.134	**1**	**02.19.212**	**000 200 3822**
	**Kupplung, Kühlerlüfter** **Clutch, radiator fan** Engine OM 904 Type W 668 - 670  01.19.247	**1**	**02.19.285**	**904 200 1122**


On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kupplung, Kühlerlüfter **Clutch, radiator fan** Engine OM 601, 602 Type W 901 - 904	1	02.19.211	000 200 3722	
Kupplung, Kühlerlüfter **Clutch, radiator fan** Engine OM 602 Type W 901 - 904	1	02.19.213	000 200 5122	
Kupplung, Kühlerlüfter **Clutch, radiator fan** Engine OM 611 Type W 901 - 904	1	02.19.216	000 200 5922	
Kupplung, Kühlerlüfter **Clutch, radiator fan** Engine M 111 OM 611, 612 Type W 901 - 904	1	02.19.286	000 200 8223	
Kupplung, Kühlerlüfter **Clutch, radiator fan** Engine M 271, 272 OM 642, 646, 651 Type W 906, 907, 910	1	02.19.062	000 200 9923	
Lager, Spannrollenhebel **Bush, tensioner pulley lever** Engine OM 601 - 603 Type W 601, 602, 611, 667	1	02.67.105	601 981 0027	


02.19.044 02.19.125

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerzapfen, Spannrollenhebel** **Bearing journal, tensioner pulley lever** Engine OM 601 - 606 Type W 638, 638/2, 667, 668, 670, 901 - 904  02.19.126	1	02.19.120	606 202 0120
	**Lüfter, Motorkühlung** **Fan, radiator** Engine OM 611, 612, 651 Type W 638, 638/2, 639, 901 - 906 Details Outer Ø: 430 mm; Number of wings: 9   02.19.030 02.19.215	1	02.19.277	000 200 9723
	**Lüfter, Motorkühlung** **Fan, radiator** Engine OM 611, 612, 651 Type W 639, 901 - 906 Details Outer Ø: 420 mm; Number of wings: 7	1	02.19.061	000 200 9023
	**Lüfter, Motorkühlung** **Fan, radiator** Engine M 272 OM 642, 646, 651 Type W 639, 906 Details Ø: 430 mm; Number of wings: 9   02.19.214 02.19.220	1	02.19.271	000 200 6323
	**Lüfter, Motorkühlung** **Fan, radiator** Engine OM 642 Type W 906 Details Outer Ø: 443 mm; Number of wings: 5	1	02.19.060	000 200 7323
	**Lüfter, Motorkühlung** **Fan, radiator** Engine OM 646, 651 Type W 906, 909 Details Outer Ø: 430 mm; Number of wings: 6	1	02.19.287	000 200 8123

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lüfterrad, Motorkühlung **Fan wheel, engine cooling** Engine OM 602 Type W 601, 602, 611 Details Outer Ø: 460 mm; Number of wings: 9  02.19.282	**1**	**02.19.132**	**602 200 0623**	
Lüfterrad, Motorkühlung **Fan wheel, engine cooling** Engine M 102, 111 OM 601, 602 Type W 601, 611, 667 Details Outer Ø: 430 mm; Number of wings: 9	**1**	**02.19.137**	**603 200 0523**	
Lüfterrad, Motorkühlung **Fan wheel, engine cooling** Engine M 112 OM 646, 651 Type W 639 Details Ø: 430 mm; Number of wings: 9   02.19.214 02.19.271	**1**	**02.19.220**	**000 200 6023** **n.cpl.2**	
Lüfterrad, Motorkühlung **Fan wheel, engine cooling** Engine OM 904 Type W 668 - 670 Details Outer Ø: 488 mm; Number of wings: 9  02.19.285	**1**	**01.19.247**	**904 205 0106**	
Lüfterrad, Motorkühlung **Fan wheel, engine cooling** Engine OM 602 Type W 901 - 904 Details Outer Ø: 460 mm; Number of wings: 9  02.19.212	**1**	**02.19.134**	**003 205 0306**	
Lüfterrad, Motorkühlung **Fan wheel, engine cooling** Engine OM 602, 611, 612 Type W 901 - 904 Details Outer Ø: 460 mm; Number of wings: 9  02.19.213	**1**	**02.19.133**	**003 205 1306**	

19

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lüfterrad, Motorkühlung** **Fan wheel, engine cooling** Engine M 102 - 104 OM 611, 612 Type W 901 - 906 Details Outer Ø: 430 mm; Number of wings: 9  02.19.277	1	02.19.030	103 200 0423
	**Reparatursatz, Spannarm-Keilrippenriemen** **Repair kit, v-ribbed belt tensioner** Engine OM 601 - 603 Type W 601, 602, 611, 667  02.19.022 02.19.922 02.67.105	1	02.19.125	601 200 1773 cpl.1
	**Reparatursatz, Spannarm-Keilrippenriemen** **Repair kit, v-ribbed belt tensioner** Engine OM 601 - 606 Type W 638, 638/2, 667, 668, 670, 901 - 904  02.19.022 02.19.071 02.19.120	1	02.19.126	606 200 0073 cpl.1
	**Reparatursatz, Wasserpumpe** **Repair kit, water pump** Engine OM 902, 904 Type W 668 - 670  01.19.143	1	01.43.537	904 200 0004
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine M 102 OM 602 Type W 309, 601, 602, 611, 667  02.19.020 02.19.021 02.19.025	1	02.19.927	102 200 6970
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine M 102 Type W 601, 611, 667 Details Equipment variant: with NTN bearing  02.19.020 02.19.021 02.19.025	1	02.19.027	102 200 6970 cpl.1

19

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.131**	**611 200 0570**	

Engine OM 611 - 613, 646 - 648

Type W 638, 638/2, 639, 901 - 906, 909





02.19.187

Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.092**	**111 200 0770**	

Engine M 111
OM 611

Type W 638, 638/2, 901 - 904





02.19.038 02.19.052

Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.337**	**111 200 0770** **cpl.1**	

Engine M 111
OM 611

Type W 638, 638/2, 901 - 904





02.19.038 02.19.052

Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.121**	**112 200 0970**	

Engine M 104, 112, 113

Type W 639

Details Track rollers material: metal





02.19.123

Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.221**	**272 200 0270**	

Engine M 272, 273

Type W 639, 906





02.19.222 02.19.249

Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.245**	**642 200 1370**	

Engine OM 642

Type W 639, 906





02.19.329

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine OM 651 Type W 639, 906 Details Colour coding: white  02.19.323	**1**	**02.19.009**	**651 200 1270**
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine OM 651 Type W 639, 906, 907, 910 Details Colour coding: black  02.19.323	**1**	**02.19.010**	**651 200 1870**
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine OM 611, 646, 647 Type W 639, 906, 909  02.19.250	**1**	**02.19.184**	**646 200 0070**
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine OM 366, 900, 904 Type W 668 - 670	**1**	**01.19.097**	**906 200 2070**
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine OM 902, 904 Type W 668 - 670	**1**	**01.19.076**	**906 200 2270**
	**Riemenspanner, Keilrippenriemen** **Belt tensioner, v-ribbed belt** Engine OM 900, 902, 904 Type W 668 - 670	**1**	**01.19.177**	**906 200 5970**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**01.19.178**	**906 200 4670**	

Engine OM 902, 904
Type W 670



Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.276**	**271 200 0470**	

Engine M 271
Type W 906
Details Equipment variant: engine: 31216220->




02.19.207

Riemenspanner, Keilrippenriemen **Belt tensioner, v-ribbed belt**	**1**	**02.19.012**	**642 200 1670**	

Engine M 272
OM 642, 646, 651
Type W 906, 907, 910



Schwingungsdämpfer, Keilrippenriemen **Vibration damper, v-ribbed belt**	**1**	**02.19.022**	**604 200 0314**	

Engine OM 601 - 603
Type W 601, 602, 611, 667
Details Length: 190 mm; Stroke: 43 mm; Tensile force: 55 N; Compressive force: 900 N




02.19.044 02.19.125 02.19.126 02.19.922

Schwingungsdämpfer, Keilrippenriemen **Vibration damper, v-ribbed belt**	**1**	**02.19.922**	**604 200 0314**	OE

Engine OM 601 - 603
Type W 601, 602, 611, 667
Details Length: 188 mm; Stroke: 39 mm; Tensile force: 55 N; Compressive force: 900 N




02.19.022 02.19.125

Schwingungsdämpfer, Keilrippenriemen **Vibration damper, v-ribbed belt**	**1**	**02.19.021**	**102 200 1414**	

Engine M 102
Type W 601, 611, 667
Details Length: 207 mm; Stroke: 38 mm; Tensile force: 170 N; Compressive force: 900 N




02.19.027 02.19.927

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
OE	**Schwingungsdämpfer, Keilrippenriemen** **Vibration damper, v-ribbed belt**	**1**	**02.19.020**	**102 200 1514**



Engine M 102

Type W 601, 611, 667

Details Length: 208,5 mm; Stroke: 38,5 mm; Tensile force: 1000 N; Compressive force: 180 N



02.19.027 02.19.927

	Schwingungsdämpfer, Keilrippenriemen **Vibration damper, v-ribbed belt**	**1**	**02.19.052**	**111 200 0414**



Engine M 111
OM 611

Type W 638, 638/2, 901 - 904

Details Length: 220 mm; Stroke: 48 mm; Tensile force: 105 N; Compressive force: 435 N



02.19.092 02.19.337

	Schwingungsdämpfer, Keilrippenriemen **Vibration damper, v-ribbed belt**	**1**	**02.19.222**	**272 200 0114**



Engine M 272, 273

Type W 639, 906

Details Length: 205 mm; Stroke: 42 mm; Tensile force: 55 N; Compressive force: 400 N



02.19.221

	Spannarm, Keilrippenriemen **Tensioner lever, v-ribbed belt**	**1**	**02.19.044**	**601 200 1773**



Engine OM 601 - 603

Type W 601, 602, 611, 667



02.19.022 02.19.071 02.19.295 02.67.105

	Spannarm, Keilrippenriemen **Tensioner lever, v-ribbed belt**	**1**	**02.19.025**	**102 200 0236** **cpl.1**



Engine M 102

Type W 601, 611, 667



02.19.027 02.19.927

	Spannarm, Keilrippenriemen **Tensioner lever, v-ribbed belt**	**1**	**02.19.095**	**606 200 0073**



Engine OM 601 - 606

Type W 638, 638/2, 667, 668, 670, 901 - 904



02.19.071 02.19.289 02.19.330

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Spannrolle, Keilrippenriemen **Tensioner pulley, v-ribbed belt**	**1**	**02.19.074**	**103 200 0570**	

Engine M 102 - 104, 111
OM 602, 603

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Ø: 69,7 mm; Width: 25,4 mm

Spannrolle, Keilrippenriemen **Tensioner pulley, v-ribbed belt**	**1**	**02.19.071**	**601 200 0970**



Engine M 102, 111
OM 601 - 606

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Ø: 80 mm; Width: 25 mm



02.19.044 02.19.095 02.19.126 02.19.330

Spannrolle, Keilrippenriemen **Tensioner pulley, v-ribbed belt**	**1**	**02.19.330**	**601 200 0970**



Engine M 102, 111
OM 601 - 606

Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904

Details Ø: 80 mm; Width: 25 mm



02.19.071 02.19.095

Spannrolle, Keilrippenriemen **Tensioner pulley, v-ribbed belt**	**1**	**02.19.187**	**611 200 0570** **n.cpl.1**



Engine OM 611 - 613, 646 - 648

Type W 638, 638/2, 639, 901 - 906

Details Ø: 70 mm; Width: 28 mm



02.19.131


Spannrolle, Keilrippenriemen **Tensioner pulley, v-ribbed belt**	**1**	**02.19.038**	**111 200 0070**



Engine M 111
OM 611

Type W 638, 638/2, 901 - 904

Details Ø: 110 mm; Width: 28 mm



02.19.092 02.19.337

Spannrolle, Keilrippenriemen **Tensioner pulley, v-ribbed belt**	**1**	**02.19.123**	**112 200 0970** **n.cpl.1**



Engine M 104, 112, 113

Type W 639

Details Ø: 95 mm; Width: 26 mm



02.19.121

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spannrolle, Keilrippenriemen** **Tensioner pulley, v-ribbed belt** Engine M 272, 273 Type W 639, 906 Details Ø: 76 mm; Width: 26 mm  02.19.221	1	02.19.249	272 200 0270 n.cpl.1
	**Spannrolle, Keilrippenriemen** **Tensioner pulley, v-ribbed belt** Engine OM 642 Type W 639, 906 Details Ø: 65 mm; Width: 30 mm  02.19.245	1	02.19.329	642 200 1370 n.cpl.1
	**Spannrolle, Keilrippenriemen** **Tensioner pulley, v-ribbed belt** Engine OM 651 Type W 639, 906 Details Ø: 65 mm; Width: 26 mm  02.19.009 02.19.010	1	02.19.323	651 200 1870 n.cpl.1
	**Spannrolle, Keilrippenriemen** **Tensioner pulley, v-ribbed belt** Engine OM 611, 646, 647 Type W 639, 906, 909 Details Ø: 65 mm; Width: 30 mm  02.19.184	1	02.19.250	646 200 0070 n.cpl.1
	**Spannrolle, Keilrippenriemen** **Tensioner pulley, v-ribbed belt** Engine M 271 Type W 906 Details Ø: 76 mm; Width: 28 mm  02.19.276	1	02.19.207	271 200 0570
	83 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 314, 327, 352, 354, 355, 360, 362, 364, 366, 374, 904 Type W 309, 310, 313, 668 - 670 Details Opening temperature: 83 °C  01.67.029	1	01.19.045	003 203 7375

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.005**	**115 200 0615**	83 °C

Engine M 115
OM 615, 904

Type W 309, 310, 313, 668 - 670, 672

Details Opening temperature: 83 °C



02.67.006



Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.327**	**003 203 7375**	83 °C OE

Engine OM 314, 352, 354, 360, 362, 364, 366, 900, 904

Type W 309, 310, 668 - 670

Details Opening temperature: 83 °C



01.67.029



Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**08.19.050**	**615 200 1315**	80 °C

Engine OM 615 - 617

Type W 309, 601, 602, 611

Details Opening temperature: 80 °C



NEW

Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.006**	**110 200 0515**	87 °C

Engine M 100, 102 - 104, 108, 110, 114, 115
OM 615, 621

Type W 309, 601, 602, 611, 667

Details Opening temperature: 87 °C



02.19.114



02.19.116



02.67.006



Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.023**	**651 200 1500**	96 °C

Engine OM 651

Type W 447, 639, 906, 907, 910

Details Opening temperature: 96 °C




Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**08.19.049**	**617 200 1815**	80 °C

Engine OM 615 - 617

Type W 601, 602, 611, 631

Details Opening temperature: 80 °C



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	85 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 352, 601 - 606 Type W 601, 602, 611, 667, 668, 670, 901 - 904 Details Opening temperature: 85 °C	1	02.19.112	601 200 0015
	60 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 601 - 606 Type W 601, 602, 611, 667, 901 - 904 Details Opening temperature: 60 °C	1	02.19.143	601 200 0015- 60°C
	75 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 601 - 606 Type W 601, 602, 611, 667, 901 - 904 Details Opening temperature: 75 °C	1	02.19.115	601 200 0015- 75°C
	75 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 611, 612, 646 Type W 638, 638/2, 639, 901 - 906 Details Opening temperature: 75 °C  02.19.275 02.19.278	1	02.19.260	611 200 0715 n.cpl.1 75°C
	87 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 611, 612, 646 Type W 638, 638/2, 639, 901 - 906, 909 Details Opening temperature: 87 °C  02.19.218 02.19.275	1	02.19.239	611 200 0715 n.cpl.2 87°C
	87 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine M 111 Type W 638, 638/2, 901 - 904 Details Opening temperature: 87 °C  02.67.006	1	02.19.119	111 200 0915

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.099**	**111 200 0915-** **71°C**	71 °C

Engine M 111
Type W 638, 638/2, 901 - 904
Details Opening temperature: 71 °C

02.67.006

Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.144**	**601 200 0015-** **65°C**	65 °C

Engine OM 601 - 606
Type W 638, 638/2, 901 - 904
Details Opening temperature: 65 °C

Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**07.19.242**	**077 121 113 C**	82 °C

Engine M 104
Type W 638/2
Details Opening temperature: 82 °C

NEW

Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**07.19.015**	**617 200 0815**	80 °C

Engine M 104
Type W 638/2
Details Opening temperature: 80 °C

02.67.006

Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.127**	**112 203 0275**	87 °C

Engine M 111 - 113, 273
Type W 639
Details Opening temperature: 87 °C

Thermostat, Kühlmittel **Thermostat, coolant**	**1**	**02.19.175**	**112 203 0275-** **71°C**	71 °C

Engine M 112, 113
Type W 639
Details Opening temperature: 71 °C

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	100 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine M 272, 273 Type W 639, 906 Details Opening temperature: 100 °C	1	02.19.320	272 200 0515
	87 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 642 Type W 639, 906 Details Opening temperature: 87 °C	1	02.19.013	642 200 2015
	80 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine OM 602, 603, 605, 606 Type W 667, 668, 670 Details Opening temperature: 80 °C	1	02.19.113	602 200 0015
	87 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine M 111 Type W 901 - 904 Details Opening temperature: 87 °C  02.67.006	1	02.19.118	111 200 0315
	90 °C **Thermostat, Kühlmittel** **Thermostat, coolant** Engine M 271 Type W 906 Details Opening temperature: 90 °C	1	02.19.373	271 203 0575
	**Thermostatgehäuse** **Thermostat housing** Engine M 102 Type W 601, 602, 611, 667  02.19.006	1	02.19.114	102 200 0417

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Thermostatgehäuse **Thermostat housing**	**1**	**02.19.116**	**102 203 0374**	

Engine M 102
Type W 601, 602, 611, 667





02.19.006

Thermostatgehäuse **Thermostat housing**	**1**	**02.19.278**	**611 200 0715 -** **75°C**	75 °C

Engine OM 611, 612, 646
Type W 638, 638/2, 639, 901 - 906
Details Opening temperature: 75 °C





02.19.218 02.19.238 02.19.260 02.19.275

Thermostatgehäuse **Thermostat housing**	**1**	**02.19.218**	**611 200 0715 -** **87°C**	87 °C

Engine OM 611, 612, 646
Type W 638, 638/2, 639, 901 - 906, 909
Details Opening temperature: 87 °C





02.19.238 02.19.239 02.19.275 02.19.278

Umlenk-/Führungsrolle, Keilriemen **Deflection/guide pulley, v-belt**	**1**	**02.19.108**	**116 130 0460**	

Engine M 100, 102, 110, 115
OM 611, 612, 616, 617, 621, 642, 646
Type W 601, 602, 611, 639, 901 - 906
Details Ø: 97 mm; Width: 20 mm



Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.183**	**166 202 0619**	

Engine M 166
OM 640, 668
Type W 414
Details Equipment variant: with NTN bearing; Ø: 76 mm; Width: 22 mm



NEW

Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.177**	**611 234 0293**	

Engine M 272 - 274
OM 611, 612, 642, 646, 651
Type W 447, 639, 901 - 907, 909, 910
Details Ø: 109 mm; Width: 22,6 mm; Number of ribs: 6



19



Umlenk-/Führungsrolle, Keilrippenriemen | 1 | 02.19.073 | 601 200 0770
Deflection/guide pulley, v-ribbed belt

Engine M 102 - 104
OM 601, 602
Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904
Details Ø: 70 mm; Width: 26,4 mm; Number of ribs: 6



Umlenk-/Führungsrolle, Keilrippenriemen | 1 | 02.19.104 | 601 200 1070
Deflection/guide pulley, v-ribbed belt

Engine M 104
OM 601 - 603
Type W 601, 602, 611, 667
Details Ø: 64 mm; Width: 21,8 mm; Number of ribs: 6

OE



Umlenk-/Führungsrolle, Keilrippenriemen | 1 | 02.19.967 | 000 202 0019
Deflection/guide pulley, v-ribbed belt

Engine M 104, 112, 113, 272, 273
OM 611 - 613, 646 - 648, 651
Type W 638, 638/2, 639, 901 - 906
Details Ø: 69 mm; Width: 26,4 mm; Number of ribs: 6


02.19.167



Umlenk-/Führungsrolle, Keilrippenriemen | 1 | 02.19.167 | 000 202 0019
Deflection/guide pulley, v-ribbed belt

Engine M 104, 112, 113, 272, 273
OM 611 - 613, 646 - 648, 651
Type W 638, 638/2, 639, 901 - 906, 909
Details Ø: 69 mm; Width: 26,4 mm; Number of ribs: 6


02.19.967



Umlenk-/Führungsrolle, Keilrippenriemen | 1 | 02.19.251 | 272 202 0119
Deflection/guide pulley, v-ribbed belt

Engine M 272
Type W 639
Details Ø: 80 mm; Width: 25,6 mm



Umlenk-/Führungsrolle, Keilrippenriemen | 1 | 02.19.252 | 272 202 1419
Deflection/guide pulley, v-ribbed belt

Engine M 272, 273
Type W 639, 906
Details Ø: 80 mm; Width: 26 mm

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.244**	**642 200 1070**	

Engine OM 642
Type W 639, 906
Details Ø: 54 mm; Width: 30 mm

Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.057**	**651 200 0670**	

Engine OM 646, 651
Type W 639, 906
Details Ø: 69 mm; Width: 26,5 mm; Number of ribs: 6

Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.058**	**651 200 0770**	

Engine OM 651
Type W 639, 906
Details Ø: 54 mm; Width: 26 mm

Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.130**	**651 200 0270**	


Engine OM 646, 651
Type W 639, 906, 907, 910
Details Ø: 65 mm; Width: 26 mm

Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**01.19.188**	**906 200 3370**	

Engine OM 902, 904
Type W 668 - 670
Details Ø: 75 mm; Width: 32,5 mm


Umlenk-/Führungsrolle, Keilrippenriemen **Deflection/guide pulley, v-ribbed belt**	**1**	**02.19.053**	**000 202 0419**	

Engine OM 651
Type W 906
Details Ø: 54 mm; Width: 26 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Umlenk-/Führungsrolle, Keilrippenriemen** **Deflection/guide pulley, v-ribbed belt** Engine M 271 Type W 906 Details Ø: 90,5 mm; Width: 28 mm	**1**	**02.19.185**	**271 206 0019**
	**Umlenk-/Führungsrolle, Keilrippenriemen** **Deflection/guide pulley, v-ribbed belt** Engine M 271 Type W 906 Details Ø: 92 mm; Width: 29 mm; Number of ribs: 7	**1**	**02.19.054**	**271 206 0219**
	**Umlenk-/Führungsrolle, Keilrippenriemen** **Deflection/guide pulley, v-ribbed belt** Engine M 272 Type W 906 Details Ø: 65 mm; Width: 22 mm	**1**	**02.19.055**	**639 200 0370**
	**Umlenk-/Führungsrolle, Keilrippenriemen** **Deflection/guide pulley, v-ribbed belt** Engine OM 642 Type W 906, 907, 910 Details Ø: 80 mm; Width: 26 mm	**1**	**02.19.056**	**642 200 0670**
	**Umlenk-/Führungsrolle, Keilrippenriemen** **Deflection/guide pulley, v-ribbed belt** Engine OM 651 Type W 906, 907, 910 Details Ø: 65 mm; Width: 26 mm	**1**	**02.19.059**	**651 200 0970**
	**Wasserpumpe** **Water pump** Engine M 102 Type W 309, 601, 602, 611, 667	**1**	**02.19.147**	**102 200 4201**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wasserpumpe **Water pump** Engine M 110, 114, 115 OM 615 - 617 Type W 309, 601, 602, 611, 667	**1**	**02.19.158**	**110 200 1720**	
Wasserpumpe **Water pump** Engine OM 352, 362 Type W 310, 313	**1**	**01.19.156**	**353 200 5601**	
Wasserpumpe **Water pump** Engine OM 607 Type W 415	**1**	**02.19.308**	**607 200 0007**	 NEW
Wasserpumpe **Water pump** Engine OM 622 Type W 447	**1**	**02.19.393**	**626 200 0007**	 NEW
Wasserpumpe **Water pump** Engine OM 651 Type W 447 Details Version: without vacuum  02.19.347	**1**	**02.19.264**	**651 200 1301**	 NEW
Wasserpumpe **Water pump** Engine OM 617 Type W 601, 602, 611	**1**	**02.19.209**	**617 200 0720**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Wasserpumpe** **Water pump** Engine OM 615 - 617 Type W 601, 602, 611, 631	1	02.19.208	616 200 0720
	**Wasserpumpe** **Water pump** Engine OM 601 - 603, 605, 606 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904 Details Number of bores: 6	1	02.19.161	602 200 0220
	**Wasserpumpe** **Water pump** Engine OM 601 - 603, 605, 606 Type W 601, 602, 611, 638, 638/2, 901 - 904 Details Number of bores: 12	1	02.19.273	602 200 0220
	**Wasserpumpe** **Water pump** Engine M 102 Type W 601, 602, 611, 667	1	02.19.146	102 200 4301
	**Wasserpumpe** **Water pump** Engine OM 611, 612 Type W 638	1	02.19.168	611 200 1201
	**Wasserpumpe** **Water pump** Engine M 111 Type W 638, 638/2	1	02.19.203	111 200 3801

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wasserpumpe **Water pump** Engine M 111 Type W 638, 638/2	**1**	**02.19.178**	**111 200 3901**	
Wasserpumpe **Water pump** Engine OM 611 Type W 638, 638/2	**1**	**02.19.174**	**611 200 1001**	
Wasserpumpe **Water pump** Engine M 112, 113 Type W 639	**1**	**02.19.160**	**112 200 1401**	
Wasserpumpe **Water pump** Engine M 112, 113 Type W 639	**1**	**02.19.179**	**112 200 1501**	
Wasserpumpe **Water pump** Engine OM 651 Type W 639 Details Version: vacuum version	**1**	**02.19.064**	**651 200 3301**	
Wasserpumpe **Water pump** Engine OM 651 Type W 639 Details Version: vacuum version	**1**	**02.19.065**	**651 200 3501**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Wasserpumpe** **Water pump** Engine OM 651 Type W 639 Details Version: without vacuum	**1**	**02.19.066**	**651 200 3901**
	**Wasserpumpe** **Water pump** Engine OM 651 Type W 639 Details Version: without vacuum	**1**	**02.19.067**	**651 200 4101**
	**Wasserpumpe** **Water pump** Engine M 272 Type W 639, 906	**1**	**02.19.334**	**272 200 1601**
	**Wasserpumpe** **Water pump** Engine OM 642 Type W 639, 906	**1**	**02.19.254**	**642 200 0701**
	**Wasserpumpe** **Water pump** Engine OM 642 Type W 639, 906	**1**	**02.19.274**	**642 200 1001**
	**Wasserpumpe** **Water pump** Engine M 271 OM 642, 646, 651 Type W 639, 906, 909	**1**	**02.19.190**	**646 200 1001**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wasserpumpe **Water pump** Engine OM 900, 902, 904 Type W 668 - 670	**1**	**01.19.190**	**904 200 4701**	
01.19.238				
Wasserpumpe **Water pump** Engine OM 900, 902, 904 Type W 668 - 670	**1**	**01.19.143**	**904 200 4901**	
01.19.238 01.43.537				
Wasserpumpe **Water pump** Engine OM 364 Type W 668 - 670, 672	**1**	**01.19.189**	**364 200 2001**	
Wasserpumpe **Water pump** Engine M 111 Type W 901 - 904	**1**	**02.19.210**	**111 200 4101**	
Wasserpumpe **Water pump** Engine OM 611, 612 Type W 901 - 905	**1**	**02.19.173**	**611 200 1101**	
Wasserpumpe **Water pump** Engine OM 612 Type W 901 - 905	**1**	**02.19.200**	**647 200 0101**	


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Wasserpumpe** **Water pump** Engine M 271 Type W 906	1	02.19.345	271 200 0901
	**Wasserpumpe** **Water pump** Engine M 271 Type W 906	1	02.19.350	276 200 1301
	**Wasserpumpe** **Water pump** Engine OM 651 Type W 906 Details Version: without vacuum	1	02.19.069	651 200 2101
	**Wasserpumpe** **Water pump** Engine OM 651 Type W 906, 907, 910 Details Version: without vacuum	1	02.19.110	651 200 2301
	**Zugfeder, Spannrolle (Keilrippenriemen)** **Tension spring, tensioner pulley** **(v-ribbed belt)** Engine OM 601 - 603 Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904  02.19.044	1	02.19.295	606 993 0510
	**Zugfeder, Spannrolle (Keilrippenriemen)** **Tension spring, tensioner pulley** **(v-ribbed belt)** Engine OM 601 - 606 Type W 638, 638/2, 667, 668, 670, 901 - 904  02.19.095	1	02.19.289	606 993 0310

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Motor **Engine mounting** Type W 415, 447, 601, 602 Details Fitting position: left, right	**1**	**02.22.027**	**601 242 0013**	
Lagerung, Motor **Engine mounting** Type W 601, 602, 611 Details Fitting position: right front; Colour: green	**1**	**02.22.028**	**601 240 0817**	
Lagerung, Motor **Engine mounting** Type W 601, 602, 611, 667 Details Fitting position: left front; Colour: brown	**1**	**02.22.021**	**601 240 0617**	
Lagerung, Motor **Engine mounting** Type W 601, 602, 611, 667 Details Fitting position: right front; Colour: black	**1**	**02.22.022**	**601 240 0717**	
Lagerung, Motor **Engine mounting** Type W 601, 602, 611, 667 Details Fitting position: right front; Colour: yellow	**1**	**02.22.053**	**601 240 0917**	
Lagerung, Motor **Engine mounting** Type W 601, 602, 611, 667 - 670, 901 - 905, 909 Details Fitting position: left, right	**1**	**02.22.011**	**901 241 2513**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Motor** **Engine mounting** Type W 638, 638/2 Details Fitting position: left front	**1**	**02.22.054**	**638 241 1413**
	**Lagerung, Motor** **Engine mounting** Type W 638, 638/2 Details Fitting position: left front	**1**	**02.22.097**	**638 266 0203**
	**Lagerung, Motor** **Engine mounting** Type W 639 Details Fitting position: centre, lower; Suited for fuel type: diesel	**1**	**02.22.082**	**639 241 0413**
	**Lagerung, Motor** **Engine mounting** Type W 639 Details Fitting position: centre, lower; Suited for fuel type: petrol	**1**	**02.22.083**	**639 241 0513**
	**Lagerung, Motor** **Engine mounting** Type W 639, 906, 907, 910 Details Fitting position: left front  02.22.051	**1**	**02.22.086**	**906 241 1313**
	**Lagerung, Motor** **Engine mounting** Type W 639, 906, 907, 910 Details Fitting position: right front  02.22.086	**1**	**02.22.051**	**906 241 1013**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Motor **Engine mounting** Type W 906 Details Fitting position: left and right	1	02.22.052	906 241 1613	
Lagerung, Schaltgetriebe **Mounting, manual transmission** Type W 601, 602, 611 Details Fitting position: rear	1	02.22.024	601 240 0318	
Lagerung, Schaltgetriebe **Mounting, manual transmission** Type W 601, 602, 611, 901 - 903 Details Fitting position: rear	1	02.22.025	601 240 0718	
Lagerung, Schaltgetriebe **Mounting, manual transmission** Type W 639, 906 Details Fitting position: rear	1	02.22.040	639 242 0213	
Lagerung, Schaltgetriebe **Mounting, manual transmission** Type W 667, 668, 670, 901 - 904 Details Fitting position: rear	1	02.22.012	901 242 1413	
Lagerung, Schaltgetriebe **Mounting, manual transmission** Type W 901 - 904 Details Fitting position: rear	1	02.22.091	212 240 0418	

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Schaltgetriebe** **Mounting, manual transmission** Type W 901 - 904 Details Fitting position: rear	**1**	**02.22.032**	**220 240 0218**
	**Lagerung, Schaltgetriebe** **Mounting, manual transmission** Type W 638, 638/2 Details Fitting position: front	**1**	**02.22.079**	**638 242 0013**
	**Lagerung, Schaltgetriebe** **Mounting, manual transmission** Type W 638, 638/2 Details Fitting position: front	**1**	**02.22.080**	**638 242 0113**
	**Lagerung, Schaltgetriebe** **Mounting, manual transmission** Type W 638, 638/2 Details Fitting position: transmission end	**1**	**02.22.081**	**638 266 1685**
	**Lagerung, Schaltgetriebe** **Mounting, manual transmission** Type W 906 Details Fitting position: rear	**1**	**02.22.087**	**906 242 0013**
	**Ausrückgabel, Kupplung** **Release fork, clutch** Type W 667, 668, 670, 901 - 904	**1**	**02.23.160**	**901 250 0021**



02.23.162 02.23.175

22

23

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ausrücklager **Clutch release bearing**	**1**	**01.23.056**	**3151 044 031**	

Type W 309, 310, 313



Ausrücklager **Clutch release bearing**	**1**	**02.23.028**	**3151 254 041**

Type W 309, 601, 602, 611, 667






02.23.100 02.23.101 02.23.108 02.23.110 02.23.127 02.23.163 02.23.164 02.23.165 02.23.166 02.23.167 02.23.168 02.23.169

Ausrücklager **Clutch release bearing**	**1**	**02.23.030**	**3151 248 031**

Type W 601, 602, 611, 638, 638/2, 667 - 670, 901 - 904





02.23.113 02.23.114 02.23.140 02.23.141 02.23.155 02.23.161

Ausrücklager **Clutch release bearing**	**1**	**02.23.042**	**3151 261 031**

Type W 668 - 670





01.23.168 02.23.040 02.23.041

Ausrücklager **Clutch release bearing**	**1**	**02.23.029**	**3151 602 005**

Type W 668 - 670, 672



Führungslager, Kupplung **Pilot bearing, clutch**	**1**	**02.23.001**	**018 981 2510**

Type W 638, 638/2, 901 - 905





02.23.010

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Geberzylinder, Kupplung** **Master cylinder, clutch** Type W 309, 310, 313	**1**	**02.27.010**	**001 295 8706**
	**Geberzylinder, Kupplung** **Master cylinder, clutch** Type W 309, 310, 313, 611, 639, 667	**1**	**02.27.005**	**001 295 4406**
	02.43.182			
	**Geberzylinder, Kupplung** **Master cylinder, clutch** Type W 601, 602, 611, 901, 902	**1**	**02.23.129**	**001 295 8606**
	**Geberzylinder, Kupplung** **Master cylinder, clutch** Type W 638, 638/2, 668, 901 - 906, 909	**1**	**02.23.033**	**000 290 3212**
	**Geberzylinder, Kupplung** **Master cylinder, clutch** Type W 639	**1**	**02.27.016**	**639 290 0112**
	**Geberzylinder, Kupplung** **Master cylinder, clutch** Type W 667 - 670, 672	**1**	**01.27.057**	**001 295 9606**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Geberzylinder, Kupplung **Master cylinder, clutch**	**1**	**02.23.134**	**906 290 0212**	

Type W 906



Kupplungsdruckplatte **Clutch pressure plate**	**1**	**02.23.166**	**3082 121 031**

Type W 309, 601, 602, 611, 667

Details Ø: 228 mm





02.23.028 02.23.108 02.23.110 02.23.165 02.23.167 02.23.168 02.23.169

Kupplungsdruckplatte **Clutch pressure plate**	**1**	**02.23.164**	**3082 078 032**

Type W 601, 611

Details Ø: 215 mm





02.23.028 02.23.100 02.23.101 02.23.127 02.23.163

Kupplungsdruckplatte **Clutch pressure plate**	**1**	**02.23.161**	**3082 268 232**

Type W 638, 638/2, 901 - 904

Details Ø: 240 mm





02.23.030 02.23.114 02.23.141

Kupplungsdruckplatte **Clutch pressure plate**	**1**	**02.23.162**	**3082 269 031**

Type W 667 - 670, 901 - 904

Details Ø: 250 mm





02.23.155 02.23.160

Kupplungsdruckplatte **Clutch pressure plate**	**1**	**02.23.041**	**3482 126 331**

Type W 668 - 670

Details Ø: 362 mm





01.23.168 02.23.040 02.23.042

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kupplungsdruckplatte** **Clutch pressure plate** Type W 669, 670, 672 Details Ø: 310 mm  01.23.116	**1**	**01.23.411**	**3482 055 132**
	**Kupplungssatz** **Clutch kit** Type W 601, 602, 611 Details Ø: 228 mm  02.23.028 02.23.108 02.23.166	**1**	**02.23.168**	**3000 830 201**
	**Kupplungssatz** **Clutch kit** Type W 601, 602, 611, 667 Details Ø: 228 mm  02.23.028 02.23.110 02.23.166	**1**	**02.23.169**	**3000 297 002**
	**Kupplungssatz** **Clutch kit** Type W 601, 611 Details Ø: 228 mm  02.23.028 02.23.166 02.23.167	**1**	**02.23.165**	**3000 830 301**
	**Kupplungssatz** **Clutch kit** Type W 601, 611 Details Ø: 215 mm  02.23.028 02.23.101 02.23.164	**1**	**02.23.127**	**3000 830 401**
	**Kupplungssatz** **Clutch kit** Type W 601, 611 Details Ø: 215 mm  02.23.028 02.23.100 02.23.164	**1**	**02.23.163**	**3000 830 402**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kupplungssatz **Clutch kit**	**1**	**02.23.143**	**3000 951 784**	

Type W 638, 638/2
Details Ø: 240 mm





02.23.131

Kupplungssatz **Clutch kit**	**1**	**02.23.039**	**02.23.010 n.cpl.1**	

Type W 638, 638/2, 901 - 904
Details Ø: 240 mm





02.23.010

Kupplungssatz **Clutch kit**	**1**	**02.23.140**	**3000 726 001**	

Type W 638, 638/2, 901 - 904
Details Ø: 240 mm





02.23.030 02.23.113

Kupplungssatz **Clutch kit**	**1**	**02.23.141**	**3000 828 701**	

Type W 638, 638/2, 901 - 904
Details Ø: 240 mm





02.23.030 02.23.114 02.23.161

Kupplungssatz **Clutch kit**	**1**	**02.23.155**	**3000 951 785**	

Type W 667 - 670, 901 - 904
Details Ø: 250 mm





02.23.030 02.23.112 02.23.162

Kupplungssatz **Clutch kit**	**1**	**02.23.040**	**3400 127 701**	

Type W 668 - 670
Details Ø: 362 mm





01.23.168 02.23.041 02.23.042

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Kupplungssatz **Clutch kit**	**1**	**02.23.937**	**3000 970 009** **n.cpl.1**
	Type W 901 - 904 Details Ø: 240 mm			
NEW	 02.23.114			
	Kupplungssatz **Clutch kit**	**1**	**02.23.938**	**3000 951 109** **n.cpl.1**
	Type W 901 - 904 Details Ø: 240 mm			
NEW	 02.23.114			
	Kupplungssatz **Clutch kit**	**1**	**02.23.038**	**3000 951 109**
	Type W 901 - 905 Details Ø: 240 mm; Flywheel thickness: 8 mm; Adjustment: without automatic adjustment			
	 02.23.133			
	Kupplungssatz **Clutch kit**	**1**	**02.23.037**	**3000 970 009**
	Type W 901 - 905 Details Ø: 240 mm; Flywheel thickness: 12 mm; Adjustment: without automatic adjustment			
	 02.23.035 02.23.133			
	**Kupplungsscheibe** **Clutch disc**	**1**	**01.23.114**	**1861 291 136**
	Type W 309, 310 Details Ø: 250 mm			
	**Kupplungsscheibe** **Clutch disc**	**1**	**02.23.110**	**1861 936 142**
	Type W 309, 601, 602, 611, 667 Details Ø: 228 mm			
	 02.23.028 02.23.166 02.23.169			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kupplungsscheibe **Clutch disc** Type W 310, 313, 668 - 670, 672 Details Ø: 280 mm	**1**	**01.23.138**	**1861 919 134**	
Kupplungsscheibe **Clutch disc** Type W 601, 602, 611 Details Ø: 228 mm  02.23.028 02.23.166 02.23.168	**1**	**02.23.108**	**1861 620 233**	
Kupplungsscheibe **Clutch disc** Type W 601, 602, 611 Details Ø: 228 mm  02.23.028 02.23.165 02.23.166	**1**	**02.23.167**	**1861 775 035**	
Kupplungsscheibe **Clutch disc** Type W 601, 611 Details Ø: 215 mm  02.23.028 02.23.163 02.23.164	**1**	**02.23.100**	**1861 618 232**	
Kupplungsscheibe **Clutch disc** Type W 601, 611 Details Ø: 215 mm  02.23.028 02.23.127 02.23.164	**1**	**02.23.101**	**1861 935 032**	
Kupplungsscheibe **Clutch disc** Type W 631 Details Ø: 228 mm	**1**	**02.23.103**	**1862 375 031**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kupplungsscheibe** **Clutch disc** Type W 638, 638/2, 901 - 904 Details Ø: 228 mm  02.23.030 02.23.140	**1**	**02.23.113**	**1864 503 231**
	**Kupplungsscheibe** **Clutch disc** Type W 638, 638/2, 901 - 904 Details Ø: 240 mm  02.23.030 02.23.141 02.23.161 02.23.937 02.23.938	**1**	**02.23.114**	**1878 994 001**
	**Kupplungsscheibe** **Clutch disc** Type W 667 - 670, 901 - 904 Details Ø: 250 mm; Technical information number: no torsion spring  02.23.155 02.23.175	**1**	**02.23.112**	**1864 504 031**
	**Kupplungsscheibe** **Clutch disc** Type W 667 - 670, 901 - 904 Details Ø: 250 mm  02.23.112 02.23.160	**1**	**02.23.175**	**1878 600 501**
	**Kupplungsscheibe** **Clutch disc** Type W 668 - 670 Details Ø: 362 mm  02.23.040 02.23.041 02.23.042	**1**	**01.23.168**	**1878 052 842**
	**Kupplungsscheibe** **Clutch disc** Type W 669, 670, 672 Details Ø: 310 mm  01.23.411	**1**	**01.23.116**	**1861 303 243**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kupplungsscheibe **Clutch disc** Type W 901 - 905 Details Ø: 240 mm	**1**	**02.23.133**	**1878 005 554**	
Nehmerzylinder, Kupplung **Slave cylinder, clutch** Type W 309, 601, 602, 611, 667	**1**	**02.23.128**	**000 295 7607**	
Nehmerzylinder, Kupplung **Slave cylinder, clutch** Type W 601, 602, 611, 901, 902	**1**	**02.23.124**	**001 295 6807**	
Nehmerzylinder, Kupplung **Slave cylinder, clutch** Type W 667 - 670, 901 - 904	**1**	**02.23.034**	**002 295 2107**	
Reparatursatz, Kupplungsgeberzylinder **Repair kit, clutch master cylinder** Type W 309, 310 Details Chassis number to: A 091118	**1**	**02.43.182**	**000 586 2929**	
Reparatursatz, Kupplungsgeberzylinder **Repair kit, clutch master cylinder** Type W 631	**1**	**02.27.007**	**000 290 0312**	


02.23.035 02.23.037 02.23.038


02.27.005

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Umrüstsatz, Kupplung** **Conversion set, clutch** Type W 638, 638/2, 901 - 904 Details Ø: 240 mm; Clutch: conversion from dual-mass flywheel to single-mass flywheel  02.23.001 02.23.039	1	02.23.010	611 030 2005 cpl.1
	**Zentralausrücker, Kupplung** **Central slave cylinder, clutch** Type W 414	1	02.23.125	002 250 1815
	**Zentralausrücker, Kupplung** **Central slave cylinder, clutch** Type W 638, 638/2  02.23.143	1	02.23.131	000 254 1808
	**Zentralausrücker, Kupplung** **Central slave cylinder, clutch** Type W 639, 901 - 907, 909, 910  02.23.037 02.23.133	1	02.23.035	000 254 2508
	**Zentralausrücker, Kupplung** **Central slave cylinder, clutch** Type W 901 - 905	1	02.23.136	000 254 2808
	**Schalthebel** **Gear lever** Type W 901 - 905  02.24.012 02.24.019 02.24.031 02.32.080	1	02.24.026	000 260 0009

23

NEW

24

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schalthebel **Gear lever**	**1**	**02.24.027**	**000 260 0109** **n.cpl.1**	

Type W 901 - 905

Details Left-/right-hand drive vehicles: for right-hand drive vehicles





02.24.010 02.24.019

Schalthebel **Gear lever**	**1**	**02.24.032**	**906 260 3309**	

Type W 906

Details With electric switch







02.24.018 02.24.021 02.24.023 02.24.028

NEW

Schalthebelknauf **Gear knob**	**1**	**02.24.029**	**638 267 1297**	

Type W 638, 638/2



NEW

Schalthebelverkleidung **Gear lever gaiter**	**1**	**02.32.080**	**000 268 4097**	

Type W 901 - 905





02.24.026

Schalthebelverkleidung **Gear lever gaiter**	**1**	**02.24.018**	**000 268 1096**	

Type W 906





02.24.032

NEW


Seilzug, Schaltgetriebe **Cable, manual transmission**	**1**	**02.24.025**	**000 268 0091**	

Type W 638, 638/2

Details Fitting position: left



02.24.024

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Seilzug, Schaltgetriebe** **Cable, manual transmission** Type W 638, 638/2 Details Fitting position: right 02.24.025	**1**	**02.24.024**	**000 268 0191**
	**Seilzug, Schaltgetriebe** **Cable, manual transmission** Type W 901 - 904 Details Length 1: 1155 mm; Length 2: 820 mm  02.24.019 02.24.026	**1**	**02.24.012**	**901 260 1338**
	**Seilzug, Schaltgetriebe** **Cable, manual transmission** Type W 901 - 904, 906 Details Left-/right-hand drive vehicles: for right-hand drive vehicles  02.24.019 02.24.027	**1**	**02.24.010**	**901 260 1438**
	**Seilzug, Schaltgetriebe** **Cable, manual transmission** Type W 901 - 905 Details Length 1: 1120 mm; Length 2: 890 mm  02.24.019 02.24.026	**1**	**02.24.031**	**901 260 1538**
	**Seilzug, Schaltgetriebe** **Cable, manual transmission** Type W 906 Details Length 1: 1066 mm; Length 2: 1010 mm  02.24.028 02.24.032	**1**	**02.24.023**	**906 260 1451**
	**Seilzug, Schaltgetriebe** **Cable, manual transmission** Type W 906 Details Length 1: 1087 mm; Length 2: 1040 mm  02.24.028 02.24.032	**1**	**02.24.021**	**906 260 1551**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wähl-/Schaltstange **Selector-/shift rod**	**1**	**02.24.015**	**639 267 0317**	

Type W 639, 906



Wähl-/Schaltstange **Selector-/shift rod**	**1**	**02.24.014**	**903 260 0189**	

Type W 903



Wähl-/Schaltstange **Selector-/shift rod**	**1**	**02.24.013**	**639 267 0117**	

Type W 906



Wählhebelmodul, Getriebeschaltung **Selector lever module, transmission shift**	**1**	**02.24.019**	**901 268 0143**	

Type W 901 - 905, 909



02.24.010 02.24.012 02.24.026 02.24.027 02.24.031



Wählhebelmodul, Getriebeschaltung **Selector lever module, transmission shift**	**1**	**02.24.028**	**906 268 0166**	

Type W 906



02.24.021 02.24.023 02.24.032



NEW

Wellendichtring, Schaltgetriebe **Shaft seal, manual transmission**	**1**	**01.24.297**	**015 997 1647**	

Type W 602, 639

Details Thickness: 8 mm; Inner Ø: 52 mm; Outer Ø: 68 mm



NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Automatikgetriebeöl** **Automatic transmission oil**	**12**	**88.25.012**	**000 989 9203**
	Type Universal Details Content: 1 l; Colour: red; Specification: Dexron II D; Manufacturer approval: MB 236.1, MB 236.2, MB 236.5, MB 236.6, MB 236.7			
	**Automatikgetriebeöl** **Automatic transmission oil**	**12**	**88.25.013**	**000 989 9203 colourless**
	Type Universal Details Content: 1 l; Colour: colourless; Specification: Dexron II D; Manufacturer approval: 14A, 17C, 05L, MB 236.1, MB 236.2, MB 236.5, MB 236.6, MB 236.7			
	**Automatikgetriebeöl** **Automatic transmission oil**	**12**	**88.25.005**	**001 989 2103**
	Type Universal Details Content: 1 l; Colour: yellow; Specification: Dexron III H; Manufacturer approval: 236.9, 236.10, MB 236.1, 236.6			
	**Automatikgetriebeöl** **Automatic transmission oil**	**12**	**88.25.006**	**001 989 2103 red**
	Type Universal Details Content: 1 l; Colour: red; Specification: Dexron III H,; Manufacturer approval: MB 236.1, 236.6,, MB 236.10, MB 236.9			
	**Automatikgetriebeöl** **Automatic transmission oil**	**12**	**88.25.001**	**001 989 2203**
	Type Universal Details Content: 1 l; Colour: yellow; Specification: BMW 5/4 HP, MB 236.11; Manufacturer approval: VAG 052162 A1/A2/A6			
	**Automatikgetriebeöl** **Automatic transmission oil**	**12**	**88.25.011**	**001 989 4603**
	Type Universal Details Content: 1 l; Colour: yellow; Specification: ATF CVT; Manufacturer approval: MB 236.20, VAG TL 52 180, VAG TL 52 516			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Automatikgetriebeöl **Automatic transmission oil**	**12**	**88.25.008**	**001 989 6803**	

Type Universal

Details Content: 1 l; Colour: red; Specification: Dexron VI, rot;
Manufacturer approval: MB 236.12, MB 236.14, MB 236.41

Automatikgetriebeöl **Automatic transmission oil**	**12**	**88.25.009**	**001 989 7803**	

Type Universal

Details Content: 1 l; Colour: blue; Specification: MB 236.15

Automatikgetriebeöl **Automatic transmission oil**	**12**	**88.25.004**	**001 989 8503**	

Type Universal

Details Content: 1 l; Colour: colourless; Specification: DCT / DSG;
Manufacturer approval: MB 236.21, S-Tronic, BMW DCTF-1, VAG TL 052 182 , VAG TL 052 529

Automatikgetriebeöl **Automatic transmission oil**	**12**	**88.25.002**	**83 22 0 144 137**	

Type Universal

Details Content: 1 l; Colour: yellow; Specification: ATF 6 HP;
Manufacturer approval: VAG 055005 A1/A2/A6,

Automatikgetriebeöl **Automatic transmission oil**	**12**	**88.25.003**	**83 22 2 289 720**	

Type Universal


Details Content: 1 l; Colour: green; Specification: ATF 8 HP;
Manufacturer approval: VAG 060162 A1/A2/A6, ZF TE-ML 11 9HP48

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.005**	**115 272 0025**	


Details Equipment variant: k1; Transmission type: 720.1, 722.0, 722.1, 722.2;
Thickness: 2,0 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k2; Transmission type: 722.4; Thickness: 2,14 mm	**1**	**02.25.013**	**123 272 0125**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Transmission type: 722.4; Thickness: 2,14 mm	**1**	**02.25.012**	**123 272 0225**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k3; Transmission type: 722.5; Thickness: 3,50 mm	**1**	**02.25.042**	**124 272 0025**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k3; Transmission type: 722.5; Thickness: 3,60 mm	**1**	**02.25.043**	**124 272 0125**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k2; Transmission type: 722.3, 722.5; Thickness: 2,14 mm 02.43.133 02.43.157	**1**	**02.25.010**	**126 272 0625**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k2; Transmission type: 722.3, 722.5; Thickness: 2,14 mm 02.43.133 02.43.157	**1**	**02.25.008**	**126 272 0725**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.009**	**126 272 0925**	

Details Transmission type: 722.3, 722.5; Thickness: 2,14 mm



02.43.133 02.43.157

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.028**	**140 272 0025**	

Details Transmission type: 722.6; Thickness: 1,8 mm



02.25.088 02.25.089

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.029**	**140 272 0026**	

Details Equipment variant: b2; Transmission type: 722.6; Thickness: 3,0 mm



02.25.080 02.25.088 02.25.089

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.040**	**140 272 0225**	

Details Equipment variant: k3; Transmission type: 722.6; Thickness: 2,16 mm



02.25.088 02.25.089

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.085**	**140 272 0326**	

Details Equipment variant: b1; Transmission type: 722.6; Thickness: 3,5 mm




02.25.088

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.087**	**140 272 0726**	

Details Equipment variant: k2; Transmission type: 722.6; Thickness: 3,5 mm



02.25.088

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k3; Transmission type: 722.6; Thickness: 1,8 mm	**1**	**02.25.055**	**140 272 1026**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: b3; Transmission type: 722.6; Thickness: 1,8 mm  02.25.080 02.25.088 02.25.089	**1**	**02.25.054**	**140 272 1826**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k3; Transmission type: 722.6; Thickness: 2,8 mm  02.25.088 02.25.089	**1**	**02.25.056**	**140 272 2726**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k1; Transmission type: 722.6; Thickness: 2,8 mm  02.25.089	**1**	**02.25.086**	**140 272 2826**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Transmission type: 722.4; Thickness: 2,10 mm	**1**	**02.25.011**	**201 272 0025**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k2; Transmission type: 722.6; Thickness: 3,40 mm	**1**	**02.25.041**	**210 272 0025**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.052**	**220 272 0325**	

Details Equipment variant: k3; Transmission type: 722.6; Thickness: 2,0 mm


02.25.080

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.044**	**220 272 0725**	

Details Equipment variant: b2, b3; Transmission type: 722.6, 722.9, 724.2;
Thickness: 3,70 mm


02.25.080 02.25.088 02.25.089

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.045**	**220 272 0825**	

Details Equipment variant: k2; Transmission type: 722.9, 724.2


02.25.080

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.053**	**220 272 0926**	


Details Equipment variant: k3; Transmission type: 722.6; Thickness: 2,07 mm


02.25.080

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.066**	**220 272 1826**	

Details Equipment variant: k2; Transmission type: 722.9, 724.2


02.25.080

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.051**	**220 272 2226**	

Details Equipment variant: k2; Transmission type: 722.6; Thickness: 2,75 mm


02.25.089

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: b2; Transmission type: 722.6, 722.9, 724.2; Thickness: 1,75 mm  02.25.080 02.25.088 02.25.089	**1**	**02.25.050**	**221 272 0025**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: b1; Transmission type: 722.9, 724.2  02.25.080	**1**	**02.25.070**	**221 272 0225**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: b1; Transmission type: 722.9, 724.2  02.25.080	**1**	**02.25.069**	**221 272 2426**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k1; Transmission type: 722.9  02.25.080	**1**	**02.25.077**	**230 270 2628** **n.cpl.1**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k1; Transmission type: 722.9  02.25.080	**1**	**02.25.078**	**230 270 2628** **n.cpl.2**
	**Belaglamelle, Automatikgetriebe** **Lining disc, automatic transmission** Details Equipment variant: k1; Transmission type: 722.6	**1**	**02.25.090**	**240 272 0025**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.091**	**240 272 0026**	

Details Equipment variant: k1; Transmission type: 722.6; Thickness: 2,07 mm

Belaglamelle, Automatikgetriebe **Lining disc, automatic transmission**	**1**	**02.25.039**	**240 272 0225**	

Details Transmission type: 722.6; Thickness: 3,20 mm


02.25.088 02.25.089

Belaglamellensatz, Automatikgetriebe **Lining disc set, automatic transmission**	**1**	**02.43.133**	**126 272 0325** **cpl.3**	

Details Transmission type: 722.3




02.25.008 02.25.009 02.25.010

Belaglamellensatz, Automatikgetriebe **Lining disc set, automatic transmission**	**1**	**02.43.157**	**126 272 0625** **cpl.5**	


Details Transmission type: 722.5




02.25.008 02.25.009 02.25.010

Belaglamellensatz, Automatikgetriebe **Lining disc set, automatic transmission**	**1**	**02.25.088**	**140 272 0025** **cpl.1**	


Details Transmission type: 722.6 till: 1 596204







02.25.028 02.25.029 02.25.039 02.25.040 02.25.044 02.25.050 02.25.054 02.25.056 02.25.085 02.25.087

Belaglamellensatz, Automatikgetriebe **Lining disc set, automatic transmission**	**1**	**02.25.089**	**140 272 0025** **cpl.2**	

Details Transmission type: 722.6 from: 1 596205




02.25.028 02.25.029 02.25.039 02.25.040 02.25.044 02.25.050 02.25.051 02.25.054 02.25.056 02.25.086

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Belaglamellensatz, Automatikgetriebe** **Lining disc set, automatic transmission** Details Transmission type: 722.9, 724.2  02.25.029 02.25.044 02.25.045 02.25.050 02.25.052 02.25.053 02.25.054 02.25.066 02.25.069 02.25.070 02.25.077 02.25.078	**1**	**02.25.080**	**220 272 0725** **cpl.1**
	**Buchse, Schaltstange** **Bush, shift rod** Type W 903 - 905	**50**	**02.67.148**	**210 992 0010**
	**Dichtung, Ölwanne-Automatikgetriebe** **Seal, automatic transmission oil sump** Type W 414  02.25.062 02.25.095	**1**	**02.25.094**	**168 371 0280**
	**Dichtung, Ölwanne-Automatikgetriebe** **Seal, automatic transmission oil sump** Type W 447  02.25.048	**1**	**02.25.049**	**220 271 0380**
	**Dichtung, Ölwanne-Automatikgetriebe** **Seal, automatic transmission oil sump** Type W 601, 602, 611, 667	**1**	**02.25.017**	**115 271 1680**
	**Dichtung, Ölwanne-Automatikgetriebe** **Seal, automatic transmission oil sump** Type W 601, 602, 611, 667, 901 - 904  02.25.003	**1**	**02.25.083**	**126 271 1180**

NEW

TRUCKTEC


On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtung, Ölwanne-Automatikgetriebe **Seal, automatic transmission oil sump**	**1**	**02.25.031**	**140 271 0080**	

Type W 639, 901 - 907, 910




02.25.033 02.43.192

Dichtungssatz, Automatikgetriebe **Gasket set, automatic transmission**	**1**	**02.43.190**	**140 270 6500**	


Type W 639, 901 - 907, 910

Details Transmission type: 722.6

Dichtungssatz, Automatikgetriebe **Gasket set, automatic transmission**	**1**	**02.43.312**	**221 270 6002** **n.cpl.2**	

Type W 906

Details Equipment variant: rear wheel drive; Transmission type: 722.9

Dichtungssatz, Automatikgetriebe **Gasket set, automatic transmission**	**1**	**02.43.311**	**221 270 6701** **n.cpl.1**	

Type W 906

Details Equipment variant: 4-matic; Transmission type: 722.9

Hydraulikfilter, Automatikgetriebe **Hydraulic filter, automatic transmission**	**1**	**02.25.034**	**126 277 0295**	

Type W 309, 601, 602, 611, 667



02.25.004

Hydraulikfilter, Automatikgetriebe **Hydraulic filter, automatic transmission**	**1**	**02.25.062**	**168 377 0395**	

Type W 414



02.25.094 02.25.095

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Hydraulikfilter, Automatikgetriebe** **Hydraulic filter, automatic transmission** Type W 447, 906  02.25.049	**1**	**02.25.048**	**222 277 2000**
	**Hydraulikfilter, Automatikgetriebe** **Hydraulic filter, automatic transmission** Type W 639, 901 - 904, 906  02.25.031 02.43.192	**1**	**02.25.033**	**140 277 0095**
	**Hydraulikfiltersatz, Automatikgetriebe** **Hydraulic filter set, automatic transmission** Type W 309, 601, 602, 611  02.25.034	**1**	**02.25.004**	**126 277 0295** **cpl.2**
	**Hydraulikfiltersatz, Automatikgetriebe** **Hydraulic filter set, automatic transmission** Type W 309, 601, 602, 611, 667, 901 - 904  02.25.083	**1**	**02.25.003**	**126 277 0295** **cpl.1**
	**Hydraulikfiltersatz, Automatikgetriebe** **Hydraulic filter set, automatic transmission** Type W 414  02.25.062 02.25.094	**1**	**02.25.095**	**168 377 0395** **cpl.1**
	**Hydraulikfiltersatz, Automatikgetriebe** **Hydraulic filter set, automatic transmission** Type W 639, 903 - 906  02.42.284 02.43.192	**1**	**02.25.084**	**140 277 0095** **cpl.2**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hydraulikfiltersatz, Automatikgetriebe **Hydraulic filter set, automatic transmission** Type W 639, 906	**1**	**02.43.192**	**140 277 0095 cpl.1**	
 02.25.031 02.25.033 02.25.084 02.43.303				
Schlauch, Getriebeölkühler **Hose, transmission oil cooler** Type W 601, 667, 901 - 903 Details Fitting position: right	**1**	**02.67.101**	**019 997 8382**	
Schlauch, Getriebeölkühler **Hose, transmission oil cooler** Type W 901 - 903 Details Fitting position: left	**1**	**02.67.102**	**019 997 8582**	
Steckgehäuse, Automatikgetriebe-Steuereinheit **Plug housing, automatic transmission control unit** Type W 639, 903 - 906	**1**	**02.42.284**	**203 540 0253**	 
 02.25.046 02.25.084 02.43.303				
Steuergerät, Automatikgetriebe **Control unit, automatic transmission** Type W 639, 901 - 906	**1**	**02.25.046**	**140 270 0861**	
 02.42.284 02.43.303				
Steuergerät, Automatikgetriebe **Control unit, automatic transmission** Type W 639, 903, 904, 906	**1**	**02.43.303**	**140 270 0861 cpl.1**	
 02.25.046 02.42.284 02.43.192				


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Fahrpedal** **Accelerator pedal** Type W 667 - 670	**1**	**01.28.014**	**673 300 0004**
	**Fahrpedal** **Accelerator pedal** Type W 901 - 904	**1**	**02.27.008**	**901 300 0304**
	**Halter, Gasgestänge** **Holder, throttle control linkage** Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904	**10**	**02.28.011**	**601 301 0050**
	**Kupplungspedal** **Clutch pedal** Type W 638, 638/2, 901 - 905	**1**	**02.27.012**	**901 290 2016**
	**Pedalbelag, Bremspedal** **Brake pedal pad** Type W 414, 639, 906, 907, 910	**7**	**02.27.009**	**123 291 0082**
	**Pedalbelag, Bremspedal** **Brake pedal pad** Type W 601, 602, 611, 638, 638/2, 901 - 905	**10**	**02.27.013**	**638 292 0082**


02.27.013


02.27.012

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Pedalbelag, Bremspedal **Brake pedal pad** Type W 638, 638/2, 639, 906, 907, 910	**10**	**02.27.002**	**201 292 0082**	
Pedalbelag, Kupplungspedal **Clutch pedal pad** Type W 638, 638/2, 639, 906, 907, 910	**10**	**02.27.001**	**201 291 0282**	
Anschlag-/Befestigungspuffer **Stop- /mounting buffer** Type W 309, 310, 313	**2**	**02.30.017**	**309 310 0277**	
Anschlagpuffer, Federung **Rubber buffer, suspension** Type W 309, 310, 313, 667 - 670	**2**	**02.30.018**	**309 320 0177**	
Anschlagpuffer, Federung **Rubber buffer, suspension** Type W 611, 904, 906, 909	**2**	**02.30.196**	**611 325 0044**	
Anschlagpuffer, Federung **Rubber buffer, suspension** Type W 667 - 670	**2**	**01.30.064**	**673 325 0144**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Anschlagpuffer, Federung** **Rubber buffer, suspension** Type W 667 - 670, 903, 904, 906, 909	**2**	**02.30.062**	**667 325 0084**
	02.30.340 02.30.341 02.30.342 02.30.343			
	**Anschlagpuffer, Federung** **Rubber buffer, suspension** Type W 901 - 903, 906	**2**	**02.30.197**	**901 325 0144**
	02.30.339			
	**Anschlagpuffer, Federung** **Rubber buffer, suspension** Type W 901 - 903, 906	**1**	**02.30.198**	**901 325 0844**
	**Anschlagpuffer, Federung** **Rubber buffer, suspension** Type W 901 - 904	**2**	**02.30.202**	**901 322 0419**
	**Anschlagpuffer, Federung** **Rubber buffer, suspension** Type W 901 - 904	**2**	**02.30.407**	**901 322 1119**
	**Anschlagpuffer, Federung** **Rubber buffer, suspension** Type W 901 - 904	**2**	**02.30.203**	**901 322 2119**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Anschlagpuffer, Federung **Rubber buffer, suspension**	**2**	**02.30.188**	**901 325 0744**	

Type W 901 - 904

02.30.340 02.30.341 02.30.343

Anschlagpuffer, Federung **Rubber buffer, suspension**	**2**	**02.30.201**	**901 322 0019**	

Type W 901 - 904, 909

02.30.338

Anschlagpuffer, Federung **Rubber buffer, suspension**	**2**	**02.30.204**	**901 322 2219**	

Type W 901, 902, 904, 909

Anschlagpuffer, Federung **Rubber buffer, suspension**	**2**	**02.30.199**	**906 325 0144**	

Type W 906

02.30.345



Anschlagpuffer, Federung **Rubber buffer, suspension**	**2**	**02.30.205**	**901 322 2619**	

Type W 909

Fahrwerksfeder **Coil spring**	**1**	**02.30.387**	**639 324 0704**	

Type W 639

Details Fitting position: rear axle; Length: 325 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Federbalg, Luftfederung** **Bellow, air suspension** Type W 639  02.30.143	1	02.30.312	639 328 0101
	**Federbeinstützlager** **Top strut mounting** Type W 638, 638/2 Details Fitting position: front axle left and right  02.30.101 02.30.190	1	02.30.177	638 323 0420
	**Federbeinstützlager** **Top strut mounting** Type W 639 Details Fitting position: front axle left and right  02.31.211	1	02.30.322	639 323 0520
	**Federbeinstützlager** **Top strut mounting** Type W 901 - 905 Details Fitting position: front axle left and right  02.30.064 02.43.270	1	02.30.037	901 323 0085
	**Federbeinstützlager** **Top strut mounting** Type W 901 - 905 Details Fitting position: front axle left and right  02.30.064 02.43.270	1	02.30.039	901 323 1185
	**Federbeinstützlager** **Top strut mounting** Type W 906, 907, 910 Details Fitting position: front axle left and right  02.30.096 02.30.109 02.30.110	1	02.30.097	906 323 0520

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Federbride **Spring clamp**	**2**	**02.30.046**	**601 325 0547**	

Type W 601, 611

Details Length: 100 mm; Thread size: M12 x 1,5



Federbride **Spring clamp**	**10**	**02.30.045**	**601 325 0447**	

Type W 602

Details Length: 110 mm; Thread size: M12 x 1,5



Federnpaket **Spring pack**	**1**	**02.30.060**	**901 320 0701**	

Type W 901 - 903

Details Fitting position: front axle; Spring design: parabolic spring; Material: steel





02.30.061

Federnpaket **Spring pack**	**1**	**02.30.183**	**904 320 0601**	

Type W 901 - 904

Details Fitting position: front axle; Spring design: leaf spring;
Material: GRP (glass fibre reinforced plastic)





02.30.061

Federnpaket **Spring pack**	**1**	**02.30.337**	**903 320 0001**	

Type W 903

Details Fitting position: front axle; Spring design: parabolic spring;
Material: GRP (glass fibre reinforced plastic)





02.30.061

Federnpaket **Spring pack**	**1**	**02.30.339**	**903 320 0406**	

Type W 903

Details Fitting position: rear axle; Spring design: leaf spring; Material: steel





02.30.197

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Federnpaket **Spring pack**	**1**	**02.30.340**	**903 320 0606**



Type W 903

Details Fitting position: rear axle; Spring design: leaf spring with helper spring; Material: steel



02.30.062 02.30.188

	Federnpaket **Spring pack**	**1**	**02.30.342**	**903 320 1906**



Type W 903

Details Fitting position: rear axle; Spring design: leaf spring; Material: steel



02.30.062

	Federnpaket **Spring pack**	**1**	**02.30.338**	**904 320 0301**



Type W 903, 904, 909

Details Fitting position: front axle left and right; Spring design: leaf spring; Material: steel

NEW



02.30.201

OE	**Federnpaket** **Spring pack**	**1**	**02.30.341**	**904 320 0506**



Type W 904

Details Fitting position: rear axle; Spring design: leaf spring; Material: steel



02.30.062 02.30.188

	Federnpaket **Spring pack**	**1**	**02.30.343**	**904 320 1906**



Type W 904

Details Fitting position: rear axle; Spring design: leaf spring with helper spring; Material: steel



02.30.062 02.30.188

	Federnpaket **Spring pack**	**1**	**02.30.184**	**906 321 1403**



Type W 906

Details Fitting position: front axle; Spring design: leaf spring; Material: GRP (glass fibre reinforced plastic)

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Federnpaket **Spring pack**	**1**	**02.30.348**	**906 321 1503**	

Type W 906

Details Fitting position: front axle; Spring design: leaf spring;
Material: GRP (glass fibre reinforced plastic);
Vehicle equipment: for vehicles with all-wheel drive & variable torque dist.



Federnpaket **Spring pack**	**1**	**02.30.185**	**906 321 1603**	

Type W 906

Details Equipment variant: heavy duty; Fitting position: front axle;
Spring design: leaf spring; Material: GRP (glass fibre reinforced plastic)



Federnpaket **Spring pack**	**1**	**02.30.345**	**906 320 0206**	OE

Type W 906

Details Fitting position: rear axle; Spring design: leaf spring with helper spring;
Material: steel





02.30.199

Federnpaket **Spring pack**	**1**	**02.30.347**	**906 320 0406**	

Type W 906

Details Fitting position: rear axle; Spring design: leaf spring with supporting spring;
Material: steel





02.30.189

Federnpaket **Spring pack**	**1**	**02.30.344**	**906 320 1806**	OE

Type W 906

Details Fitting position: rear axle; Spring design: leaf spring; Material: steel




Federnpaket **Spring pack**	**1**	**02.30.346**	**906 320 3206**	

Type W 906

Details Fitting position: rear axle; Spring design: leaf spring; Material: steel



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Halter, Stabilisatorlagerung** **Bracket, stabilizer mounting** Type W 601, 602, 611, 667 - 670  01.30.024 01.30.025 01.43.257 02.30.013 02.30.029 02.30.030 02.30.041	2	02.30.334	667 323 0126
	**Halter, Stabilisatorlagerung** **Bracket, stabilizer mounting** Type W 601, 611  01.43.258	2	02.30.333	601 326 0226
	**Halter, Stabilisatorlagerung** **Bracket, stabilizer mounting** Type W 639, 906  01.30.023 02.30.085 02.30.098 02.30.135 02.30.152 02.30.195 02.30.317 02.30.324 02.30.325	2	02.30.159	906 326 1940
	**Halter, Stabilisatorlagerung** **Bracket, stabilizer mounting** Type W 901 - 903  02.30.025 02.30.040 02.30.155 02.43.267	2	02.30.038	901 323 0288
	**Halter, Stabilisatorlagerung** **Bracket, stabilizer mounting** Type W 904  02.30.084	2	02.30.404	904 326 0840
	**Halter, Stabilisatorlagerung** **Bracket, stabilizer mounting** Type W 906  02.30.080 02.30.087 02.30.181 02.30.306 02.30.320 02.30.324	2	02.30.158	906 323 0040

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kompressor, Druckluftanlage **Compressor, compressed air system** Type W 638, 638/2 Details Incl. relay	**1**	**02.30.145**	**638 328 0502**	
Kompressor, Druckluftanlage **Compressor, compressed air system** Type W 639 Details Incl. relay	**1**	**02.30.143**	**639 320 0404**	
02.30.312 02.42.353				
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 309, 310, 313	**2**	**01.30.040**	**319 324 0750**	
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 309, 601, 602, 611	**2**	**02.30.028**	**000 321 0050**	
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 310, 313	**2**	**02.30.010**	**310 320 0050**	
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 601, 602, 611	**2**	**02.30.009**	**602 324 0050**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerbuchse, Blattfeder** **Bush, leaf spring** Type W 611, 904 - 906	**2**	**02.30.186**	**000 321 0250**
	**Lagerbuchse, Blattfeder** **Bush, leaf spring** Type W 611, 904, 906	**2**	**02.30.187**	**611 324 0350**
	**Lagerbuchse, Blattfeder** **Bush, leaf spring** Type W 667 - 670	**2**	**02.30.403**	**667 320 0044**
	**Lagerbuchse, Blattfeder** **Bush, leaf spring** Type W 667 - 670	**2**	**02.30.019**	**667 322 0650**
	**Lagerbuchse, Blattfeder** **Bush, leaf spring** Type W 901 - 904	**2**	**02.30.036**	**901 324 0150**
	**Lagerbuchse, Blattfeder** **Bush, leaf spring** Type W 901 - 904, 909	**1**	**02.30.402**	**901 322 0619**


NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 901 - 904, 909	2	02.30.027	901 324 0050	
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 901 - 904, 909	2	02.30.035	901 324 0350	
Lagerbuchse, Blattfeder **Bush, leaf spring** Type W 906, 907, 909, 910	2	02.30.189	906 324 0050	
 02.30.347 **Lagerung, Blattfeder** **Mounting, leaf spring** Type W 906	1	02.30.191	906 322 0619	
Lagerung, Stabilisator **Stabiliser mounting** Type W 309 Details Fitting position: front axle left and right; Inner Ø: 30 mm	2	02.30.024	309 323 0385	
Lagerung, Stabilisator **Stabiliser mounting** Type W 309, 310, 313, 667 - 670, 672 Details Fitting position: front axle left and right; Inner Ø: 12 mm	2	02.30.049	309 320 0073	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 601, 602, 611 Details Fitting position: front axle left and right; Inner Ø: 16 mm  01.43.257 01.43.258 02.30.030 02.30.334	2	01.30.024	602 321 0250
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 601, 602, 611 Details Fitting position: front axle left and right; Inner Ø: 32 mm  01.43.257 02.30.334	2	02.30.029	602 326 0282
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 601, 602, 611, 667, 669, 901 - 904, 906 Details Length: 26 mm; Inner Ø: 12 mm; Outer Ø: 26 mm  01.43.257 01.43.258 02.30.030 02.30.159	2	01.30.023	601 321 0350
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 601, 611 Details Fitting position: front axle left and right; Inner Ø: 30 mm  01.43.258 02.30.334	2	01.30.025	602 326 0482
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 601, 611 Details Fitting position: front axle left and right; Inner Ø: 32 mm  02.30.030 02.30.334	2	02.30.013	602 326 0882
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 611 Details Fitting position: rear axle left and right; Inner Ø: 33 mm	2	02.30.012	611 326 0081

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.100**	**638 326 0281**	

Type W 638, 638/2

Details Fitting position: rear axle left and right; Inner Ø: 13,2 mm

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.099**	**638 323 0285**	

Type W 638, 638/2, 639, 906

Details Fitting position: front axle left and right; Inner Ø: 24 mm

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.325**	**906 326 2381**	

Type W 638, 638/2, 639, 906

Details Fitting position: rear axle left and right; Inner Ø: 22 mm



02.30.159

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.098**	**639 323 1285**	

Type W 639

Details Fitting position: front axle left and right; Inner Ø: 23 mm



02.30.159

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.317**	**639 323 2085**	

Type W 639

Details Fitting position: front axle left and right; Inner Ø: 26 mm



02.30.159

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.316**	**639 326 1281**	

Type W 639

Details Fitting position: rear axle left and right; Inner Ø: 13 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 639 Details Fitting position: rear axle left and right; Inner Ø: 18 mm	**2**	**02.30.315**	**639 326 1081**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 667 - 670 Details Fitting position: front axle left and right; Inner Ø: 30 mm  02.30.334	**2**	**02.30.041**	**667 323 0485**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 667 - 670 Details Fitting position: rear axle left and right; Inner Ø: 17 mm	**2**	**02.30.014**	**318 320 0073**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 672 Details Fitting position: front axle left and right; Inner Ø: 28 mm	**2**	**02.30.015**	**673 323 0385**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 901 - 903 Details Fitting position: front axle left and right; Inner Ø: 22 mm  02.30.038 02.30.155	**2**	**02.30.040**	**901 323 0185**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 901 - 903 Details Fitting position: rear axle left and right; Inner Ø: 23 mm	**2**	**02.30.026**	**901 326 0081**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.156**	**901 326 0181**	

Type W 901 - 903

Details Fitting position: rear axle left and right; Inner Ø: 26,5 mm

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.025**	**904 323 0085**	

Type W 901 - 904

Details Fitting position: front axle left and right; Inner Ø: 25 mm



02.30.038 02.43.267

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.083**	**904 326 0981**	

Type W 904

Details Fitting position: rear axle left and right; Inner Ø: 30 mm

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.084**	**904 326 0881**	

Type W 904, 906

Details Fitting position: rear axle left and right; Inner Ø: 27 mm



02.30.404

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.082**	**904 326 1081**	

Type W 904, 909

Details Fitting position: rear axle left and right; Inner Ø: 33 mm

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.087**	**906 323 1485**	

Type W 906

Details Fitting position: front axle left and right; Inner Ø: 20 mm



02.30.158

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 906 Details Fitting position: front axle left and right; Inner Ø: 23 mm  02.30.158	**2**	**02.30.080**	**906 323 1685**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 906 Details Fitting position: front axle left and right; Inner Ø: 23 mm  02.30.158	**2**	**02.30.306**	**906 323 3785**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 906 Details Fitting position: rear axle left and right; Inner Ø: 11 mm  02.30.158 02.30.159	**2**	**02.30.324**	**906 326 2181**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 906 Details Fitting position: rear axle left and right; Inner Ø: 15,5 mm  02.30.159	**2**	**02.30.135**	**906 326 0781**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 906 Details Fitting position: rear axle left and right; Inner Ø: 18 mm  02.30.159	**2**	**02.30.195**	**906 326 2281**
	**Lagerung, Stabilisator** **Stabiliser mounting** Type W 906 Details Fitting position: rear axle left and right; Inner Ø: 21 mm  02.30.159	**2**	**02.30.152**	**906 326 0881**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.085**	**906 326 0481**	

Type W 906

Details Fitting position: rear axle left and right; Inner Ø: 33 mm



02.30.159

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.320**	**906 323 3585**	

Type W 906, 907, 910

Details Fitting position: front axle left and right; Inner Ø: 20 mm



02.30.158

Lagerung, Stabilisator **Stabiliser mounting**	**2**	**02.30.181**	**906 323 3685**	

Type W 906, 907, 910

Details Fitting position: front axle left and right; Inner Ø: 23 mm



02.30.158

Lagerung, Stabilisatorkoppelstange **Mounting, stabilizer coupling rod**	**2**	**02.30.194**	**667 320 0073**	

Type W 667 - 670, 905, 906

Details Fitting position: rear axle left and right; Inner Ø: 12 mm

Lagerung, Stabilisatorkoppelstange **Mounting, stabilizer coupling rod**	**2**	**02.30.034**	**901 323 0285**	


Type W 901 - 904

Details Fitting position: front axle left and right; Inner Ø: 13,5 mm

Lagerung, Stoßdämpfer **Mounting, shock absorbers**	**1**	**01.30.048**	**000 323 2885**	

Type W 667 - 670

Details Fitting position: front axle left and right; Inner Ø: 20 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Montagesatz, Stoßdämpfer** **Mounting kit, shock absorber** Type W 906 Details Fitting position: front axle  02.30.096 02.30.097 02.30.109	**1**	**02.30.110**	**906 320 7430** **cpl. 1**
	**Puffer, Federblatt** **Buffer, spring leaf** Type W 901 - 904, 909 02.30.060 02.30.183 02.30.337	**2**	**02.30.061**	**901 325 0084**
	**Reparatursatz, Federbeinstützlager** **Repair kit, suspension strut** Type W 901 - 904 Details Fitting position: front axle left and right  02.30.037 02.30.039 02.30.064 02.30.178	**1**	**02.43.270**	**901 323 0085** **cpl.1**
	**Reparatursatz, Stabilisatorlager** **Repair kit, stabilizer suspension** Type W 601, 602, 611  01.30.023 01.30.024 02.30.029 02.30.334	**1**	**01.43.257**	**601 320 0711**
	**Reparatursatz, Stabilisatorlager** **Repair kit, stabilizer suspension** Type W 601, 611  01.30.023 01.30.024 01.30.025 02.30.333	**1**	**01.43.258**	**601 320 0183**
	**Reparatursatz, Stabilisatorlager** **Repair kit, stabilizer suspension** Type W 601, 611  01.30.023 01.30.024 02.30.013 02.30.334	**1**	**02.30.030**	**601 320 0411**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Reparatursatz, Stabilisatorlager **Repair kit, stabilizer suspension**	**1**	**02.30.155**	**901 323 0185** **cpl.1**	

Type W 901 - 903





02.30.038 02.30.040

Reparatursatz, Stabilisatorlager **Repair kit, stabilizer suspension**	**1**	**02.43.267**	**904 323 0085** **cpl.1**	

Type W 903





02.30.025 02.30.038

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.31.228**	**414 320 0389**	

Type W 414

Details Fitting position: front axle left and right



NEW

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.319**	**415 320 0189**	

Type W 415

Details Fitting position: front axle left and right; Length: 285 mm



Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**2**	**02.30.318**	**639 326 0616**	

Type W 447, 639

Details Fitting position: rear axle left and right; Length: 145 mm



Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.36.054**	**601 430 0435**	

Type W 601, 602, 611

Details Fitting position: rear axle left and right; Braking system: for vehicles with brake-power regulator



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser**	**1**	**02.30.001**	**123 320 0989**
	Type W 601, 602, 611, 667 - 670, 901 - 906 Details Fitting position: rear axle left and right; Braking system: for vehicles with brake-power regulator			
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser**	**2**	**02.30.208**	**638 326 0016**
	Type W 638, 638/2 Details Fitting position: rear axle left and right; Length: 105 mm; Not for engine number: M 104			
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser**	**2**	**02.30.207**	**638 326 0116**
	Type W 638, 638/2 Details Fitting position: rear axle left and right; Length: 105 mm; For engine number: M 104			
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser**	**1**	**02.30.092**	**638 323 0268**
	Type W 638, 638/2 Details Fitting position: left front; Length: 250 mm			
	02.30.093			
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser**	**1**	**02.30.093**	**638 323 0368**
	Type W 638, 638/2 Details Fitting position: right front; Length: 250 mm			
	02.30.092			
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser**	**1**	**02.30.094**	**638 323 0468**
	Type W 638, 638/2 Details Fitting position: left front; Length: 230 mm			
	02.30.095			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.095**	**638 323 0568**	

Type W 638, 638/2

Details Fitting position: right front; Length: 230 mm





02.30.094

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.090**	**639 320 0489**	

Type W 639

Details Fitting position: front axle left; Length: 280 mm





02.30.091

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.091**	**639 320 0589**	

Type W 639

Details Fitting position: front axle right; Length: 280 mm





02.30.090

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.31.065**	**639 320 0989**	

Type W 639

Details Fitting position: front axle left





02.31.066

NEW

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.31.066**	**639 320 1089**	

Type W 639

Details Fitting position: front axle right





02.31.065

NEW

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.031**	**901 320 0289**	


Type W 901 - 904

Details Fitting position: front axle left; Length: 115 mm





02.30.032 02.31.901

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser** Type W 901 - 904, 909 Details Fitting position: front axle right; Length: 115 mm  02.30.031 02.31.901	1	02.30.032	901 320 0389
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser** Type W 901 - 904 Details Fitting position: rear axle left and right; Length: 95 mm	2	02.30.033	901 320 0089
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser** Type W 903, 905 Details Fitting position: front axle left; Length: 130 mm  02.30.180	1	02.30.179	905 320 0489
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser** Type W 903, 905 Details Fitting position: front axle right; Length: 130 mm  02.30.179	1	02.30.180	905 320 0589
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser** Type W 904 Details Fitting position: rear axle left and right; Length: 230 mm	2	02.30.209	901 320 0589
	**Stange/Strebe, Stabilisator** **Rod/strut, stabiliser** Type W 904, 906 Details Fitting position: rear axle left and right; Length: 212 mm	2	02.30.133	906 320 1389

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**2**	**02.30.088**	**906 320 1489**	

Type W 906

Details Fitting position: rear axle left and right; Length: 175 mm



Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.078**	**906 320 1789**	

Type W 906, 907, 910

Details Fitting position: front axle left; Length: 138 mm





02.30.079 02.31.906

Stange/Strebe, Stabilisator **Rod/strut, stabiliser**	**1**	**02.30.079**	**906 320 1889**	

Type W 906, 907, 910

Details Fitting position: front axle right; Length: 138 mm





02.30.078 02.31.906

Schutzkappe/Faltenbalg, Stoßdämpfer **Protective cap/bellow, shock absorber**	**2**	**02.30.178**	**901 323 0198**	

Type W 901 - 904

Details Fitting position: front axle





02.30.064 02.30.077 02.43.270

Schutzkappe/Faltenbalg, Stoßdämpfer **Protective cap/bellow, shock absorber**	**2**	**02.30.109**	**906 323 0292**	

Type W 906

Details Fitting position: front axle





02.30.096 02.30.097 02.30.110

Stoßdämpfer **Shock absorber**	**1**	**01.30.058**	**601 320 0130**	

Type W 601, 602, 611

Details Fitting position: front axle



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Stoßdämpfer** **Shock absorber** Type W 601, 602, 611, 901 - 904, 909 Details Fitting position: rear axle	**1**	**02.30.056**	**601 320 1231**
	**Stoßdämpfer** **Shock absorber** Type W 601, 611, 901 - 904, 909 Details Fitting position: rear axle	**1**	**02.30.086**	**901 320 0731**
	**Stoßdämpfer** **Shock absorber** Type W 638, 638/2 Details Fitting position: front axle  02.30.177	**1**	**02.30.101**	**638 320 0913**
	**Stoßdämpfer** **Shock absorber** Type W 638, 638/2 Details Fitting position: rear axle	**1**	**02.30.102**	**638 326 0700**
	**Stoßdämpfer** **Shock absorber** Type W 638, 638/2 Details Fitting position: rear axle	**1**	**02.30.103**	**638 326 1200**
	**Stoßdämpfer** **Shock absorber** Type W 639 Details Fitting position: front axle	**1**	**02.30.104**	**639 320 3613**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Stoßdämpfer **Shock absorber**	**1**	**02.30.169**	**639 326 0300**	

Type W 639

Details Fitting position: rear axle



Stoßdämpfer **Shock absorber**	**1**	**02.30.105**	**639 326 2400**	

Type W 639

Details Fitting position: rear axle



Stoßdämpfer **Shock absorber**	**1**	**02.30.064**	**901 320 2230**	

Type W 901 - 904

Details Fitting position: front axle





02.30.037 02.30.039 02.30.178 02.43.270

Stoßdämpfer **Shock absorber**	**1**	**02.30.077**	**904 320 2630**	

Type W 901 - 904

Details Fitting position: front axle





02.30.178

Stoßdämpfer **Shock absorber**	**1**	**02.30.081**	**904 326 0100**	

Type W 904

Details Fitting position: rear axle



Stoßdämpfer **Shock absorber**	**1**	**02.30.107**	**906 320 6230**	

Type W 906


Details Fitting position: front axle



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Stoßdämpfer** **Shock absorber** Type W 906 Details Fitting position: front axle  02.30.097 02.30.109 02.30.110	**1**	**02.30.096**	**906 320 7430**
	**Stoßdämpfer** **Shock absorber** Type W 906 Details Fitting position: rear axle	**1**	**02.30.106**	**906 320 0731**
	**Stoßdämpfer** **Shock absorber** Type W 906 Details Fitting position: rear axle	**1**	**02.30.108**	**906 326 1300**
	**Stoßdämpfer** **Shock absorber** Type W 906 Details Fitting position: rear axle	**1**	**02.30.229**	**906 326 2000**
	**Stoßdämpfer** **Shock absorber** Type W 907, 910 Details Fitting position: front axle	**1**	**02.30.469**	**907 320 5701**
NEW				
	**Stoßdämpfer** **Shock absorber** Type W 907, 910 Details Fitting position: rear axle	**1**	**02.30.470**	**907 326 0000**

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Verschleißplatte, Blattfeder **Wear plate, leaf spring** Type W 601, 602, 611	1	02.30.401	601 321 0062	
Verschleißplatte, Blattfeder **Wear plate, leaf spring** Type W 901 - 903	4	02.30.405	901 322 1219	
Verschleißplatte, Blattfeder **Wear plate, leaf spring** Type W 901 - 904	1	02.30.406	901 322 1519	
Wälzlager, Federbeinstützlager **Anti-friction bearing, suspension strut support mounting** Type W 631, 638, 638/2 Details Fitting position: front axle left and right	1	02.30.190	638 981 0120	
 02.30.177				
Wälzlager, Federbeinstützlager **Anti-friction bearing, suspension strut support mounting** Type W 639 Details Fitting position: front axle left and right	1	02.31.211	639 981 0325	
 02.30.322				
Achsschenkel, Radaufhängung **Stub axle, wheel suspension** Type W 906 Details Fitting position: front axle left; Incl. wheel hub	1	02.31.390	906 330 4920	
 02.31.391 02.32.098				

NEW

30

31

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Achsschenkel, Radaufhängung** **Stub axle, wheel suspension** Type W 906 Details Fitting position: front axle right; Incl. wheel hub	1	02.31.391	906 330 5020
	 02.31.390 02.32.098			
	**Antriebswelle** **Drive shaft** Type W 638, 638/2 Details Fitting position: front axle left and right; For engine number: M 111	1	02.31.179	638 334 1734
	 02.31.009 02.31.180 02.31.181			
	**Antriebswelle** **Drive shaft** Type W 638, 638/2 Details Fitting position: front axle left and right; For engine number: OM 611	1	02.31.180	638 334 2334
	 02.31.179 02.31.182			
	**Faltenbalgsatz, Antriebswelle** **Bellow set, drive shaft** Type W 638, 638/2 Details Fitting position: wheel side, front axle	1	02.31.009	000 330 1685
	 02.31.179			
	**Gelenksatz, Antriebswelle** **Joint kit, drive shaft** Type W 638, 638/2 Details Fitting position: wheel side; For engine number: M 111	1	02.31.181	000 330 0036
	 02.31.179			
	**Gelenksatz, Antriebswelle** **Joint kit, drive shaft** Type W 638, 638/2 Details Fitting position: wheel side; For engine number: OM 611	1	02.31.182	000 330 1885
	 02.31.180			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kappe, Radlager **Cap, wheel bearing** Type W 414 Details Fitting position: front axle left and right	**10**	**02.31.002**	**201 334 0125**	
Lagerung, Achskörper **Mounting, axle beam** Type W 638, 638/2 Details Fitting position: front axle left and right	**2**	**02.31.350**	**638 317 0212**	
Lagerung, Achskörper **Mounting, axle beam** Type W 638, 638/2 Details Fitting position: front axle left and right	**1**	**02.31.348**	**638 317 0912**	
Lagerung, Lenker **Control arm-/trailing arm bush** Type W 415 Details Fitting position: front axle left and right  02.31.199 02.31.200	**1**	**02.31.334**	**415 330 0200** **n.cpl.3**	
Lagerung, Lenker **Control arm-/trailing arm bush** Type W 415 Details Fitting position: front axle left and right  02.31.199 02.31.200	**1**	**02.31.333**	**415 330 0300** **n.cpl.2**	
Lagerung, Lenker **Control arm-/trailing arm bush** Type W 447 Details Fitting position: left and right  02.31.357 02.31.358	**1**	**02.31.366**	**447 333 0100**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 447 Details Fitting position: left and right  02.31.357 02.31.358	**1**	**02.31.368**	**447 333 0514**
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 447, 639 Details Fitting position: front axle left and right  02.31.146 02.31.147	**1**	**02.31.263**	**639 333 1114**
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 638, 638/2, 639 Details Fitting position: front axle left and right  02.31.144 02.31.145 02.31.164 02.31.165	**1**	**02.31.110**	**638 333 0014**
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 638, 638/2, 639 Details Fitting position: front axle left and right  02.31.164 02.31.165	**1**	**02.31.111**	**638 333 0814**
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 639 Details Fitting position: front axle left  02.31.146 02.31.301	**1**	**02.31.279**	**639 330 1401** **n.cpl.2**
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 639 Details Fitting position: front axle right  02.31.147 02.31.279	**1**	**02.31.301**	**639 330 1501** **n.cpl.2**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Lenker **Control arm-/trailing arm bush**	**4**	**02.31.030**	**901 333 0214**	

Type W 901 - 904, 909

Details Fitting position: front axle left and right



02.31.160 02.31.161

Lagerung, Lenker **Control arm-/trailing arm bush**	**2**	**02.31.103**	**906 333 0014**	

Type W 906, 907, 910

Details Fitting position: front, front axle left and right



02.31.104 02.31.148 02.31.149

Lagerung, Lenker **Control arm-/trailing arm bush**	**2**	**02.31.104**	**906 333 0114**	

Type W 906, 907, 910

Details Fitting position: rear, front axle left and right



02.31.103 02.31.148 02.31.149

Lenker, Radaufhängung **Track control arm**	**1**	**02.31.255**	**414 330 0507**	

Type W 414

Details Fitting position: front axle left



02.31.229 02.31.256

Lenker, Radaufhängung **Track control arm**	**1**	**02.31.256**	**414 330 0607**	

Type W 414

Details Fitting position: front axle right




02.31.229 02.31.255




Lenker, Radaufhängung **Track control arm**	**1**	**02.31.199**	**415 330 0300**	

Type W 415

Details Fitting position: front axle left



02.31.200 02.31.331 02.31.333 02.31.334

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lenker, Radaufhängung** **Track control arm** Type W 415 Details Fitting position: front axle right  02.31.199 02.31.332 02.31.333 02.31.334	**1**	**02.31.200**	**415 330 0200**
NEW 	**Lenker, Radaufhängung** **Track control arm** Type W 447 Details Fitting position: front axle left  02.31.358 02.31.366 02.31.367 02.31.368	**1**	**02.31.357**	**447 330 1407**
NEW 	**Lenker, Radaufhängung** **Track control arm** Type W 447 Details Fitting position: front axle right  02.31.357 02.31.366 02.31.367 02.31.368	**1**	**02.31.358**	**447 330 1507**
	**Lenker, Radaufhängung** **Track control arm** Type W 638, 638/2 Details Fitting position: front axle left  02.31.100 02.31.110 02.31.111 02.31.164	**1**	**02.31.165**	**638 330 0010**
	**Lenker, Radaufhängung** **Track control arm** Type W 638, 638/2 Details Fitting position: front axle right  02.31.100 02.31.110 02.31.111 02.31.165	**1**	**02.31.164**	**638 330 0110**
	**Lenker, Radaufhängung** **Track control arm** Type W 639 Details Fitting position: front axle left  02.31.099 02.31.110 02.31.145	**1**	**02.31.144**	**639 330 0410**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lenker, Radaufhängung **Track control arm** Type W 639 Details Fitting position: front axle right 02.31.099 02.31.110 02.31.144	1	02.31.145	639 330 0510	
Lenker, Radaufhängung **Track control arm** Type W 639 Details Fitting position: front axle left 02.31.099 02.31.147 02.31.263 02.31.279	1	02.31.146	639 330 1401	
Lenker, Radaufhängung **Track control arm** Type W 639 Details Fitting position: front axle right 02.31.099 02.31.146 02.31.263 02.31.301	1	02.31.147	639 330 1501	
Lenker, Radaufhängung **Track control arm** Type W 901 - 905, 909 Details Fitting position: front axle left 02.31.023 02.31.030 02.31.161 02.31.901	1	02.31.160	901 330 1807	
Lenker, Radaufhängung **Track control arm** Type W 901 - 905, 909 Details Fitting position: front axle right 02.31.023 02.31.030 02.31.160 02.31.901	1	02.31.161	901 330 1907	
Lenker, Radaufhängung **Track control arm** Type W 906, 907, 910 Details Fitting position: front axle left 02.31.102 02.31.103 02.31.104 02.31.148 02.31.906	1	02.31.149	906 330 4007	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lenker, Radaufhängung** **Track control arm** Type W 906, 907, 910 Details Fitting position: front axle right  02.31.102 02.31.103 02.31.104 02.31.149 02.31.906	1	02.31.148	906 330 4107
	**Radlagersatz** **Wheel bearing kit** Type W 414 Details Fitting position: front axle left and right	1	02.31.197	168 981 0627
	**Radlagersatz** **Wheel bearing kit** Type W 602, 611, 901 - 904 Details Fitting position: front axle left and right	1	02.31.112	604 330 0025
	**Radlagersatz** **Wheel bearing kit** Type W 639 Details Fitting position: front axle left and right	1	02.31.203	639 330 0632 n.cpl.1
	**Radlagersatz** **Wheel bearing kit** Type W 903, 904 Details Fitting position: front axle left and right	1	02.31.362	009 981 7005 cpl.1
	**Radlagersatz** **Wheel bearing kit** Type W 906 Details Fitting position: front axle left and right  02.31.390 02.31.391	1	02.32.098	906 330 5020 n.cpl.1

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Reparatursatz, Achskörper **Repair kit, axle beam**	**1**	**02.31.901**	**W 901**	

Type W 901 - 904

Details Fitting position: front axle



02.30.031 02.30.032 02.31.160 02.31.161 02.37.042 02.37.043 02.37.077

Reparatursatz, Achskörper **Repair kit, axle beam**	**1**	**02.31.906**	**W 906**	

Type W 906, 907, 910

Details Fitting position: front axle



02.30.078 02.30.079 02.31.148 02.31.149 02.37.078 02.37.079 02.37.080

Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin**	**1**	**02.43.262**	**310 330 0319**	

Type W 309, 310, 313, 667 - 670, 672

Details Length: 154 mm; Outer Ø: 26 mm

Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin**	**1**	**02.43.263**	**310 330 0319** **cpl.1**	

Type W 309, 310, 313, 667 - 670, 672

Details Length: 154 mm; Outer Ø: 26 mm

Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin**	**1**	**02.43.291**	**310 330 1219**	


Type W 309, 310, 313, 667 - 670, 672

Details Length: 154 mm; Outer Ø: 27 mm

Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin**	**1**	**02.43.292**	**310 330 0519**	

Type W 309, 667

Details Length: 154 mm; Outer Ø: 27 mm

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Reparatursatz, Achsschenkelbolzen** **Repair kit, kingpin** Type W 601, 602, 611 Details Length: 132 mm; Outer Ø: 23 mm	**1**	**02.43.202**	**601 330 0019/2**
	**Reparatursatz, Achsschenkelbolzen** **Repair kit, kingpin** Type W 601, 602, 611 Details Fitting position: tracking arm side; Length: 132 mm; Outer Ø: 23 mm	**1**	**02.43.271**	**601 330 0319**
	**Reparatursatz, Achsschenkelbolzen** **Repair kit, kingpin** Type W 601, 602, 611 Details Fitting position: steering arm side; Length: 132 mm; Outer Ø: 23 mm	**1**	**02.43.272**	**601 330 0419**
	**Reparatursatz, Achsschenkelbolzen** **Repair kit, kingpin** Type W 601, 602, 611 Details Fitting position: steering arm side; Length: 132 mm; Outer Ø: 23 mm	**1**	**02.43.273**	**601 330 0419 cpl.1**
	**Reparatursatz, Achsschenkelbolzen** **Repair kit, kingpin** Type W 601, 602, 611, 667, 901 - 904 Details Fitting position: tracking arm side; Length: 136 mm; Outer Ø: 26 mm	**1**	**02.31.183**	**611 330 0319**
	**Reparatursatz, Achsschenkelbolzen** **Repair kit, kingpin** Type W 601, 602, 611, 667, 901 - 904 Details Fitting position: steering arm side; Length: 136 mm; Outer Ø: 26 mm	**1**	**02.31.184**	**611 330 0419**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin** Type W 601, 611 Details Length: 132 mm; Outer Ø: 23 mm	**1**	**02.43.268**	**601 330 0019 cpl.1**	
Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin** Type W 601, 611 Details Length: 132 mm; Machining: untreated; Outer Ø: 23 mm	**1**	**02.43.269**	**601 330 0019 cpl.2**	
Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin** Type W 601, 611 Details Length: 132 mm; Machining: untreated; Outer Ø: 23 mm	**1**	**02.43.205**	**601 330 0019 wr**	
Reparatursatz, Achsschenkelbolzen **Repair kit, kingpin** Type W 601, 611 Details Length: 136 mm; Outer Ø: 26 mm	**1**	**02.43.289**	**611 330 0019**	
Trag-/Führungsgelenk **Ball joint** Type W 414 Details Fitting position: front axle left and right	**1**	**02.31.229**	**414 333 0227**	
Trag-/Führungsgelenk **Ball joint** Type W 415 Details Fitting position: front axle left	**1**	**02.31.331**	**415 330 0300 n.cpl.1**	


02.31.255 02.31.256

NEW


02.31.199 02.31.332

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.332**	**415 330 0200** **n.cpl.1**
	Type W 415 Details Fitting position: front axle right			
NEW	 02.31.200 02.31.331			
	Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.367**	**447 333 0127**
	Type W 447 Details Fitting position: front axle left and right			
NEW	 02.31.357 02.31.358			
	Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.156**	**631 320 0028**
	Type W 631 Details Fitting position: front axle left and right			
	Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.100**	**638 330 0027** **n.cpl.1**
	Type W 638, 638/2 Details Fitting position: front axle left and right			
	 02.31.164 02.31.165			
	Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.099**	**639 333 0227**
	Type W 639 Details Fitting position: front axle left and right			
	 02.31.144 02.31.145 02.31.146 02.31.147			
	Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.023**	**901 333 1227**
	Type W 901 - 905, 909 Details Fitting position: front axle left and right			
	 02.31.160 02.31.161			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Trag-/Führungsgelenk **Ball joint**	**1**	**02.31.102**	**906 330 0227** **n.cpl.1**	

Type W 906, 907, 910

Details Fitting position: front axle left and right




02.31.148 02.31.149

Antriebswelle **Drive shaft**	**1**	**02.32.184**	**906 350 3710**	

Type W 906

Details Number of teeth: 26; Fitting position: rear axle left; Ø: 34,50 mm; Length: 890 mm; Shaft Ø: 49,90 mm



02.32.133 02.32.134 02.32.185 02.32.193

Antriebswelle **Drive shaft**	**1**	**02.32.134**	**906 350 3710** **n.cpl.2**	

Type W 906

Details Fitting position: rear axle left; Ø: 34,50 mm; Length: 840 mm; Number of teeth 1: 29; Number of teeth 2: 26; Shaft Ø: 49,90 mm



02.32.184 02.32.193

Antriebswelle **Drive shaft**	**1**	**02.32.185**	**906 350 3810**	

Type W 906

Details Number of teeth: 26; Fitting position: rear axle right; Ø: 34,50 mm; Length: 940 mm; Shaft Ø: 49,90 mm



02.32.133 02.32.184

Antriebswelle **Drive shaft**	**1**	**02.32.193**	**906 350 3810** **n.cpl.2**	

Type W 906

Details Fitting position: rear axle right; Ø: 34,50 mm; Length: 890 mm; Number of teeth 1: 29; Number of teeth 2: 26; Shaft Ø: 49,90 mm



02.32.133 02.32.134 02.32.184



Antriebswelle **Drive shaft**	**1**	**02.32.186**	**906 350 3910**	

Type W 906

Details Number of teeth: 30; Fitting position: rear axle left; Ø: 39,60 mm; Length: 890 mm; Shaft Ø: 49,90 mm



02.32.133 02.32.147 02.32.187

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Antriebswelle** **Drive shaft** Type W 906 Details Fitting position: rear axle left; Ø: 39,60 mm; Length: 840 mm; Number of teeth 1: 29; Number of teeth 2: 30; Shaft Ø: 49,90 mm	**1**	**02.32.147**	**906 350 3910** **n.cpl.2**
NEW	 02.32.186			
	**Antriebswelle** **Drive shaft** Type W 906 Details Number of teeth: 30; Fitting position: rear axle right; Ø: 39,60 mm; Length: 940 mm; Shaft Ø: 49,90 mm  02.32.133 02.32.186	**1**	**02.32.187**	**906 350 4010**
	**Dichtung, Differential** **Gasket, differential** Type W 669, 670	**1**	**02.32.164**	**601 351 0080**
	**Dichtung, Differential** **Gasket, differential** Type W 906	**1**	**02.32.163**	**906 351 0080**
	**Dichtung, Differential** **Gasket, differential** Type W 906	**1**	**02.32.168**	**906 351 0180**
	**Lagerung, Lenker** **Control arm-/trailing arm bush** Type W 638, 638/2 Details Fitting position: rear axle	**1**	**02.32.001**	**638 352 0450**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Lenker **Control arm-/trailing arm bush**	**1**	**02.32.067**	**639 353 0050**	

Type W 638, 638/2, 639
Details Fitting position: rear axle



Radlager **Wheel bearing**	**1**	**02.32.167**	**007 981 5505**	

Type W 309, 310, 667 - 670
Details Fitting position: rear axle left and right



NEW

Radlager **Wheel bearing**	**1**	**02.32.166**	**007 981 0405**	

Type W 611, 667 - 670, 904, 906
Details Fitting position: rear axle left and right





02.32.165

NEW 32

Radlager **Wheel bearing**	**1**	**02.32.091**	**015 981 5505**	

Type W 901 - 904, 909
Details Fitting position: rear axle left and right





02.32.077 02.32.089

Radlagersatz **Wheel bearing kit**	**1**	**02.32.013**	**601 350 0468**	

Type W 601, 602, 611
Details Fitting position: rear axle left and right



Radlagersatz **Wheel bearing kit**	**1**	**02.32.099**	**638 981 0027**	

Type W 638, 638/2
Details Fitting position: rear axle, front axle



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Radlagersatz** **Wheel bearing kit** Type W 639 Details Fitting position: rear axle, front axle	**1**	**02.32.156**	**639 334 0006**
	**Radlagersatz** **Wheel bearing kit** Type W 639 Details Fitting position: rear axle, front axle	**1**	**02.32.078**	**639 981 0427**
	**Radlagersatz** **Wheel bearing kit** Type W 667, 904, 906 Details Fitting position: rear axle left and right  02.32.166	**1**	**02.32.165**	**002 981 6605** **cpl.1**
	**Radlagersatz** **Wheel bearing kit** Type W 901 - 904, 909 Details Fitting position: rear axle left and right   02.32.091 02.32.100	**1**	**02.32.077**	**902 350 0068** **cpl.1**
	**Radlagersatz** **Wheel bearing kit** Type W 901 - 904, 909 Details Fitting position: rear axle left and right   02.32.091 02.32.100	**1**	**02.32.089**	**902 350 0068** **n.cpl.1**
	**Radlagersatz** **Wheel bearing kit** Type W 906 Details Fitting position: rear axle left and right	**1**	**02.32.097**	**906 350 0249**

32 NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Radlagersatz **Wheel bearing kit**	**1**	**02.32.133**	**906 350 3710** **n.cpl.1**	

Type W 906

Details Fitting position: rear axle left and right



02.32.184 02.32.185 02.32.186 02.32.187 02.32.193

Verschlussschraube, Achsgetriebe **Screw plug, axle drive**	**10**	**01.67.056**	**355 997 0032**	

Type W 309, 601, 602, 611, 631, 638, 638/2, 667, 901 - 904

Details Thread size: M24 x 1,5



02.43.286 02.67.046

Wellendichtring, Differential **Shaft seal, differential**	**1**	**01.32.018**	**018 997 7647**	

Type W 668 - 670

Details Inner Ø: 78 mm; Outer Ø: 135 mm

32

Wellendichtring, Differential **Shaft seal, differential**	**1**	**02.67.251**	**017 997 5547**	

33

Type W 901, 902

Details Inner Ø: 40 mm; Outer Ø: 70 mm

Wellendichtring, Radlager **Shaft seal, wheel bearing**	**1**	**02.32.100**	**902 997 0246**	

Type W 901 - 904

Details Fitting position: rear axle left and right; Inner Ø: 60 mm; Outer Ø: 73 mm



02.32.077 02.32.089

Radbolzen **Wheel stud**	**20**	**02.33.019**	**309 402 0271**	

Type W 309, 310, 602, 611, 667 - 670, 901 - 906, 909

Details Thread size: M14 x 1,5; Thread length: 29,5 mm



02.33.031

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Radmutter** **Wheel nut** Type W 309, 310, 611, 667 - 669, 904, 905, 909 Details Thickness: 16 mm; Thread size: M14 x 1,5	**20**	**02.33.018**	**074361 014205**
	**Radmutter** **Wheel nut** Type W 906 Details Thickness: 20,4 mm; Thread size: M14 x 1,5	**20**	**02.33.031**	**000 990 5353**
 02.33.019				
	**Radmutter** **Wheel nut** Type Universal Details Thread size: M22 x 1,5; Spanner size: 27	**10**	**83.22.002**	**074361 022204**
NEW				
	**Radmutter** **Wheel nut** Type Universal Details Thread size: M22 x 1,5; Spanner size: 30	**10**	**83.22.003**	**074361 022205**
NEW				
	**Radschraube** **Wheel bolt** Type W 414 Details Length: 39 mm; Thread size: M12 x 1,5	**20**	**02.33.004**	**124 400 0170**
NEW				
	**Radschraube** **Wheel bolt** Type W 414, 601 Details Length: 20 mm; Thread size: M12 x 1,5	**20**	**02.33.001**	**110 401 0170**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Radschraube **Wheel bolt**	**20**	**02.33.016**	**601 401 0270**	

Type W 601, 602, 611, 901 - 903
Details Length: 32 mm; Thread size: M14 x 1,5




Radschraube **Wheel bolt**	**20**	**02.33.021**	**638 401 0271**	

Type W 638, 638/2
Details Length: 46 mm; Thread size: M14 x 1,5



Radschraube **Wheel bolt**	**20**	**02.33.020**	**000 990 4907**	

Type W 639
Details Length: 21 mm; Thread size: M14 x 1,5



Radschraube **Wheel bolt**	**20**	**02.33.024**	**901 401 0070**	

Type W 901 - 903
Details Length: 59 mm; Thread size: M14 x 1,5



Radschraube **Wheel bolt**	**20**	**02.33.022**	**000 990 2407**	

Type W 906, 907, 910
Details Length: 58 mm; Thread size: M14 x 1,5



Gelenk, Längswelle **Joint, propshaft**	**1**	**02.34.011**	**U741**	

Type W 601, 602
Details Joint Ø: 70 mm; Pin Ø: 26 mm








ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Gelenk, Längswelle** **Joint, propshaft** Type W 601, 602, 611 Details Joint Ø: 76 mm; Pin Ø: 24 mm	**1**	**02.34.004**	**123 410 0131**
	**Gelenk, Längswelle** **Joint, propshaft** Type W 601, 602, 611 Details Joint Ø: 76 mm; Pin Ø: 24 mm	**1**	**02.34.017**	**601 410 0231**
	**Gelenk, Längswelle** **Joint, propshaft** Type W 611 Details Joint Ø: 115 mm; Pin Ø: 42 mm	**1**	**02.34.013**	**385 410 0131**
	**Gelenk, Längswelle** **Joint, propshaft** Type W 638, 638/2, 639, 901 - 906, 909 Details Joint Ø: 88 mm; Pin Ø: 27 mm	**1**	**02.34.044**	**906 410 0131**
	**Gelenk, Längswelle** **Joint, propshaft** Type W 638, 638/2, 639, 901 - 906, 909 Details Joint Ø: 88 mm; Pin Ø: 24 mm	**1**	**02.34.042**	**U059**
	**Gelenk, Längswelle** **Joint, propshaft** Type W 638, 638/2, 639, 901 - 906, 909 Details Joint Ø: 75 mm; Pin Ø: 27 mm	**1**	**02.34.041**	**U110**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Gelenk, Längswelle **Joint, propshaft**	**1**	**02.34.012**	**U325**	

Type W 638, 638/2, 639, 901 - 906, 909
Details Joint Ø: 88 mm; Pin Ø: 31 mm



Gelenk, Längswelle **Joint, propshaft**	**1**	**02.34.053**	**620 410 0131** **cpl.1**	


Type W 639
Details Joint Ø: 74,5 mm; Pin Ø: 24 mm




02.34.060


Gelenk, Längswelle **Joint, propshaft**	**1**	**01.34.038**	**970 410 0031**	

Type W 668 - 670
Details Joint Ø: 110 mm; Pin Ø: 31 mm



Gelenk, Längswelle **Joint, propshaft**	**1**	**02.34.043**	**27 x 92 mm**	

Type W 906
Details Joint Ø: 92 mm; Pin Ø: 27 mm



Gelenk, Längswelle **Joint, propshaft**	**1**	**02.34.023**	**210 410 1215**	

Type W 906



Lager, Gelenkwellenmittellager **Bearing, propshaft centre bearing**	**1**	**01.34.040**	**970 411 0012**	




Type W 667, 669, 670
Details Width: 36 mm; Inner Ø: 45 mm



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lagerung, Gelenkwelle** **Mounting, propshaft** Type W 309, 310, 313	1	02.34.009	310 410 0822
	**Lagerung, Gelenkwelle** **Mounting, propshaft** Type W 601, 602, 611	1	02.34.031	601 410 2110
	**Lagerung, Gelenkwelle** **Mounting, propshaft** Type W 601, 602, 611, 901 - 904	1	02.34.010	601 410 1710
	**Lagerung, Gelenkwelle** **Mounting, propshaft** Type W 639 02.34.060	1	02.34.032	639 410 0681
	**Lagerung, Gelenkwelle** **Mounting, propshaft** Type W 639, 906 02.34.060	1	02.34.034	639 410 0481
	**Lagerung, Gelenkwelle** **Mounting, propshaft** Type W 667 - 670	1	01.34.044	670 411 0112

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lagerung, Gelenkwelle **Mounting, propshaft** Type W 901 - 905 02.34.057	**1**	**02.34.026**	**903 410 0010**	
Lagerung, Gelenkwelle **Mounting, propshaft** Type W 901 - 905 02.34.026	**1**	**02.34.057**	**903 410 0010** **n.cpl.1**	
Lagerung, Gelenkwelle **Mounting, propshaft** Type W 906	**1**	**02.34.029**	**906 410 0281**	
Lagerung, Gelenkwelle **Mounting, propshaft** Type W 906	**1**	**02.34.030**	**906 410 0381**	
Lagerung, Gelenkwelle **Mounting, propshaft** Type W 906	**1**	**02.34.054**	**906 410 3900**	
Lagerung, Gelenkwelle **Mounting, propshaft** Type W 906	**1**	**02.34.055**	**906 410 4000**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Montagesatz, Längswellengelenk** **Mounting kit, propshaft joint** Type W 639  02.34.032 02.34.034 02.34.053	**1**	**02.34.060**	**639 410 0681** **cpl.1**
	**Schwingungstilger, Gelenkwelle** **Vibration damper, propshaft** Type W 901 - 904	**1**	**02.34.008**	**901 411 0047**
	**Bremsbackensatz, Feststellbremse** **Brake shoe set, parking brake** Type W 414 Details Drum Ø: 164  02.35.425	**1**	**02.35.006**	**124 420 0720**
	**Bremsbackensatz, Feststellbremse** **Brake shoe set, parking brake** Type W 414 Details Drum Ø: 164  02.35.226	**1**	**02.35.203**	**203 420 0120**
	**Bremsbackensatz, Feststellbremse** **Brake shoe set, parking brake** Type W 447, 639 Details Drum Ø: 186	**1**	**02.35.243**	**639 420 0220**
	**Bremsbackensatz, Feststellbremse** **Brake shoe set, parking brake** Type W 447, 906, 907, 909, 910 Details Drum Ø: 180	**1**	**02.35.205**	**906 420 0320**

34

35

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsbackensatz, Feststellbremse **Brake shoe set, parking brake** Type W 638, 638/2 Details Drum Ø: 178	**1**	**02.35.046**	**002 420 4720**	
Bremsbackensatz, Feststellbremse **Brake shoe set, parking brake** Type W 667 - 670, 901 - 903 Details Drum Ø: 160	**1**	**02.35.051**	**002 420 5820**	
Bremsbackensatz, Feststellbremse **Brake shoe set, parking brake** Type W 667 - 670, 903, 904 Details Drum Ø: 170	**1**	**02.35.052**	**002 420 5920**	
Bremsbackensatz, Feststellbremse **Brake shoe set, parking brake** Type W 906 Details Drum Ø: 172; Tyres: for dual tyres	**1**	**02.35.367**	**906 420 0220**	
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 309, 310, 313, 601, 602, 611, 631, 667, 668 Details Fitting position: front axle	**1**	**02.35.144**	**008 420 4020**	
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 414 Details Fitting position: rear axle	**1**	**02.35.147**	**169 420 0420**	


02.35.425


02.35.054


02.35.039 02.35.072 02.35.073



02.35.226

NEW


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 415 Details Fitting position: front axle  02.35.442	1	02.35.449	415 421 0510
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 415 Details Fitting position: front axle  02.35.443	1	02.35.445	415 430 0022
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 415 Details Fitting position: rear axle  02.35.471	1	02.35.448	415 421 0410
 NEW	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 447 Details Fitting position: front axle  02.35.134 02.35.558	1	02.35.497	447 420 0020
 NEW	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 447 Details Fitting position: rear axle  02.35.559	1	02.35.517	447 420 0120
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 447, 638, 638/2, 639, 906, 907, 909, 910 Details Fitting position: front axle  02.35.194 02.35.292 02.42.095	1	02.35.196	005 420 5220

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 631 Details Fitting position: front axle	**1**	**02.35.302**	**631 420 0120**	
 02.35.071				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 638, 638/2 Details Fitting position: front axle	**1**	**02.35.117**	**003 420 5420**	
 02.35.074 02.35.123				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 638, 638/2 Details Fitting position: front axle	**1**	**02.35.123**	**003 420 5420 cpl.1**	
 02.35.074 02.35.117				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 638, 638/2 Details Fitting position: rear axle	**1**	**02.35.145**	**003 420 0020**	
 02.35.075				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 638, 638/2 Details Fitting position: rear axle	**1**	**02.35.118**	**003 420 0220**	
 02.35.074				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 638, 638/2, 667, 901 - 904, 906, 909 Details Fitting position: front axle	**1**	**02.35.082**	**002 420 9920**	
 02.35.025 02.35.216 02.42.092				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 639 Details Fitting position: front axle  02.35.134	**1**	**02.35.160**	**001 421 0910**
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 639 Details Fitting position: rear axle  02.35.133	**1**	**02.35.161**	**001 421 1010**
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 667 - 670, 672, 905 Details Fitting position: front axle  02.35.044 02.35.055 02.35.057 02.35.058 02.35.059 02.35.207 02.35.289 02.35.482	**1**	**02.35.146**	**004 420 4820**
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 667, 901 - 904, 906, 909 Details Fitting position: front axle  02.35.025 02.35.056 02.35.423	**1**	**02.35.083**	**002 420 4220**
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 668 - 670, 903, 905 Details Fitting position: front axle  02.35.241	**1**	**02.35.242**	**003 420 4620**
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 901 - 904 Details Fitting position: rear axle  02.35.053	**1**	**02.35.084**	**004 420 5620**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 901 - 904, 909 Details Fitting position: rear axle	**1**	**02.35.085**	**002 420 6020**	
 02.35.423				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 901 - 904, 909 Details Fitting position: rear axle	**1**	**02.35.086**	**004 420 2520**	
 02.35.054 02.42.084				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 904 Details Fitting position: front axle	**1**	**02.35.104**	**002 420 2220**	
 02.42.006				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 904 Details Fitting position: front axle	**1**	**02.35.128**	**002 420 2220** **cpl.1**	
 02.42.006				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 906 Details Fitting position: rear axle	**1**	**02.35.195**	**004 420 6920**	
 02.35.193 02.42.094				
Bremsbelagsatz, Scheibenbremse **Brake pad set, disc brake** Type W 906, 907, 910 Details Fitting position: front axle	**1**	**02.35.201**	**005 420 5320**	
 02.35.194				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 906, 909 Details Fitting position: rear axle  02.35.202 02.42.094 02.42.096	1	02.35.200	004 420 8120
	**Bremsbelagsatz, Scheibenbremse** **Brake pad set, disc brake** Type W 907, 910 Details Fitting position: rear axle  02.35.193 02.35.585 02.35.587 02.42.094	1	02.35.580	910 420 3700
	**Bremsbelagsatz, Trommelbremse** **Brake lining kit, drum brake** Type W 601, 602, 611 Details Drum Ø: 230	1	02.35.502	601 430 0622
	**Bremssattel** **Brake caliper** Type W 639 Details Fitting position: rear axle left  02.35.394 02.35.480	1	02.35.479	639 420 0883
	**Bremssattel** **Brake caliper** Type W 639 Details Fitting position: rear axle right  02.35.393 02.35.394 02.35.479	1	02.35.480	639 420 0983
	**Bremssattel** **Brake caliper** Type W 639 Details Fitting position: front axle left  02.35.478	1	02.35.477	639 420 1083

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremssattel **Brake caliper**	**1**	**02.35.478**	**639 420 1183**	

Type W 639

Details Fitting position: front axle right



02.35.477

Bremssattel **Brake caliper**	**1**	**02.35.244**	**904 420 0101**

Type W 667 - 670, 901 - 906, 909

Details Equipment variant: with carrier; Fitting position: front axle left





02.35.245 02.35.305 02.35.308 02.35.395

Bremssattel **Brake caliper**	**1**	**02.35.245**	**904 420 0201**

Type W 667 - 670, 901 - 904, 906, 909

Details Equipment variant: with carrier; Fitting position: front axle right





02.35.244 02.35.305 02.35.308 02.35.395

Bremssattel **Brake caliper**	**1**	**02.35.474**	**003 420 7383**

Type W 906

Details Fitting position: rear axle left





02.35.475

Bremssattel **Brake caliper**	**1**	**02.35.475**	**003 420 7483**

Type W 906

Details Fitting position: rear axle right





02.35.474

Bremssattel **Brake caliper**	**1**	**02.35.002**	**004 420 5783**


Type W 906

Details Fitting position: front axle left





02.35.076

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremssattel** **Brake caliper** Type W 906 Details Fitting position: front axle right  02.35.002	**1**	**02.35.076**	**004 420 5883**
	**Bremssattel** **Brake caliper** Type W 906, 907, 910 Details Fitting position: front axle left  02.35.303 02.35.487 02.35.524	**1**	**02.35.488**	**004 420 5583**
	**Bremssattel** **Brake caliper** Type W 906, 907, 910 Details Fitting position: front axle right  02.35.303 02.35.488 02.35.524	**1**	**02.35.487**	**004 420 5683**
	**Bremsscheibe** **Brake disc** Type W 309, 310, 313, 601, 602, 611, 667 Details Fitting position: front axle; Brake disc type: solid; Brake disc thickness: 16 mm; Outer Ø: 280 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm  02.35.144	**2**	**02.35.039**	**601 420 0272**
	**Bremsscheibe** **Brake disc** Type W 414 Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 8 mm; Outer Ø: 258 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm  02.35.147 02.35.203	**2**	**02.35.226**	**168 423 0212**
	**Bremsscheibe** **Brake disc** Type W 415 Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 22 mm; Outer Ø: 258 mm; Number of holes: 4; Bolt hole circle Ø: 100 mm  02.35.449	**2**	**02.35.442**	**415 420 0101**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsscheibe **Brake disc**	**2**	**02.35.443**	**415 420 0701**	

Type W 415

Details Fitting position: front axle; Brake disc type: internally vented;
Brake disc thickness: 24 mm; Outer Ø: 280 mm; Number of holes: 5;
Bolt hole circle Ø: 108 mm





02.35.445

Bremsscheibe **Brake disc**	**2**	**02.35.471**	**415 421 0100**	

Type W 415

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 11 mm;
Outer Ø: 274 mm; Number of holes: 5; Bolt hole circle Ø: 108 mm;
with wheel bearing, with integrated magnetic sensor ring





02.35.448

Bremsscheibe **Brake disc**	**2**	**02.35.559**	**447 423 0012**	

Type W 415, 447, 639

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 12 mm;
Outer Ø: 300 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm





02.35.517

NEW

Bremsscheibe **Brake disc**	**2**	**02.35.558**	**447 421 0012**	

Type W 447

Details Fitting position: front axle; Ø: 330 mm; Brake disc type: internally vented;
Brake disc thickness: 32 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm





02.35.497

NEW

Bremsscheibe **Brake disc**	**2**	**02.35.134**	**639 421 0012**	

Type W 447, 639

Details Fitting position: front axle; Brake disc type: internally vented;
Brake disc thickness: 28 mm; Outer Ø: 300 mm; Number of holes: 5;
Bolt hole circle Ø: 112 mm





02.35.160 02.35.497

Bremsscheibe **Brake disc**	**2**	**02.35.073**	**601 420 0372**	



Type W 602, 611, 667

Details Fitting position: front axle; Brake disc type: solid; Brake disc thickness: 22 mm;
Outer Ø: 280 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm





02.35.144

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsscheibe** **Brake disc**	**2**	**02.35.071**	**631 420 0372**
	Type W 631 Details Fitting position: front axle; Brake disc type: solid; Brake disc thickness: 16 mm; Outer Ø: 238,5 mm; Number of holes: 5; Bolt hole circle Ø: 140 mm  02.35.302			
	**Bremsscheibe** **Brake disc**	**2**	**02.35.072**	**631 420 0172**
	Type W 631 Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 24 mm; Outer Ø: 263 mm; Number of holes: 5; Bolt hole circle Ø: 140 mm  02.35.144			
	**Bremsscheibe** **Brake disc**	**2**	**02.35.216**	**638 421 0412**
	Type W 638, 638/2 Details Fitting position: front axle; Brake disc type: solid; Brake disc thickness: 18 mm; Outer Ø: 276 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm  02.35.082			
	**Bremsscheibe** **Brake disc**	**2**	**02.35.074**	**638 421 0112**
	Type W 638, 638/2 Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 22 mm; Outer Ø: 276 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm  02.35.117 02.35.118 02.35.123			
	**Bremsscheibe** **Brake disc**	**2**	**02.35.075**	**638 423 0112**
	Type W 638, 638/2 Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 10 mm; Outer Ø: 280 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm  02.35.145			
	**Bremsscheibe** **Brake disc**	**2**	**02.35.133**	**639 423 0112**
	Type W 639 Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 10 mm; Outer Ø: 296 mm; Number of holes: 5; Bolt hole circle Ø: 112 mm  02.35.161			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsscheibe **Brake disc**	**2**	**02.35.055**	**668 421 0112**	

Type W 667 - 670

Details Fitting position: front axle; Brake disc type: internally vented;
Brake disc thickness: 30 mm; Outer Ø: 304 mm; Number of holes: 6;
Bolt hole circle Ø: 140 mm



02.35.146

Bremsscheibe **Brake disc**	**2**	**02.35.058**	**668 423 0012**	

Type W 667 - 670

Details Fitting position: rear axle; Brake disc type: internally vented;
Brake disc thickness: 30 mm; Outer Ø: 304 mm; Number of holes: 6;
Bolt hole circle Ø: 192 mm



02.35.146

Bremsscheibe **Brake disc**	**1**	**02.35.207**	**668 423 0412**	

Type W 667 - 670

Details Fitting position: rear axle; Brake disc type: internally vented;
Brake disc thickness: 30 mm; Outer Ø: 304 mm; Number of holes: 6;
Bolt hole circle Ø: 192 mm



02.35.146

Bremsscheibe **Brake disc**	**1**	**02.35.289**	**668 423 0512**	

Type W 667 - 670

Details Fitting position: rear axle; Brake disc type: internally vented;
Brake disc thickness: 30 mm; Outer Ø: 324 mm; Number of holes: 6;
Bolt hole circle Ø: 192 mm



02.35.146

Bremsscheibe **Brake disc**	**1**	**02.35.057**	**668 421 0212**	

Type W 667 - 670, 672

Details Fitting position: front axle; Brake disc type: internally vented;
Brake disc thickness: 30 mm; Outer Ø: 324 mm; Number of holes: 6;
Bolt hole circle Ø: 140 mm



02.35.146

Bremsscheibe **Brake disc**	**1**	**02.35.044**	**669 421 0612**	

Type W 667 - 670, 672

Details Fitting position: front axle; Brake disc type: internally vented;
Brake disc thickness: 30 mm; Outer Ø: 304 mm; Number of holes: 6;
Bolt hole circle Ø: 140 mm



02.35.146

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsscheibe** **Brake disc**	**2**	**02.35.056**	**904 423 0312**

Type W 667 - 670, 901 - 904, 906

Details Fitting position: rear axle; Brake disc type: internally vented; Brake disc thickness: 22 mm; Outer Ø: 285 mm; Number of holes: 6; Bolt hole circle Ø: 145 mm



02.35.083

	**Bremsscheibe** **Brake disc**	**2**	**02.35.241**	**905 421 0012**

Type W 667 - 670, 904, 905

Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 26 mm; Outer Ø: 290 mm; Number of holes: 8; Bolt hole circle Ø: 96 mm



02.35.242

	**Bremsscheibe** **Brake disc**	**2**	**02.35.025**	**902 421 0612**

Type W 667, 901 - 906, 909

Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 22 mm; Outer Ø: 276 mm; Number of holes: 5; Bolt hole circle Ø: 130 mm



02.35.082 02.35.083

	**Bremsscheibe** **Brake disc**	**1**	**02.35.059**	**668 423 0112**

Type W 668 - 670

Details Fitting position: rear axle; Brake disc type: internally vented; Brake disc thickness: 30 mm; Outer Ø: 324 mm; Number of holes: 6; Bolt hole circle Ø: 192 mm



02.35.146

	**Bremsscheibe** **Brake disc**	**2**	**02.35.423**	**903 421 0112**

Type W 901 - 904

Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 22 mm; Outer Ø: 285 mm; Number of holes: 5; Bolt hole circle Ø: 130 mm



02.35.083 02.35.085

	**Bremsscheibe** **Brake disc**	**2**	**02.35.053**	**901 423 0612**


Type W 901 - 904

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 12 mm; Outer Ø: 258 mm; Number of holes: 5; Bolt hole circle Ø: 130 mm



02.35.084 02.42.084

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsscheibe **Brake disc**	**2**	**02.35.054**	**902 423 0312**	

Type W 901 - 904, 909

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 16 mm; Outer Ø: 272 mm; Number of holes: 5; Bolt hole circle Ø: 130 mm



02.35.051 02.35.086 02.42.084

Bremsscheibe **Brake disc**	**1**	**02.35.482**	**905 420 0072**	

Type W 905

Details Fitting position: rear axle; Brake disc type: internally vented; Brake disc thickness: 30 mm; Outer Ø: 304 mm; Number of holes: 6; Bolt hole circle Ø: 192 mm



02.35.146

Bremsscheibe **Brake disc**	**2**	**02.35.194**	**906 421 0012**	

Type W 906, 907, 910

Details Fitting position: front axle; Brake disc type: internally vented; Brake disc thickness: 28 mm; Outer Ø: 300 mm; Number of holes: 6; Bolt hole circle Ø: 130 mm



02.35.196 02.35.201


Bremsscheibe **Brake disc**	**2**	**02.35.193**	**906 423 0012**	

Type W 906, 907, 910

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 16 mm; Outer Ø: 298 mm; Number of holes: 6; Bolt hole circle Ø: 130 mm



02.35.195 02.35.580

Bremsscheibe **Brake disc**	**1**	**02.35.202**	**906 423 0112**	

Type W 906, 907, 910

Details Fitting position: rear axle; Brake disc type: internally vented; Brake disc thickness: 28 mm; Outer Ø: 303 mm; Number of holes: 6; Bolt hole circle Ø: 145 mm



02.35.200

Bremsscheibe **Brake disc**	**2**	**02.35.585**	**910 423 0200**	

Type W 907, 910

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 18 mm; Outer Ø: 298 mm; Number of holes: 6; Bolt hole circle Ø: 130 mm; Vehicle equipment: for vehicles without electric parking brake



02.35.580

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsscheibe** **Brake disc**	**2**	**02.35.587**	**910 423 2100**

Type W 907, 910

Details Fitting position: rear axle; Brake disc type: solid; Brake disc thickness: 18 mm; Outer Ø: 298 mm; Number of holes: 6; Bolt hole circle Ø: 130 mm; Vehicle equipment: for vehicles with electric parking brake


02.35.580

	**Bremsschlauch** **Brake hose**	**2**	**02.35.154**	**210 428 0035**

Type W 414, 901 - 904

Details Fitting position: rear axle; Length: 280 mm; Thread size: M10 x 1

	**Bremsschlauch** **Brake hose**	**2**	**02.35.297**	**001 428 9535**

Type W 601, 602, 611, 667 - 670, 672

Details Fitting position: front axle; Length: 474 mm; Thread size: M10 x 1

	**Bremsschlauch** **Brake hose**	**2**	**02.35.013**	**123 428 0535**

Type W 601, 602, 611, 670

Details Fitting position: front axle; Length: 447 mm; Thread size: M10 x 1

	**Bremsschlauch** **Brake hose**	**2**	**02.35.298**	**631 428 0035**

Type W 631

Details Fitting position: front axle; Length: 370 mm; Thread size: M10 x 1

	**Bremsschlauch** **Brake hose**	**2**	**02.35.217**	**638 428 0835**

Type W 638, 638/2, 639, 904

Details Fitting position: front axle; Length: 545 mm; Thread size: M10 x 1

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsschlauch **Brake hose**	**2**	**02.35.212**	**901 428 0335**	

Type W 638, 638/2, 901 - 904

Details Fitting position: rear axle; Length: 535 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.218**	**639 428 0835**	

Type W 639

Details Fitting position: front axle; Length: 547 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.219**	**639 428 0935**	

Type W 639

Details Fitting position: rear axle; Length: 350 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.296**	**639 428 1035**	

Type W 639

Details Fitting position: front axle; Length: 555 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.077**	**667 428 0135**	

Type W 667 - 670, 672, 901 - 904

Details Fitting position: rear axle; Length: 475 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.215**	**904 428 0435**	

Type W 668, 903 - 905

Details Fitting position: rear axle; Length: 257 mm; Thread size: M10 x 1



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Bremsschlauch** **Brake hose**	**2**	**02.35.268**	**905 428 0035**
	Type W 905 Details Fitting position: front axle; Length: 421 mm; Thread size: M10 x 1			
	**Bremsschlauch** **Brake hose**	**2**	**02.35.213**	**901 428 9135**
	Type W 901 - 904, 906 Details Fitting position: front axle; Length: 542 mm; Thread size: M10 x 1			
	Bremsschlauch **Brake hose**	**2**	**02.35.047**	**901 428 0435**
	Type W 901 - 906, 909 Details Fitting position: front and rear axle; Length: 415 mm; Thread size: M10 x 1			
	**Bremsschlauch** **Brake hose**	**2**	**02.35.214**	**901 428 0835**
	Type W 901 - 906, 909 Details Fitting position: rear axle; Length: 435 mm; Thread size: M10 x 1			
	**Bremsschlauch** **Brake hose**	**2**	**02.35.299**	**904 428 0535**
	Type W 904 Details Fitting position: rear axle; Length: 395 mm; Thread size: M10 x 1			
	**Bremsschlauch** **Brake hose**	**2**	**02.35.069**	**202 428 0735**
	Type W 906 Details Fitting position: front axle; Length: 387 mm; Thread size: M10 x 1			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremsschlauch **Brake hose**	**2**	**02.35.235**	**204 428 0435**	

Type W 906

Details Fitting position: front axle; Length: 410 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.280**	**906 428 0735**	

Type W 906, 907

Details Fitting position: rear axle; Length: 494 mm; Thread size: M10 x 1



NEW

Bremsschlauch **Brake hose**	**2**	**02.35.278**	**906 428 0335**	

Type W 906, 907, 910

Details Fitting position: rear axle; Length: 464 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.279**	**906 428 0635**	

Type W 906, 907, 910

Details Fitting position: front axle; Length: 455 mm; Thread size: M10 x 1



Bremsschlauch **Brake hose**	**2**	**02.35.281**	**906 428 0835**	

Type W 906, 907, 910

Details Fitting position: rear axle; Length: 495 mm; Thread size: M10 x 1



Dichtung, Unterdruckpumpe **Gasket, vacuum pump**	**1**	**02.21.009**	**651 238 0180**	

Type W 447, 639, 906, 907, 910



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtung, Unterdruckpumpe** **Gasket, vacuum pump** Type W 639, 906	1	02.21.010	642 016 0280
	**Feder, Bremsbacken** **Spring, brake shoe** Type W 447, 638, 638/2, 906	50	02.35.240	201 423 0592
	**Führungshülsensatz, Bremssattel** **Guide sleeve kit, brake caliper** Type W 901 - 904, 909 Details Fitting position: rear axle, front axle	1	02.35.304	000 420 0076
 NEW	**Geräuschdämpfer, Druckluftanlage** **Silencer, compressed-air system** Type W 667 - 670 Details Thickness: 62 mm; Outer Ø: 87 mm  01.35.159	1	01.35.158	000 430 2070
 NEW	**Geräuschdämpfer, Druckluftanlage** **Silencer, compressed-air system** Type W 667 - 670 Details Thickness: 53 mm; Outer Ø: 69 mm  01.35.157  01.35.158	1	01.35.159	000 430 2270
 NEW	**Geräuschdämpfer, Druckluftanlage** **Silencer, compressed-air system** Type W 667 - 670 Details Thickness: 55 mm; Outer Ø: 69 mm  01.35.159	1	01.35.157	000 430 2370

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hauptbremszylinder **Brake master cylinder**	**1**	**02.35.288**	**000 431 7101**	

Type W 901 - 904

Details Thread size: M12 x 1; Number of bores: 2; Piston Ø: 23,8 mm

NEW

Hauptbremszylinder **Brake master cylinder**	**1**	**02.35.285**	**000 431 6301**	

Type W 901 - 904, 906

Details Thread size: M12 x 1; Number of bores: 2; Piston Ø: 25,4 mm

Hauptbremszylinder **Brake master cylinder**	**1**	**02.35.286**	**000 431 6501**	

Type W 901 - 904, 906

Details Thread size: M10 x 1; Number of bores: 2; Piston Ø: 23,8 mm

Hauptbremszylinder **Brake master cylinder**	**1**	**02.35.554**	**000 431 7001**	

Type W 901 - 904, 906

Details Thread size: M12 x 1; Number of bores: 2; Piston Ø: 25,4 mm

35

Hauptbremszylinder **Brake master cylinder**	**1**	**02.35.384**	**000 431 7601**	

Type W 906

Details Thread size: M12 x 1; Number of bores: 2; Piston Ø: 26,9 mm

NEW

Magnetventil **Solenoid valve**	**1**	**01.30.218**	**004 997 5536**	

Type W 669, 670

Details Engine brake

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Membran, Unterdruckpumpe** **Membrane, vacuum pump** Type W 601, 602  02.43.033	**1**	**02.56.018**	**000 586 4143** **n.cpl.1**
	**Niete, Trommelbremsbelag** **Rivet, drum brake lining** Type W 309 Details Ø: 8 mm; Height: 20 mm	**64**	**01.35.166**	**307 990 0297**
	**Radbremszylinder** **Wheel brake cylinder** Type W 601, 602, 611 Details Piston conrod Ø: 15,87 mm	**2**	**02.35.392**	**005 420 8118**
	**Reparatursatz, Bremssattel** **Repair kit, brake caliper** Type W 447, 639, 901, 902, 906 Details Fitting position: front axle  02.35.487 02.35.488	**1**	**02.35.524**	**004 420 5583** **cpl.1**
	**Reparatursatz, Bremssattel** **Repair kit, brake caliper** Type W 447, 639, 906, 907, 910 Details Fitting position: front axle  02.35.487 02.35.488	**1**	**02.35.303**	**000 421 0850**
	**Reparatursatz, Bremssattel** **Repair kit, brake caliper** Type W 631 Details Fitting position: front axle	**1**	**02.43.134**	**000 420 0244**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Reparatursatz, Bremssattel **Repair kit, brake caliper** Type W 638, 638/2, 901 - 904 Details Fitting position: front axle	**1**	**02.35.312**	**001 420 2383**	
Reparatursatz, Bremssattel **Repair kit, brake caliper** Type W 639 Details Fitting position: front axle  02.35.480	**1**	**02.35.393**	**639 420 0183** **n.cpl.1**	
Reparatursatz, Bremssattel **Repair kit, brake caliper** Type W 639 Details Fitting position: rear axle   02.35.479 02.35.480	**1**	**02.35.394**	**639 420 0283** **n.cpl.1**	
Reparatursatz, Bremssattel **Repair kit, brake caliper** Type W 901 - 903 Details Fitting position: rear axle	**1**	**02.35.397**	**001 420 2483**	
Reparatursatz, Bremssattel **Repair kit, brake caliper** Type W 901 - 903 Details Fitting position: rear axle   02.35.244 02.35.245	**1**	**02.35.308**	**001 420 2583**	
Reparatursatz, Bremssattel **Repair kit, brake caliper** Type W 901 - 904, 909 Details Fitting position: front axle   02.35.244 02.35.245	**1**	**02.35.395**	**001 420 7083** **n.cpl.1**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Reparatursatz, Bremssattel** **Repair kit, brake caliper** Type W 903 Details Fitting position: rear axle	1	02.35.309	000 421 1548
	**Reparatursatz, Bremssattel** **Repair kit, brake caliper** Type W 903, 904 Details Fitting position: front axle  02.35.244 02.35.245	1	02.35.305	000 421 1448
	**Reparatursatz, Hauptbremszylinder** **Repair kit, brake master cylinder** Type W 631 Details For manufacturer number: ATE	1	02.43.154	000 430 2760
	**Reparatursatz, Unterdruckpumpe (Bremsanlage)** **Repair set, vacuum pump (braking system)** Type W 601, 602  02.56.018	1	02.43.033	000 586 4143
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 601, 602, 611 Details Fitting position: left rear, right rear; Length: 1798 mm	1	02.35.270	601 420 1185
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 601, 602, 611 Details Fitting position: left rear; Length: 1850 mm  02.35.043	1	02.35.042	601 420 4685

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.043**	**601 420 4785**	

Type W 601, 602, 611

Details Fitting position: right rear; Length: 1940 mm



02.35.042

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.271**	**601 420 1685**	

Type W 601, 602, 611

Details Fitting position: centre; Length: 830 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.272**	**601 420 1785**	

Type W 601, 602, 611

Details Fitting position: centre; Length: 1130 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.273**	**631 420 1285**	

Type W 631

Details Fitting position: left rear, right rear; Length: 1438 mm



Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.274**	**631 420 1985**	



Type W 631

Details Fitting position: centre; Length: 1647 mm


Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.275**	**631 420 2085**	

Type W 631

Details Fitting position: centre; Length: 1416 mm


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 638, 638/2 Details Fitting position: left rear, right rear; Length: 1170 mm	**1**	**02.35.277**	**638 427 0338**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 638, 638/2 Details Fitting position: centre; Length: 2925 mm	**1**	**02.35.276**	**638 420 0785**
  02.35.370	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 639 Details Fitting position: left rear; Length: 1300 mm	**1**	**02.35.369**	**639 427 0438**
  02.35.369	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 639 Details Fitting position: right rear; Length: 1165 mm	**1**	**02.35.370**	**639 427 0538**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 639 Details Fitting position: left of the driver seat; Length: 2830 mm	**1**	**02.35.398**	**639 420 1785**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 639 Details Fitting position: left of the driver seat; Length: 2820 mm	**1**	**02.35.461**	**639 420 2785**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.399**	**639 420 2985**	


Type W 639

Details Fitting position: left of the driver seat; Length: 2445 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.382**	**639 420 3285**	

Type W 639

Details Fitting position: left of the driver seat; Length: 3005 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.383**	**639 420 3485**	

Type W 639

Details Fitting position: left of the driver seat; Length: 2640 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.258**	**901 420 1885**	

Type W 667, 901 - 904

Details Fitting position: rear; Length: 1530 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.259**	**901 420 2885**	

Type W 667, 901 - 904


Details Fitting position: rear; Length: 1545 mm

Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.400**	**667 420 4685**	

Type W 667, 901 - 904



Details Fitting position: left rear; Length: 1690 mm

02.35.401

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 667, 901 - 904 Details Fitting position: left rear; Length: 1525 mm  02.35.263	**1**	**02.35.262**	**904 420 0185**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 667, 901 - 904 Details Fitting position: left rear; Length: 1565 mm  02.35.265	**1**	**02.35.264**	**904 420 0585**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 667, 901 - 904 Details Fitting position: right rear; Length: 1690 mm  02.35.400	**1**	**02.35.401**	**667 420 4785**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 667, 901 - 904 Details Fitting position: right rear; Length: 1520 mm  02.35.262	**1**	**02.35.263**	**904 420 0285**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 667, 901 - 904 Details Fitting position: right rear; Length: 1565 mm  02.35.264	**1**	**02.35.265**	**904 420 0685**
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 901 - 903 Details Fitting position: rear; Length: 1450 mm	**1**	**02.35.267**	**901 420 2085**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Seilzug, Feststellbremse **Cable, parking brake** Type W 901 - 903 Details Fitting position: centre; Length: 2500 mm	**1**	**02.35.261**	**901 420 2285**	
Seilzug, Feststellbremse **Cable, parking brake** Type W 901 - 904 Details Fitting position: rear; Length: 1415 mm	**1**	**02.35.402**	**901 420 2785**	
Seilzug, Feststellbremse **Cable, parking brake** Type W 901 - 904, 906 Details Fitting position: rear; Length: 1970 mm	**1**	**02.35.403**	**904 420 0385**	
Seilzug, Feststellbremse **Cable, parking brake** Type W 901 - 904, 909 Details Fitting position: rear; Length: 1990 mm	**1**	**02.35.260**	**901 420 2185**	
Seilzug, Feststellbremse **Cable, parking brake** Type W 904 Details Fitting position: rear; Length: 1435 mm	**1**	**02.35.386**	**904 420 0785**	
Seilzug, Feststellbremse **Cable, parking brake** Type W 906 Details Fitting position: rear; Length: 1410 mm	**1**	**02.35.410**	**906 420 3085**	


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 906 Details Fitting position: rear; Length: 1445 mm	1	02.35.415	906 420 7185
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 906 Details Fitting position: rear; Length: 1396 mm	1	02.35.416	906 420 7285
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 906 Details Fitting position: centre; Length: 1454 mm	1	02.35.407	906 420 2485
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 906 Details Fitting position: centre; Length: 2440 mm	1	02.35.408	906 420 2785
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 906 Details Fitting position: centre console; Length: 1880 mm	1	02.35.412	906 420 5185
	**Seilzug, Feststellbremse** **Cable, parking brake** Type W 906 Details Fitting position: centre console; Length: 2535 mm	1	02.35.413	906 420 5285

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.414**	**906 420 5985**	

Type W 906

Details Fitting position: centre console; Length: 2070 mm



Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.266**	**906 420 6985**	

Type W 906, 907, 909, 910

Details Fitting position: rear; Length: 1706 mm



Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.405**	**906 420 2085**	

Type W 906, 907, 910

Details Fitting position: rear; Length: 1666 mm



Seilzug, Feststellbremse **Cable, parking brake**	**1**	**02.35.409**	**906 420 2885**	

Type W 906, 907, 910

Details Fitting position: centre console; Length: 1385 mm



Spritzblech, Bremsscheibe **Splash panel, brake disc**	**1**	**02.35.365**	**461 423 0220**	

Type W 901 - 905

Details Fitting position: rear axle left, rear axle right



Spritzblech, Bremsscheibe **Splash panel, brake disc**	**1**	**02.35.455**	**906 423 0420**	

Type W 906, 907, 910

Details Fitting position: rear axle left, rear axle right




NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Unterdruckpumpe, Bremsanlage** **Vacuum pump, braking system** Type W 447, 639, 906	1	02.21.007	651 230 0265
	**Unterdruckpumpe, Bremsanlage** **Vacuum pump, braking system** Type W 601, 602, 611, 638, 638/2, 667, 901 - 904	1	02.36.057	000 230 3165
	**Unterdruckpumpe, Bremsanlage** **Vacuum pump, braking system** Type W 639, 906	1	02.21.005	646 230 0165
	**Unterdruckpumpe, Bremsanlage** **Vacuum pump, braking system** Type W 667, 668, 670, 901 - 904	1	02.36.058	000 230 4365
	**Unterdruckpumpe, Bremsanlage** **Vacuum pump, braking system** Type W 901 - 905	1	02.11.028	611 230 0265
	**Warnkontakt, Bremsbelagverschleiß** **Warning contact, brake pad wear** Type W 309	10	01.42.079	677 540 0817

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Warnkontakt, Bremsbelagverschleiß **Warning contact, brake pad wear**	**50**	**02.42.081**	**601 540 0617**	

Type W 309, 310, 313, 601, 602, 611, 667



Warnkontakt, Bremsbelagverschleiß **Warning contact, brake pad wear**	**10**	**02.42.036**	**211 540 1717**	

Type W 414



NEW

Warnkontakt, Bremsbelagverschleiß **Warning contact, brake pad wear**	**10**	**02.42.095**	**906 540 1517**	

Type W 447, 639, 906, 907, 910





02.35.196

Warnkontakt, Bremsbelagverschleiß **Warning contact, brake pad wear**	**50**	**02.42.006**	**140 540 1217**	

Type W 601, 602, 611, 667



35



02.35.104 02.35.128

Warnkontakt, Bremsbelagverschleiß **Warning contact, brake pad wear**	**10**	**02.42.094**	**164 540 1017**	

Type W 638, 638/2, 639, 906, 907, 909, 910





02.35.195 02.35.200 02.35.580


Warnkontakt, Bremsbelagverschleiß **Warning contact, brake pad wear**	**50**	**02.42.084**	**901 540 0017**	

Type W 638, 638/2, 667, 668, 670, 901 - 905, 909





02.35.053 02.35.054 02.35.086

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Warnkontakt, Bremsbelagverschleiß** **Warning contact, brake pad wear** Type W 638, 638/2, 901 - 905  02.35.082	**50**	**02.42.092**	**901 540 0317**
	**Warnkontakt, Bremsbelagverschleiß** **Warning contact, brake pad wear** Type W 667 - 670	**10**	**02.42.078**	**669 540 0417**
	**Warnkontakt, Bremsbelagverschleiß** **Warning contact, brake pad wear** Type W 667 - 670, 672	**10**	**01.42.080**	**670 540 0017**
	**Warnkontakt, Bremsbelagverschleiß** **Warning contact, brake pad wear** Type W 906, 907, 909, 910  02.35.200	**10**	**02.42.096**	**906 540 1317**
	**Zubehörsatz, Bremsbacken** **Accessory kit, brake shoes** Type W 309	**1**	**02.35.004**	**309 421 0992**
	**Zubehörsatz, Feststellbremsbacken** **Accessory kit, parking brake shoes** Type W 414, 638, 638/2, 639  02.35.006 02.35.046	**1**	**02.35.425**	**004 062 2000**

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Zubehörsatz, Scheibenbremsbelag **Accessory kit, disc brake pad**	**1**	**02.35.292**	**001 421 1191**	

Type W 447, 601, 611, 639, 906





02.35.196

Axialgelenk, Spurstange **Tie rod axle joint**	**1**	**02.37.223**	**415 320 0089**	

Type W 415






02.37.209 02.37.210

Axialgelenk, Spurstange **Tie rod axle joint**	**1**	**02.37.086**	**638 460 0255**	

Type W 638, 638/2





02.37.051 02.37.150

Axialgelenk, Spurstange **Tie rod axle joint**	**1**	**02.37.083**	**639 460 0255**	

Type W 639



35

37



02.37.081 02.37.084 02.37.085 02.37.133 02.37.222

Axialgelenk, Spurstange **Tie rod axle joint**	**1**	**02.37.077**	**901 460 0455**	

Type W 901 - 904, 909





02.31.901 02.37.043 02.37.149





Axialgelenk, Spurstange **Tie rod axle joint**	**1**	**02.37.078**	**906 460 0055**	

Type W 906, 907, 910











02.31.906 02.37.079 02.37.080 02.37.087 02.37.204

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Buchse, Lenkwelle** **Bush, steering shaft** Type W 309, 310 Details Height: 20 mm; Inner Ø: 26 mm; Outer Ø: 35 mm	**10**	**01.37.003**	**312 462 1150**
NEW  01.43.133				
	**Buchse, Lenkwelle** **Bush, steering shaft** Type W 309, 310 Details Height: 28 mm; Inner Ø: 31 mm; Outer Ø: 40 mm	**10**	**01.37.004**	**321 462 0165**
NEW  01.43.133				
	**Dichtungssatz, Hydraulikpumpe** **Gasket set, hydraulic pump** Type W 601, 602, 611	**1**	**02.43.129**	**000 460 4161**
	**Dichtungssatz, Hydraulikpumpe** **Gasket set, hydraulic pump** Type W 601, 602, 611, 667 Details For manufacturer number: 140 466 5001, 210 466 0401	**1**	**02.43.160**	**000 460 4480**
	**Dichtungssatz, Hydraulikpumpe** **Gasket set, hydraulic pump** Type W 601, 602, 611, 667	**1**	**02.43.149**	**000 460 4780**
	**Dichtungssatz, Hydraulikpumpe** **Gasket set, hydraulic pump** Type W 601, 602, 611, 667 Details For manufacturer number: 201 4601780	**1**	**02.43.180**	**000 460 4861**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtungssatz, Hydraulikpumpe **Gasket set, hydraulic pump** Type W 601, 602, 611, 667	**1**	**02.43.146**	**013 997 5847** **cpl.1**	
Dichtungssatz, Lenkgetriebe **Gasket set, steering gear** Type W 309, 310	**1**	**01.43.133**	**321 462 0165** **cpl.2**	
 01.37.003 01.37.004				NEW
Dichtungssatz, Lenkgetriebe **Gasket set, steering gear** Type W 638, 638/2, 901 - 904	**1**	**02.37.102**	**901 460 4100** **n.cpl.2**	
 02.37.103 02.37.199				
Faltenbalg, Lenkung **Bellow, steering** Type W 638, 638/2, 901 - 904, 909	**1**	**02.37.069**	**210 460 2300**	  NEW
Faltenbalgsatz, Lenkung **Bellow set, steering** Type W 638, 638/2, 901 - 904	**1**	**02.37.042**	**901 460 5500**	
 02.31.901 02.37.103 02.37.150 02.37.199				
Faltenbalgsatz, Lenkung **Bellow set, steering** Type W 639	**1**	**02.37.084**	**639 460 0196**	 
 02.37.083 02.37.085 02.37.133 02.37.222				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Faltenbalgsatz, Lenkung** **Bellow set, steering** Type W 906  02.31.906 02.37.078 02.37.087 02.37.204	1	02.37.080	906 460 0096
	**Gelenk, Lenksäule** **Joint, steering column** Type W 309, 667 - 670 Details For steering spindle; Length: 121,5 mm; Inner thread: M10 x 1 mm	1	01.37.023	316 460 0057
	**Gelenk, Lenksäule** **Joint, steering column** Type W 638, 638/2 Details Joint Ø: 40 mm; Pin Ø: 15 mm	1	02.34.033	638 460 3611
	**Gelenk, Lenksäule** **Joint, steering column** Type Universal Details Joint Ø: 40 mm; Pin Ø: 16 mm	1	02.34.046	16x40 mm
NEW				
	**Hydraulikfilter, Lenkung** **Hydraulic filter, steering system** Type W 309, 310, 667 - 670, 672	1	01.37.058	000 466 0604
	**Hydraulikfilter, Lenkung** **Hydraulic filter, steering system** Type W 309, 601, 602, 611 Details Seal Ø: 86 mm  02.37.011	1	02.43.073	000 466 1604 cpl.1

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hydraulikfilter, Lenkung **Hydraulic filter, steering system** Type W 309, 601, 602, 611	**1**	**02.37.011**	**000 466 2104**	
Hydraulikfilter, Lenkung **Hydraulic filter, steering system** Type W 309, 601, 602, 611 Details Seal Ø: 81 mm	**1**	**02.43.072**	**000 466 2104 cpl.1**	
Hydraulikpumpe, Lenkung **Hydraulic pump, steering system** Type W 638	**1**	**02.37.137**	**002 466 5201**	
Hydraulikpumpe, Lenkung **Hydraulic pump, steering system** Type W 638, 638/2	**1**	**02.37.135**	**002 466 2301**	
Hydraulikpumpe, Lenkung **Hydraulic pump, steering system** Type W 638, 638/2	**1**	**02.37.136**	**002 466 5101**	
Hydraulikpumpe, Lenkung **Hydraulic pump, steering system** Type W 638, 638/2	**1**	**02.37.019**	**002 466 6901**	


02.43.072 02.43.073


02.37.011

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Hydraulikpumpe, Lenkung** **Hydraulic pump, steering system** Type W 638, 901 - 904	1	02.37.100	003 466 0701
	**Hydraulikpumpe, Lenkung** **Hydraulic pump, steering system** Type W 639, 906  02.19.256	1	02.37.101	003 466 7201
	**Hydraulikpumpe, Lenkung** **Hydraulic pump, steering system** Type W 639, 906	1	02.37.092	006 466 7801
	**Hydraulikpumpe, Lenkung** **Hydraulic pump, steering system** Type W 639, 906, 907, 910	1	02.37.054	003 466 9301
	**Hydraulikpumpe, Lenkung** **Hydraulic pump, steering system** Type W 668 - 670	1	01.37.104	001 460 8080
	**Hydraulikpumpe, Lenkung** **Hydraulic pump, steering system** Type W 668 - 670	1	01.37.163	002 460 5280

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.






BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hydraulikpumpe, Lenkung **Hydraulic pump, steering system** Type W 901 - 906	1	02.37.091	002 466 7501	
Hydraulikpumpe, Lenkung **Hydraulic pump, steering system** Type W 906 Details Country-spec. model: south america	1	02.37.096	906 466 0201	
Lenkgetriebe **Steering gear** Type W 639 Details Left-/right-hand drive vehicles: for left-hand drive vehicles	1	02.37.222	639 460 2400	
 02.37.081 02.37.083 02.37.084				
Lenkgetriebe **Steering gear** Type W 639 Details Left-/right-hand drive vehicles: for right-hand drive vehicles	1	02.37.133	639 460 2500	
 02.37.081 02.37.083 02.37.084				
Lenkgetriebe **Steering gear** Type W 901 - 904 Details Left-/right-hand drive vehicles: for right-hand drive vehicles	1	02.37.103	901 460 4200	
 02.37.042 02.37.043 02.37.049 02.37.102				
Lenkgetriebe **Steering gear** Type W 901 - 904, 909 Details RPO number to: P 897105; Left-/right-hand drive vehicles: for left-hand drive vehicles	1	02.37.199	901 460 4100	
 02.37.042 02.37.043 02.37.049 02.37.102 02.37.998 02.37.999				


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lenkgetriebe** **Steering gear** Type W 906, 907, 910 Details Left-/right-hand drive vehicles: for left-hand drive vehicles  02.37.078 02.37.079 02.37.080 02.37.904	1	02.37.204	906 460 1700
	**Lenkschloss** **Steering lock** Type W 638, 638/2, 901 - 905, 909 Details Airbag: not for driver airbag  02.42.119 02.42.349	1	02.37.213	901 460 0104
	**Lenkspindel** **Steering spindle** Type W 901 - 904	1	02.37.211	901 460 1909
	**Lenkstange** **Centre rod assembly** Type W 309, 310, 313, 601, 602, 611 Details Fitting position: front axle right; Length: 486 mm	1	02.37.104	309 460 3105
	**Reparatursatz, Axialgelenk Spurstange** **Repair kit, tie rod axle joint** Type W 638, 638/2  02.37.042 02.37.086	1	02.37.150	638 460 0255 cpl.1
	**Reparatursatz, Axialgelenk Spurstange** **Repair kit, tie rod axle joint** Type W 639  02.37.081 02.37.083 02.37.084	1	02.37.085	639 460 0255 cpl.1

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Reparatursatz, Axialgelenk Spurstange **Repair kit, tie rod axle joint**	**1**	**02.37.149**	**901 460 0455** **cpl.1**	

Type W 901 - 904, 909





02.37.043 02.37.077

Reparatursatz, Axialgelenk Spurstange **Repair kit, tie rod axle joint**	**1**	**02.37.087**	**906 460 0055** **cpl.1**	

Type W 906





02.37.078 02.37.079 02.37.080

Reparatursatz, Lenkgetriebe **Repair kit, steering gear**	**1**	**02.37.999**	**901 460 4100** **n.cpl.1**	

Type W 901 - 904

Details Thread size: M12 x 1



02.37.199

Reparatursatz, Lenkgetriebe **Repair kit, steering gear**	**1**	**02.37.998**	**901 460 4100** **n.cpl.3**	

Type W 901 - 904

Details Thread size: 7/16“ - 20 UNF



02.37.199

Reparatursatz, Lenkgetriebe **Repair kit, steering gear**	**1**	**02.37.904**	**906 460 0600** **n.cpl.1**	

Type W 906, 907, 910

Details Thread size: M12 x 1



02.37.204

Riemenscheibe, Servopumpe **Pulley, power steering pump**	**1**	**02.19.256**	**611 230 0115**	

Type W 638, 638/2, 639, 901 - 906, 909

Details Material: steel





02.37.101

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spurstange** **Rod assembly** Type W 601, 602, 611 Details Fitting position: front axle middle  02.37.046 02.37.047	**1**	**02.37.088**	**602 330 0903**
	**Spurstange** **Rod assembly** Type W 631 Details Fitting position: front axle middle  02.37.219	**1**	**02.31.157**	**631 330 0603**
	**Spurstange** **Rod assembly** Type W 638, 638/2 Details Fitting position: front axle left and right  02.37.051	**1**	**02.37.050**	**638 460 0205**
	**Spurstange** **Rod assembly** Type W 901 - 904, 909 Details Fitting position: front axle left and right  02.37.043 02.37.103 02.37.199	**1**	**02.37.049**	**901 460 0205**
	**Spurstangenkopf** **Tie rod end** Type W 309, 310, 601, 602, 611 Details Fitting position: front axle right  02.37.057	**1**	**02.37.057**	**000 460 8548**
	**Spurstangenkopf** **Tie rod end** Type W 309, 310, 601, 602, 611, 667 Details Fitting position: front axle left  02.37.056	**1**	**02.37.057**	**000 460 8648**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Spurstangenkopf **Tie rod end**	**1**	**02.37.209**	**415 460 0005**	

Type W 415

Details Fitting position: front axle left; Thread type: with right-hand thread





02.37.210 02.37.223

Spurstangenkopf **Tie rod end**	**1**	**02.37.210**	**415 460 0105**	

Type W 415

Details Fitting position: front axle right; Thread type: with right-hand thread





02.37.209 02.37.223

Spurstangenkopf **Tie rod end**	**1**	**02.37.090**	**602 330 5835**	

Type W 601, 602, 611

Details Fitting position: front axle left; Thread type: with right-hand thread





02.37.089

Spurstangenkopf **Tie rod end**	**1**	**02.37.089**	**602 330 5735**	

Type W 601, 602, 611

Details Fitting position: front axle right; Thread type: with left-hand thread






02.37.090

Spurstangenkopf **Tie rod end**	**1**	**02.37.046**	**601 330 0435**	

Type W 601, 602, 611, 667

Details Fitting position: front axle left; Thread type: with right-hand thread






02.37.047 02.37.088

Spurstangenkopf **Tie rod end**	**1**	**02.37.047**	**601 330 0535**	

Type W 601, 602, 611, 667

Details Fitting position: front axle left; Thread type: with left-hand thread





02.37.046 02.37.088

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spurstangenkopf** **Tie rod end** Type W 631 Details Fitting position: front axle right; Thread type: with right-hand thread  02.37.065 02.31.157	**1**	**02.37.219**	**001 330 4835**
	**Spurstangenkopf** **Tie rod end** Type W 631 Details Fitting position: front axle left; Thread size: M24 x 1,5; Thread type: with left-hand thread  02.37.066 02.37.219	**1**	**02.37.065**	**002 460 1948**
	**Spurstangenkopf** **Tie rod end** Type W 631 Details Fitting position: front axle right; Thread size: M24 x 1,5; Thread type: with right-hand thread  02.37.065	**1**	**02.37.066**	**002 460 1648**
	**Spurstangenkopf** **Tie rod end** Type W 631 Details Fitting position: front axle left; Thread type: with right-hand thread  02.31.153	**1**	**02.31.152**	**631 338 0310**
	**Spurstangenkopf** **Tie rod end** Type W 631 Details Fitting position: front axle right; Thread type: with right-hand thread  02.31.152	**1**	**02.31.153**	**631 338 0410**
	**Spurstangenkopf** **Tie rod end** Type W 631 Details Fitting position: front axle left and right; Thread type: with right-hand thread	**1**	**02.31.155**	**000 460 6548**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Spurstangenkopf **Tie rod end**	**1**	**02.37.051**	**638 460 0048**	

Type W 638, 638/2

Details Fitting position: front axle left and right; Thread type: with right-hand thread





02.37.050 02.37.086

Spurstangenkopf **Tie rod end**	**1**	**02.37.081**	**639 460 0448**

Type W 639

Details Fitting position: front axle left; Thread type: with right-hand thread





02.37.082 02.37.083 02.37.085 02.37.133 02.37.222

Spurstangenkopf **Tie rod end**	**1**	**02.37.082**	**639 460 0548**

Type W 639

Details Fitting position: front axle right; Thread type: with right-hand thread





02.37.081

Spurstangenkopf **Tie rod end**	**1**	**02.31.158**	**001 330 1235**

Type W 667 - 669, 672

Details Fitting position: front axle left; Thread size: M24 x 1,5;
Thread type: with right-hand thread





02.31.159

Spurstangenkopf **Tie rod end**	**1**	**02.31.159**	**000 330 1135**

Type W 667 - 669, 672

Details Fitting position: front axle right; Thread size: M24 x 1,5;
Thread type: with right-hand thread







02.31.158

Spurstangenkopf **Tie rod end**	**1**	**02.31.277**	**000 338 1610**

Type W 668 - 670, 672

Details Fitting position: front axle left and right; Thread size: M24 x 1,5;
Thread type: with right-hand thread



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spurstangenkopf** **Tie rod end** Type W 901 - 904 Details Fitting position: front axle left and right; Thread type: with right-hand thread  02.31.901 02.37.049 02.37.077 02.37.103 02.37.149 02.37.199	1	02.37.043	901 460 0148
	**Spurstangenkopf** **Tie rod end** Type W 906, 907, 910 Details Fitting position: front axle left and right; Thread type: with right-hand thread  02.31.906 02.37.078 02.37.087 02.37.204	1	02.37.079	906 460 0148
	**Wellendichtring, Servopumpe** **Shaft seal, power steering pump** Type W 601, 602, 611 Details Inner Ø: 19 mm; Outer Ø: 30 mm	50	02.67.066	013 997 5847
	**Deckel, Kraftstofffilter** **Cover, fuel filter** Type W 668 - 670 Details For fuel filter housing	1	01.14.056	000 092 4708
NEW 	**Filter, Kraftstoff-Fördereinheit** **Filter, fuel pump** Type W 638, 638/2, 901 - 904 Details Connector sleeve, flow divider  02.13.037	10	02.13.937	000 074 5986 n.cpl.1
OE 	**Filter, Kraftstoff-Fördereinheit** **Filter, fuel pump** Type W 638, 638/2, 901 - 904 Details Connector sleeve, flow divider  02.13.937	10	02.13.037	000 074 6086

37

38

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Fördermodul, Harnstoffeinspritzung **Delivery module, urea injection** Type W 906, 907, 910	1	02.38.083	002 470 6894	 NEW
Harnstofffilter **Urea filter** Type W 668 - 670 Details Equipment variant: AdBlue	1	01.16.107	000 142 0289	 NEW
Kraftstofffilter **Fuel filter** Type W 309, 310, 313, 668 - 670, 672	1	01.38.045	000 477 3815	
Kraftstofffilter **Fuel filter** Type W 414, 638, 638/2, 901 - 904	1	02.38.050	611 092 0101	
Kraftstofffilter **Fuel filter** Type W 414, 638, 638/2, 901 - 905	1	02.38.043	611 090 0852	
Kraftstofffilter **Fuel filter** Type W 414, 638/2	1	02.38.055	002 477 3801	 NEW


02.13.074

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kraftstofffilter** **Fuel filter** Type W 415	**1**	**02.38.056**	**607 090 0752**
	**Kraftstofffilter** **Fuel filter** Type W 447	**1**	**02.38.132**	**447 477 0000** **n.cpl.1**
	**Kraftstofffilter** **Fuel filter** Type W 447, 639, 906 Details Filter type: with water drain screw	**1**	**02.14.105**	**651 090 1552**
	**Kraftstofffilter** **Fuel filter** Type W 447, 639, 906, 907, 910	**1**	**02.14.104**	**651 090 0852**
	**Kraftstofffilter** **Fuel filter** Type W 447, 907, 910  02.17.106	**1**	**02.38.137**	**651 090 1952**
	**Kraftstofffilter** **Fuel filter** Type W 601, 602, 611, 638, 638/2, 667, 668, 670, 901 - 904 Details Number of oil bores: 6  02.14.099	**1**	**02.14.027**	**661 092 3101**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kraftstofffilter **Fuel filter** Type W 638, 638/2, 901 - 904	**1**	**08.14.003**	**002 477 2801**	
Kraftstofffilter **Fuel filter** Type W 639, 901 - 907, 909, 910  02.17.105	**1**	**02.38.045**	**646 092 0701**	
Kraftstofffilter **Fuel filter** Type W 639, 906, 907, 909, 910   02.17.107 02.19.007	**1**	**02.14.102**	**642 092 0301**	
Kraftstofffilter **Fuel filter** Type W 639, 906, 907, 910   02.17.106 02.19.007	**1**	**02.14.101**	**642 092 0201**	
Kraftstofffilter **Fuel filter** Type W 639, 906, 907, 910	**1**	**02.38.044**	**646 092 0501**	
Kraftstofffilter **Fuel filter** Type W 639, 906, 909	**1**	**02.14.100**	**642 090 5352**	

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kraftstofffilter** **Fuel filter** Type W 901 - 905	1	02.14.142	612 092 0001
	**Kraftstofffilter** **Fuel filter** Type W 906, 907, 910  02.17.108	1	02.14.103	642 092 0401
NEW 	**Kraftstofffilter** **Fuel filter** Type W 907, 910  02.19.007	1	02.38.064	651 090 2852
	**Kraftstofffilter** **Fuel filter** Type W 901 - 903	1	02.38.051	000 477 9115
	**Kraftstofffilter** **Fuel filter** Type W 904	1	02.14.003	000 477 9215
NEW 	**Kraftstofffilter** **Fuel filter** Type W 638, 638/2, 901 - 904 Details Filter type: pre-filter  02.14.027	1	02.14.099	601 092 0105

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Kraftstoffvorrat **Sender unit, fuel tank** Type W 669 Details Length: 460 mm	**1**	**01.42.013**	**008 542 8017**	
Ventil, Aktivkohlefilter **Valve, activated carbon filter** Type W 901 - 904	**1**	**02.38.134**	**000 470 8593**	
Ventil, Kraftstofffilter **Valve, fuel filter** Type W 414, 638, 638/2, 901 - 905	**1**	**02.13.074**	**611 078 0249**	
 02.38.050 **Abgasrohr** **Exhaust pipe** Type W 638	**1**	**02.39.087**	**638 490 3119**	
Abgasrohr **Exhaust pipe** Type W 901 - 903	**1**	**02.39.059**	**901 490 0121**	
Abgasrohr **Exhaust pipe** Type W 901 - 903	**1**	**02.39.070**	**901 490 2721**	

38

39

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Abgasrohr** **Exhaust pipe** Type W 901 - 904	**1**	**02.39.063**	**901 490 0519**
	**Abgasrohr** **Exhaust pipe** Type W 901 - 904	**1**	**02.39.074**	**901 490 4021**
	**Abgasrohr** **Exhaust pipe** Type W 901 - 904	**1**	**02.39.077**	**901 490 4519**
	**Abgasrohr** **Exhaust pipe** Type W 901 - 904	**1**	**02.39.085**	**904 490 1421**
	**Abgasrohr** **Exhaust pipe** Type W 903	**1**	**02.39.071**	**901 490 3121**
	**Anschlagpuffer, Schalldämpfer** **Rubber buffer, silencer** Type W 309, 310, 313	**10**	**02.39.057**	**001 987 5340**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtring, Abgasrohr **Seal ring, exhaust pipe** Type W 638, 638/2	**10**	**02.39.002**	**202 492 0381**	
Dichtring, Abgasrohr **Seal ring, exhaust pipe** Type W 638, 638/2, 906	**10**	**02.39.014**	**202 492 0181**	
Dichtung, Abgasrohr **Gasket, exhaust pipe** Type W 309, 601, 602, 611	**10**	**02.39.008**	**123 492 0380**	
Halter, Abgasanlage **Holder, exhaust system** Type W 309, 310	**10**	**02.39.010**	**107 492 0340**	
Halter, Abgasanlage **Holder, exhaust system** Type W 601, 602, 611, 631, 667 - 670	**50**	**02.39.032**	**381 492 0082**	
Halter, Abgasanlage **Holder, exhaust system** Type W 601, 611	**1**	**02.43.145**	**123 492 0227** **cpl.1**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Halter, Abgasanlage** **Holder, exhaust system** Type W 638, 638/2	50	02.39.016	202 492 0444
	**Halter, Abgasanlage** **Holder, exhaust system** Type W 639, 901 - 906	10	02.39.042	901 492 0044
	**Haltering, Schalldämpfer** **Clamp, silencer** Type W 601, 602, 611	50	02.39.004	124 492 0044
	**Mutter, Abgaskrümmer** **Nut, exhaust manifold** Type W 414, 447, 601, 602, 611, 638, 638/2, 639, 667, 668, 670, 901 - 906, 909 Details Thread size: M8 x 1,25	50	02.16.047	120 142 0072
	**Mutter, Abgaskrümmer** **Nut, exhaust manifold** Type W 639 Details Thread size: M6	50	02.16.021	112 142 0072
	**Mutter, Abgaskrümmer** **Nut, exhaust manifold** Type W 906 Details Thread size: M7	50	02.16.046	271 142 0072

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ausgleichsbehälter, Kühlmittel **Expansion tank, coolant**	**1**	**02.40.300**	**906 501 0503**	

Type W 906


02.19.332 02.40.219 07.40.090

Ausgleichsbehälter, Kühlmittel **Expansion tank, coolant**	**1**	**07.40.090**	**906 501 0503** **cpl.1**	

Type W 906


02.19.332 02.40.300

Ausgleichsbehälter, Kühlmittel **Expansion tank, coolant**	**1**	**02.40.323**	**169 500 0149**	

Type W 906, 909

Kühler, Motorkühlung **Radiator, engine cooling**	**1**	**02.40.277**	**601 500 8403**	

Type W 601, 602, 611

Details Length: 475 mm; Width: 500 mm; Height: 33 mm;
Vehicle equipment: for vehicles with air conditioning, for vehicles without air conditioning

Kühler, Motorkühlung **Radiator, engine cooling**	**1**	**02.40.206**	**639 501 1201**	

Type W 639

Details Transmission type: for automatic transmission; Length: 650 mm; Width: 398 mm; Height: 32 mm; Vehicle equipment: for vehicles with air conditioning, for vehicles without air conditioning

Kühler, Motorkühlung **Radiator, engine cooling**	**1**	**02.40.283**	**901 500 1800**	

Type W 901 - 904

Details Transmission type: manual transmission; Length: 570 mm; Width: 400 mm; Height: 32 mm; Vehicle equipment: for vehicles without air conditioning

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kühler, Motorkühlung** **Radiator, engine cooling**	**1**	**02.40.171**	**901 500 3300**
	Type W 901 - 904 Details Transmission type: manual transmission; Length: 680 mm; Width: 408 mm; Height: 42 mm; Vehicle equipment: for vehicles with air conditioning			
	**Kühler, Motorkühlung** **Radiator, engine cooling**	**1**	**02.40.172**	**901 500 3400**
	Type W 901 - 904 Details Transmission type: for manual transmission, for automatic transmission; Length: 680 mm; Width: 408 mm; Height: 42 mm; Vehicle equipment: for vehicles with air conditioning, for vehicles without air conditioning			
	**Kühler, Motorkühlung** **Radiator, engine cooling**	**1**	**02.40.286**	**901 500 3800**
	Type W 901 - 905 Details Transmission type: for automatic transmission; Length: 680 mm; Width: 410 mm; Height: 42 mm; Vehicle equipment: for vehicles with air conditioning			
	**Kühler, Motorkühlung** **Radiator, engine cooling**	**1**	**02.40.173**	**901 500 3500**
	Type W 901 - 905, 909 Details Transmission type: manual transmission; Length: 650 mm; Width: 396 mm; Height: 32 mm; Vehicle equipment: for vehicles with air conditioning			
	**Kühler, Motorkühlung** **Radiator, engine cooling**	**1**	**02.40.198**	**906 500 0002**
	Type W 906, 907, 910 Details Transmission type: for manual transmission; Length: 680 mm; Width: 400 mm; Height: 26 mm; Vehicle equipment: for vehicles without air conditioning			
	**Kühler, Motorkühlung** **Radiator, engine cooling**	**1**	**02.40.195**	**906 500 0302**
	Type W 906, 907, 910 Details Transmission type: for automatic transmission; Length: 680 mm; Width: 410 mm; Height: 28 mm; Vehicle equipment: for vehicles with air conditioning, for vehicles without air conditioning			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kühlerschlauch **Radiator hose**	**1**	**02.19.088**	**111 203 0282**	
Type W 638, 638/2, 901 - 904				
Kühlerschlauch **Radiator hose**	**1**	**02.19.246**	**112 203 0382**	
Type W 639				
Kühlerschlauch **Radiator hose**	**1**	**02.40.069**	**601 501 2682**	
Type W 601, 602, 611				
Kühlerschlauch **Radiator hose**	**1**	**02.40.070**	**601 501 2982**	
Type W 601, 602, 611				
Kühlerschlauch **Radiator hose**	**1**	**02.40.071**	**601 501 3782**	
Type W 611				
Kühlerschlauch **Radiator hose**	**1**	**02.40.072**	**601 501 4582**	
Type W 601, 602, 611				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kühlerschlauch** **Radiator hose** Type W 639, 901 - 905	**1**	**02.19.296**	**611 203 0482**
	**Kühlerschlauch** **Radiator hose** Type W 638, 638/2, 901 - 905	**1**	**02.19.297**	**611 203 0582**
	**Kühlerschlauch** **Radiator hose** Type W 901 - 904	**1**	**02.40.125**	**901 501 1182**
	**Kühlerschlauch** **Radiator hose** Type W 901 - 904	**1**	**02.40.126**	**901 501 1582**
	**Kühlerschlauch** **Radiator hose** Type W 901 - 904	**1**	**02.40.127**	**901 501 1882**
	**Kühlerschlauch** **Radiator hose** Type W 901 - 903, 905, 909	**1**	**02.40.128**	**901 501 2582**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kühlerschlauch **Radiator hose** Type W 901 - 905	**1**	**02.40.129**	**901 501 2682**	
Kühlerschlauch **Radiator hose** Type W 901 - 905	**1**	**02.40.130**	**901 501 2782**	
Kühlerschlauch **Radiator hose** Type W 906	**1**	**02.40.044**	**906 501 0182**	 NEW
Kühlerschlauch **Radiator hose** Type W 906	**1**	**02.40.051**	**906 501 0482**	
Kühlerschlauch **Radiator hose** Type W 906	**1**	**02.40.059**	**906 501 0582**	 NEW
Kühlerschlauch **Radiator hose** Type W 906	**1**	**02.40.067**	**906 501 0682**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kühlerschlauch** **Radiator hose** Type W 906	**1**	**02.40.079**	**906 501 0782**
NEW 	**Kühlerschlauch** **Radiator hose** Type W 906, 907, 910	**1**	**02.40.181**	**906 501 1482**
	**Kühlerschlauch** **Radiator hose** Type W 906	**1**	**02.40.249**	**906 501 2482**
NEW 	**Kühlerschlauch** **Radiator hose** Type W 906, 907, 910	**1**	**02.40.250**	**906 501 2982**
NEW 	**Kühlerschlauch** **Radiator hose** Type W 906, 907, 910	**1**	**02.40.254**	**906 501 3682**
	**Ladeluftkühler** **Intercooler, charger** Type W 638, 638/2 Details Length: 290 mm; Width: 280 mm; Height: 50 mm	**1**	**02.40.275**	**638 501 2901**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ladeluftkühler **Intercooler, charger**	**1**	**02.40.273**	**639 501 0201**	

Type W 639

Details Length: 633 mm; Width: 133 mm; Height: 50 mm



Ladeluftkühler **Intercooler, charger**	**1**	**02.40.272**	**639 501 0301**	

Type W 639

Details Length: 633 mm; Width: 158 mm; Height: 50 mm



Ladeluftkühler **Intercooler, charger**	**1**	**02.40.274**	**639 501 0801**	

Type W 639


Details Length: 633 mm; Width: 158 mm; Height: 64 mm



Ladeluftkühler **Intercooler, charger**	**1**	**02.40.169**	**901 501 0701**	

Type W 901 - 905

Details Length: 718 mm; Width: 254 mm; Height: 30 mm



Ladeluftkühler **Intercooler, charger**	**1**	**02.40.235**	**906 501 0101**	

Type W 906

Details Length: 640 mm; Width: 205 mm; Height: 64 mm




Ladeluftkühler **Intercooler, charger**	**1**	**02.40.258**	**906 501 0201**	

Type W 906, 907, 910

Details Length: 640 mm; Width: 205 mm; Height: 62 mm




ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lüfter, Klimakondensator** **Fan, a/c condenser** Type W 901 - 905, 909 Details Rated power: 140 W; Outer Ø: 410 mm	1	02.40.180	000 500 7193
	**Lüfterhaube** **Cowling, radiator fan** Type W 901 - 903, 905, 909	1	02.40.299	901 505 1655
	**Lüfterhaube** **Cowling, radiator fan** Type W 906, 907, 910 Details Number of cylinders: 4	1	02.40.303	906 505 0855
	**Lüfterhaube** **Cowling, radiator fan** Type W 906, 907, 910 Details Number of cylinders: 6	1	02.40.304	906 505 0955
	**Verschlussdeckel, Kühlmittelbehälter** **Sealing cap, coolant tank** Type W 447, 907, 909, 910 Details Opening pressure: 2,0 bar	1	02.40.119	210 501 0715
NEW 	**Verschlussdeckel, Kühlmittelbehälter** **Sealing cap, coolant tank** Type W 638, 638/2 Details Opening pressure: 1,2 bar	5	02.40.204	123 501 1715

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Verschlussdeckel, Kühlmittelbehälter **Sealing cap, coolant tank** Type W 638, 638/2, 667 - 670 Details Opening pressure: 1,4 bar	**5**	**02.40.074**	**124 500 0406**	
Verschlussdeckel, Kühlmittelbehälter **Sealing cap, coolant tank** Type W 639, 906 Details Opening pressure: 1,4 bar  02.40.300 07.40.090	**1**	**02.19.332**	**906 501 0015**	
Anzeige, Bremsdruck **Gauge, brake pressure** Type W 309, 310, 313, 667 - 670  01.42.108	**1**	**01.42.107**	**001 542 4208**	OE 
Anzeige, Kraftstoffvorrat **Fuel gauge** Type W 309, 310, 313, 667 - 670  01.42.108	**1**	**01.42.106**	**002 542 8503**	
Anzeige, Kühlmitteltemperatur **Gauge, coolant temperature** Type W 309, 310, 313, 667 - 670  01.42.108	**1**	**01.42.104**	**003 542 7405**	
Anzeige, Öldruck **Gauge, oil pressure** Type W 309, 310, 313, 667 - 670  01.42.108	**1**	**01.42.105**	**002 542 1702**	

40

42

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kombi-Instrument** **Instrument cluster** Type W 309, 310, 313, 667 - 670  01.42.104 01.42.105 01.42.106 01.42.107	**1**	**01.42.108**	**003 540 6047**
	**Bremslichtschalter** **Brake light switch** Type W 309, 310, 631, 638, 638/2, 667 - 670, 901 - 904 Details Number of connectors: 2	**1**	**01.42.011**	**000 545 6909**
	**Bremslichtschalter** **Brake light switch** Type W 310, 313 Details Number of connectors: 2	**1**	**01.42.040**	**000 545 5909**
	**Bremslichtschalter** **Brake light switch** Type W 414, 638, 638/2, 639, 901 - 905 Details Number of connectors: 4	**1**	**02.42.271**	**001 545 3809**
	**Bremslichtschalter** **Brake light switch** Type W 414, 638, 638/2, 639, 901 - 906, 909 Details Number of connectors: 4	**1**	**02.42.270**	**001 545 2009**
	**Bremslichtschalter** **Brake light switch** Type W 638/2 Details Number of connectors: 4	**1**	**02.42.268**	**001 545 0109**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Bremslichtschalter **Brake light switch** Type W 639, 901 - 905 Details Number of connectors: 6	**1**	**02.42.269**	**001 545 6409**	
Bremslichtschalter **Brake light switch** Type W 639, 906 Details Number of connectors: 4	**1**	**02.42.278**	**001 545 4409**	
Bremslichtschalter **Brake light switch** Type W 447, 639, 906, 909 Details Number of connectors: 4	**1**	**02.42.002**	**001 545 6309**	
Bremslichtschalter **Brake light switch** Type W 901 - 904 Details Number of connectors: 4	**1**	**02.42.320**	**000 545 9809**	
Bremslichtschalter **Brake light switch** Type W 901 - 904 Details Number of connectors: 2	**1**	**01.42.039**	**001 545 2709**	
Bremslichtschalter **Brake light switch** Type W 309 Details Number of connectors: 2	**1**	**01.42.061**	**000 545 6109**	

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lampenfassung** **Bulb socket** Type W 310, 313  01.42.051	**10**	**01.42.012**	**000 545 1219**
	**Lampenfassung** **Bulb socket** Type W 310, 313  01.42.085 01.42.090	**10**	**01.42.087**	**000 545 1630**
	**Lampenfassung** **Bulb socket** Type W 310, 313  01.42.012	**10**	**01.42.051**	**000 545 2319**
	**Lampenfassung** **Bulb socket** Type W 310, 313  01.42.085 01.42.087	**10**	**01.42.090**	**001 545 0615** **cpl.1**
	**Lampenfassung** **Bulb socket** Type W 310, 313  01.42.087 01.42.090	**10**	**01.42.085**	**001 545 1815**
	**Lenkstockschalter** **Steering column switch** Type W 414	**1**	**02.42.273**	**168 545 0110**

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Lenkstockschalter **Steering column switch**	**1**	**02.42.267**	**005 545 7424**	
Type W 601, 602, 611				
Lenkstockschalter **Steering column switch**	**1**	**02.42.266**	**006 545 7824**	
Type W 601, 602, 611				
Lenkstockschalter **Steering column switch**	**1**	**02.42.085**	**001 540 4645**	
Type W 638, 638/2, 901 - 904 Details Combi switch function: with park light function				
Lenkstockschalter **Steering column switch**	**1**	**02.42.313**	**001 540 4945**	
Type W 638, 638/2, 901 - 904				
Lenkstockschalter **Steering column switch**	**1**	**02.42.097**	**001 540 4745**	
Type W 638, 901 - 905 Details Combi switch function: without park light function				
Lenkstockschalter **Steering column switch**	**1**	**02.42.098**	**639 545 0124**	
Type W 639				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lenkstockschalter** **Steering column switch** Type W 667 - 670	1	01.42.095	673 540 0445
	**Lenkstockschalter** **Steering column switch** Type W 906	1	02.42.099	906 545 0310
	**Multifunktionsrelais** **Multifunctional relay** Type W 447 Details Voltage: 12 V; Rated current: 40 A	1	07.42.064	000 542 9719
	**Multifunktionsrelais** **Multifunctional relay** Type W 447, 638, 638/2, 639, 901 - 906, 909 Details Voltage: 12 V; Rated current: 20 A	1	02.42.272	004 545 2905
	**Multifunktionsrelais** **Multifunctional relay** Type W 638, 639, 906, 907, 910 Details Voltage: 12 V; Rated current: 40 A	1	02.42.280	002 542 7419
	**Relais, ABS** **Relay, abs** Type W 667	1	02.42.090	001 542 6719

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Relais, ABS **Relay, abs** Type W 669, 670	1	02.42.032	201 540 3745	
Relais, Arbeitsstrom **Relay, main current** Type W 447, 638, 638/2, 639, 901 - 907, 909, 910	1	02.42.400	002 542 2619	
Relais, Arbeitsstrom **Relay, main current** Type W 638	1	02.42.401	002 542 8819	
Relais, Kühlerlüfternachlauf **Relay, radiator fan castor** Type W 414	1	02.58.383	025 545 3232	
Relais, Niveauregulierung **Relay, leveling control** Type W 414 Details Voltage: 12 V	1	02.42.353	002 542 2319	
 02.30.143				
Relais, Startsperrung **Relay, immobilizer** Type W 601, 602, 611, 667, 903	1	02.42.264	000 545 4906	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Reparatursatz, Kabelsatz** **Repair set, harness** Type W 906 Details Chassis number to: 30.06.2006; Fitting position: lower right; Vehicle equipment: for vehicles with sliding door; Number of links: 34 02.42.111	**1**	**02.42.314**	**906 820 1069**
	**Reparatursatz, Kabelsatz** **Repair set, harness** Type W 906 Details Chassis number from: 30.06.2006; Fitting position: lower left; Vehicle equipment: for vehicles with sliding door; Number of links: 40	**1**	**02.42.107**	**906 820 3369**
NEW 	**Reparatursatz, Kabelsatz** **Repair set, harness** Type W 906 Details Chassis number to: 30.06.2006; Fitting position: lower left; Vehicle equipment: for vehicles with sliding door; Number of links: 34	**1**	**02.42.106**	**906 820 3769**
NEW 	**Reparatursatz, Kabelsatz** **Repair set, harness** Type W 906 Details Chassis number from: 30.06.2006; Fitting position: lower right; Vehicle equipment: for vehicles with sliding door; Number of links: 40 02.42.314	**1**	**02.42.111**	**906 820 4169**
	**Schalter, Fensterheber** **Switch, window regulator** Type W 639 Details Fitting position: passenger side	**1**	**02.42.341**	**639 545 0613**
	**Schalter, Fensterheber** **Switch, window regulator** Type W 639 Details Fitting position: driver side	**1**	**02.42.339**	**639 545 0913**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schalter, Fensterheber **Switch, window regulator**	**1**	**02.42.113**	**906 545 0213**	

Type W 906

Details Fitting position: driver side; Left-/right-hand drive vehicles: for left-hand drive vehicles

Schalter, Fensterheber **Switch, window regulator**	**1**	**02.42.115**	**906 545 1513**	

Type W 906

Details Fitting position: driver side; Left-/right-hand drive vehicles: for right-hand drive vehicles

NEW

Schalter, Innenraumleuchte **Switch, interior light**	**1**	**01.42.003**	**000 545 9111**	

Type W 310, 313

Schalter, Kupplungsbetätigung (Motorsteuerung) **Switch, clutch control (engine timing)**	**1**	**02.42.281**	**006 545 1014**	

Type W 414, 638, 638/2, 639, 901 - 907, 909, 910

Details Number of connectors: 2

Schalter, Rückfahrleuchte **Switch, reverse light**	**1**	**01.42.059**	**000 545 8714**	

Type W 310, 313

Details Thread size: M24 x 1; Number of connectors: 2

NEW

Schalter, Rückfahrleuchte **Switch, reverse light**	**1**	**01.42.075**	**001 545 1209**	

Type W 310, 313, 638, 638/2

Details Thread size 1: M12 x 1; Thread size 2: M27 x 1; Number of connectors: 2

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Schlüssel** **Key** Type W 309, 310, 313  01.42.001	**10**	**01.42.002**	**000 545 1235**
	**Sensor, Außentemperatur** **Sensor, exterior temperature** Type W 414, 447, 639, 906	**1**	**02.42.001**	**007 542 1318**
	**Sensor, Einparkhilfe** **Sensor, parking assist** Type W 414, 639, 901 - 904	**1**	**02.42.345**	**004 542 8718**
	**Sensor, Einparkhilfe** **Sensor, parking assist** Type W 638, 638/2	**1**	**02.42.346**	**001 542 5918**
	**Sensor, Einparkhilfe** **Sensor, parking assist** Type W 639, 906	**1**	**02.42.056**	**212 542 0018**
	**Sensor, Einparkhilfe** **Sensor, parking assist** Type W 639, 906	**1**	**02.42.057**	**221 542 0417**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Geschwindigkeit/Drehzahl **Sensor, speed / rpm**	**1**	**01.42.137**	**015 542 2417**	

Type W 668 - 670

Details Thread size: M18 x 1,5



NEW

Sensor, Kühlmittelstand **Sensor, coolant level**	**1**	**02.40.219**	**220 545 0024**	

Type W 414, 639, 906





02.40.300

Sensor, Kühlmitteltemperatur **Sensor, coolant temperature**	**1**	**01.42.009**	**001 542 2317**	

Type W 309, 310, 668 - 670



Sensor, Kühlmitteltemperatur **Sensor, coolant temperature**	**1**	**02.42.005**	**005 542 2617**	

Type W 309, 601, 602, 611, 631, 638, 638/2, 667, 668, 670, 901 - 904



Sensor, Kühlmitteltemperatur **Sensor, coolant temperature**	**1**	**02.19.238**	**099 905 3800**	

Type W 414, 638, 638/2, 639, 901 - 906, 909





02.19.218 02.19.278 02.19.316

Sensor, Kühlmitteltemperatur **Sensor, coolant temperature**	**1**	**02.17.037**	**005 153 2328**	

Type W 447, 638, 638/2, 639, 667, 668, 670, 901 - 906, 909



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Kühlmitteltemperatur** **Sensor, coolant temperature** Type W 601, 602, 611, 631, 667	**1**	**02.42.324**	**005 545 0324**
	**Sensor, Kühlmitteltemperatur** **Sensor, coolant temperature** Type W 638, 638/2, 901 - 904	**1**	**02.42.318**	**008 542 5617**
	**Sensor, Kühlmitteltemperatur** **Sensor, coolant temperature** Type W 638, 638/2, 901 - 904	**1**	**02.42.399**	**011 542 5117**
NEW 	**Sensor, Kühlmitteltemperatur** **Sensor, coolant temperature** Type W 638/2	**1**	**07.42.077**	**013 542 7817**
	**Sensor, Kühlmitteltemperatur** **Sensor, coolant temperature** Type W 668 - 670	**1**	**01.17.069**	**004 153 2528**
NEW 	**Sensor, Kühlmitteltemperatur** **Sensor, coolant temperature** Type W 668 - 670	**1**	**01.17.070**	**004 153 4228**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Kühlmitteltemperatur **Sensor, coolant temperature**	**1**	**02.42.029**	**009 542 3517**	

Type W 901 - 904



Sensor, Kühlmitteltemperatur **Sensor, coolant temperature**	**1**	**02.42.068**	**000 905 0600**	

Type W 447, 639, 906



Sensor, Raddrehzahl **Sensor, wheel speed**	**1**	**02.42.386**	**168 540 0017**	

Type W 414

Details Fitting position: front axle left



02.42.387



NEW

Sensor, Raddrehzahl **Sensor, wheel speed**	**1**	**02.42.387**	**168 540 0117**	

Type W 414

Details Fitting position: front axle right



02.42.386



NEW

Sensor, Raddrehzahl **Sensor, wheel speed**	**1**	**02.42.321**	**638 542 0217**	

Type W 638, 638/2

Details Fitting position: front and rear



Sensor, Raddrehzahl **Sensor, wheel speed**	**1**	**02.42.312**	**901 542 1117**	

Type W 901 - 905

Details Fitting position: rear axle left and right



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 901 - 905 Details Fitting position: front axle left and right	**1**	**02.42.309**	**901 542 1717**
 NEW	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 906 Details Fitting position: front axle left and right	**1**	**02.42.063**	**906 540 4017**
 NEW	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 906 Details Fitting position: front axle left and right; Drive type: all-wheel drive	**1**	**02.42.059**	**906 540 0417**
 NEW  02.42.061	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 906, 907, 910 Details Fitting position: rear axle left	**1**	**02.42.060**	**906 540 1117**
 NEW  02.42.060	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 906, 907, 910 Details Fitting position: rear axle right	**1**	**02.42.061**	**906 540 1217**
  02.42.058	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 906, 907, 910 Details Fitting position: rear axle left	**1**	**02.42.310**	**906 540 0117**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Sensor, Raddrehzahl **Sensor, wheel speed** Type W 906, 907, 910 Details Fitting position: rear axle right  02.42.310	**1**	**02.42.058**	**906 540 0217**	
Sensor, Raddrehzahl **Sensor, wheel speed** Type W 906, 907, 910 Details Fitting position: front axle left and right	**1**	**02.42.311**	**906 540 0317**	
Sensor, Raddrehzahl **Sensor, wheel speed** Type W 906, 909 Details Fitting position: rear axle left  02.42.067	**1**	**02.42.066**	**906 540 4317**	 NEW
Sensor, Raddrehzahl **Sensor, wheel speed** Type W 906, 909 Details Fitting position: rear axle left  02.42.065	**1**	**02.42.064**	**906 540 4117**	 NEW
Sensor, Raddrehzahl **Sensor, wheel speed** Type W 906, 909 Details Fitting position: rear axle right  02.42.066	**1**	**02.42.067**	**906 540 4417**	 NEW
Sensor, Raddrehzahl **Sensor, wheel speed** Type W 906, 909 Details Fitting position: rear axle right  02.42.064	**1**	**02.42.065**	**906 540 4217**	 NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sensor, Raddrehzahl** **Sensor, wheel speed** Type W 906, 909 Details Fitting position: front axle left and right	1	02.42.062	906 540 3917
	**Sensor, Xenonlicht (Leuchtweiteregulierung)** **Sensor, xenon light (headlight range adjustment)** Type W 639 Details Headlight range adjustment	1	02.42.332	010 542 7617
	**Warnblinkschalter** **Hazard light switch** Type W 309, 310, 313 Details Number of connectors: 10	1	01.42.060	004 545 0224
	**Warnblinkschalter** **Hazard light switch** Type W 310, 313 Details Number of connectors: 8	1	01.42.021	002 545 7124
	**Warnblinkschalter** **Hazard light switch** Type W 601, 602, 611, 667 - 670, 672 Details Number of connectors: 8	1	01.42.020	005 545 9224
	**Wischerschalter** **Wiper switch** Type W 310, 313 Details Number of connectors: 3	1	01.42.005	000 545 9211

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wischerschalter **Wiper switch**	**1**	**01.42.004**	**000 545 9311**	

Type W 310, 313

Details Number of connectors: 4



Zünd-/Startschalter **Ignition-/starter switch**	**1**	**01.42.001**	**000 545 3013**	

Type W 309, 310, 313

Details Number of connectors: 6





01.42.002

Zünd-/Startschalter **Ignition-/starter switch**	**1**	**01.42.010**	**000 545 6314**	

Type W 310, 313

Details Number of connectors: 2



Zünd-/Startschalter **Ignition-/starter switch**	**1**	**01.42.045**	**001 545 4914**	

Type W 310, 313

Details Number of connectors: 2



Zünd-/Startschalter **Ignition-/starter switch**	**1**	**02.42.119**	**000 545 8108**	

Type W 638, 901 - 905

Details Vehicle equipment: for vehicles without airbag





02.37.213

Zünd-/Startschalter **Ignition-/starter switch**	**1**	**02.42.349**	**000 545 8808**	



Type W 638, 901 - 905

Details Vehicle equipment: for vehicles with airbag





02.37.213

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Zünd-/Startschalter** **Ignition-/starter switch** Type W 670 Details Number of connectors: 6	1	01.42.152	667 545 0013
	**Abdeckung, Griffmulde** **Cover, handle recess** Type W 906 Details Equipment variant: with keyhole  02.53.087 02.54.011	1	02.54.065	906 760 0005 n.cpl.
	**Abdeckung, Griffmulde** **Cover, handle recess** Type W 906  02.53.087 02.54.011	1	02.54.064	906 760 0120
	**Anschlagpuffer, Fahrerhaus** **Rubber buffer, driver cab** Type W 906 Details Fitting position: upper right	1	02.54.059	906 766 0262
	**Außenspiegel** **Outside mirror** Type W 638 Details Fitting position: left; Operation mode: electric  02.57.027 02.57.034	1	02.57.025	638 810 0616
	**Außenspiegel** **Outside mirror** Type W 638 Details Fitting position: right; Operation mode: electric  02.57.025 02.57.034	1	02.57.027	638 810 0716

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Außenspiegel **Outside mirror** Type W 639 Details Fitting position: left	**1**	**02.57.152**	**639 810 0116**	
Außenspiegel **Outside mirror** Type W 639 Details Fitting position: right	**1**	**02.57.153**	**639 810 0216**	
Außenspiegel **Outside mirror** Type W 639 Details Fitting position: left	**1**	**02.57.154**	**639 810 9816**	
Außenspiegel **Outside mirror** Type W 639 Details Fitting position: right	**1**	**02.57.155**	**639 810 9916**	
Außenspiegel **Outside mirror** Type W 901 - 903 Details Fitting position: right	**1**	**02.57.052**	**901 810 6116**	
Außenspiegel **Outside mirror** Type W 901 - 905 Details Fitting position: left	**1**	**02.57.020**	**901 810 0116**	

02.57.153 02.57.156

02.57.152 02.57.157




02.57.155 02.57.156

02.57.154 02.57.157

02.57.020

02.57.022 02.57.028

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Außenspiegel** **Outside mirror** Type W 901 - 904 Details Fitting position: right  02.57.020 02.57.029	**1**	**02.57.022**	**901 810 0216**
	**Außenspiegel** **Outside mirror** Type W 901 - 905 Details Fitting position: left; Operating mode: electric  02.57.023 02.57.030	**1**	**02.57.023**	**901 810 1016**
	**Außenspiegel** **Outside mirror** Type W 901 - 905 Details Fitting position: right; Operating mode: electric  02.57.021 02.57.031	**1**	**02.57.023**	**901 810 1016**
OE 	**Außenspiegel** **Outside mirror** Type W 906 Details Fitting position: left; Equipment variant: heated  02.57.087 02.57.102 02.57.104 02.58.363	**1**	**02.57.015**	**906 810 4816**
OE 	**Außenspiegel** **Outside mirror** Type W 906 Details Fitting position: right; Equipment variant: heated  02.57.015 02.57.150 02.57.151 02.58.364	**1**	**02.57.087**	**906 810 4916**
OE 	**Außenspiegel** **Outside mirror** Type W 906 Details Fitting position: left; Equipment variant: heated  02.57.088 02.57.103 02.57.104 02.58.363	**1**	**02.57.016**	**906 810 6016**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Außenspiegel **Outside mirror**	**1**	**02.57.088**	**906 810 6116**	

Type W 906

Details Fitting position: right; Equipment variant: heated



02.57.016 02.57.149 02.57.151 02.58.364

Außenspiegel, Fahrerhaus **Outside mirror, driver cab**	**1**	**01.57.002**	**314 811 0330**	

Type W 667 - 670

Details Fitting position: left and right

Einstiegleiste **Inner door-sill**	**1**	**02.53.161**	**901 766 0119**	

Type W 901 - 904




02.53.162

Elektromotor, Fensterheber **Electric motor, window regulator**	**1**	**02.58.395**	**006 820 1842**	

Type W 638, 638/2

Details Fitting position: left



02.53.187 02.58.396

Elektromotor, Fensterheber **Electric motor, window regulator**	**1**	**02.58.396**	**006 820 1942**	

Type W 638, 638/2

Details Fitting position: right



02.53.188 02.58.395



Elektromotor, Fensterheber **Electric motor, window regulator**	**1**	**02.58.390**	**005 820 2342**	

Type W 901 - 905


Details Fitting position: left



02.53.156 02.58.391

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Elektromotor, Fensterheber** **Electric motor, window regulator** Type W 901 - 905 Details Fitting position: right  02.53.157 02.58.390	1	02.58.391	005 820 2242
	**Fensterheber** **Window regulator** Type W 310, 313 Details Fitting position: left  01.43.111 01.53.008	1	01.53.007	322 725 0202
	**Fensterheber** **Window regulator** Type W 310, 313 Details Fitting position: right  01.43.111 01.53.007	1	01.53.008	322 725 0302
	**Fensterheber** **Window regulator** Type W 310, 313 Details Fitting position: left  01.43.111 01.53.040	1	01.53.039	381 725 0002
	**Fensterheber** **Window regulator** Type W 310, 313 Details Fitting position: right  01.43.111 01.53.039	1	01.53.040	381 725 0102
	**Fensterheber** **Window regulator** Type W 638, 638/2 Details Fitting position: left front; Operating mode: electric  02.53.188 02.58.395	1	02.53.187	638 720 0046

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Fensterheber **Window regulator**	**1**	**02.53.188**	**638 720 0146**	

Type W 638, 638/2

Details Fitting position: right front; Operating mode: electric



02.53.187 02.58.396

Fensterheber **Window regulator**	**1**	**02.53.228**	**639 720 0446**	

Type W 639

Details Fitting position: left front; Operating mode: electric



02.53.189 02.53.229

Fensterheber **Window regulator**	**1**	**02.53.229**	**639 720 0546**	

Type W 639

Details Fitting position: right front; Operating mode: electric



02.53.190 02.53.228

Fensterheber **Window regulator**	**1**	**02.53.189**	**639 720 0446** **n.cpl.1**	

Type W 639, 668 - 670

Details Fitting position: left front; Operating mode: electric; without electric motor; for Brose motor; Model year from: 2010



02.53.190 02.53.228

Fensterheber **Window regulator**	**1**	**02.53.190**	**639 720 0546** **n.cpl.1**	



Type W 639, 668 - 670

Details Fitting position: right front; Operating mode: electric; without electric motor; for Brose motor; Model year from: 2010



02.53.189 02.53.229

Fensterheber **Window regulator**	**1**	**02.53.156**	**901 720 1146**	





Type W 901 - 905

Details Fitting position: left front; Operating mode: electric; with electric motor



02.53.157 02.58.390

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Fensterheber** **Window regulator** Type W 901 - 905 Details Fitting position: right front; Operating mode: electric  02.53.156 02.58.391	**1**	**02.53.157**	**901 720 1246**
	**Fensterheber** **Window regulator** Type W 901 - 905, 909 Details Fitting position: left front; Operating mode: manual  02.53.070	**1**	**02.53.069**	**901 720 1446**
	**Fensterheber** **Window regulator** Type W 901 - 905, 909 Details Fitting position: right front; Operating mode: manual  02.53.069	**1**	**02.53.070**	**901 720 1546**
	**Fensterheber** **Window regulator** Type W 906 Details Fitting position: left front; Operating mode: electric  02.53.159	**1**	**02.53.158**	**906 720 0046**
	**Fensterheber** **Window regulator** Type W 906 Details Fitting position: right front; Operating mode: electric  02.53.158	**1**	**02.53.159**	**906 720 0146**
	**Fensterkurbel** **Window crank** Type W 310, 313  01.53.007 01.53.008 01.53.039 01.53.040	**1**	**01.43.111**	**381 725 0060** **cpl.1**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Fensterkurbel **Window crank** Type W 901 - 904	**1**	**01.53.087**	**941 760 0102**	
Fensterkurbel **Window crank** Type W 901 - 904	**1**	**07.54.016**	**973 760 0002** **5C38**	
Gleitstück **Slide** Type W 906 Details Fitting position: sliding door, lower right	**1**	**02.54.060**	**906 766 0161**	
Heckklappengriff **Tailgate handle** Type W 638, 638/2	**1**	**02.53.180**	**000 743 0372**	
Heckklappengriff **Tailgate handle** Type W 639 Details Colour: grey	**1**	**02.53.244**	**639 760 0161**	
Heckklappengriff **Tailgate handle** Type W 639	**1**	**02.53.233**	**639 760 0659**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Reparatursatz** **Repair kit** Type W 309, 310, 313 Details Fitting position: left  01.53.045	**1**	**01.53.044**	**381 725 0279**
	**Reparatursatz** **Repair kit** Type W 309, 310, 313 Details Fitting position: right  01.53.044	**1**	**01.53.045**	**381 725 0379**
 NEW	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 447 Details Fitting position: upper left  02.53.280	**1**	**02.53.281**	**447 760 0047**
 NEW	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 447 Details Fitting position: upper right  02.53.281	**1**	**02.53.280**	**447 760 0147**
 NEW	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 447 Details Fitting position: centre left  02.53.283	**1**	**02.53.282**	**447 760 0447**
 NEW	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 447 Details Fitting position: centre right  02.53.282	**1**	**02.53.283**	**447 760 0547**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.284**	**447 760 0647**	

Type W 447

Details Fitting position: lower left





02.53.285

NEW

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.285**	**447 760 0747**	

Type W 447

Details Fitting position: lower right





02.53.284

NEW

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.225**	**601 760 1847**	

Type W 601, 611

Details Fitting position: right



Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.177**	**638 760 0847**	

Type W 638, 638/2

Details Fitting position: centre, right





02.53.176 02.53.178

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.176**	**638 760 1247**	

Type W 638, 638/2

Details Fitting position: upper, right





02.53.177 02.53.178

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.178**	**638 760 1847**	

Type W 638, 638/2

Details Fitting position: right, lower





02.53.176 02.53.177

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.286**	**639 760 0000**
	Type W 639 Details Fitting position: upper left			
NEW	 02.53.287			
	Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.287**	**639 760 0100**
	Type W 639 Details Fitting position: upper right			
NEW	 02.53.286			
	Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.296**	**639 760 0500**
	Type W 639 Details Fitting position: lower right			
NEW				
	Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.290**	**639 760 0600**
	Type W 639 Details Fitting position: lower left			
NEW	 02.53.291			
	Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.291**	**639 760 0700**
	Type W 639 Details Fitting position: lower right			
NEW	 02.53.290			
	Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.237**	**639 760 1347**
	Type W 639 Details Fitting position: upper, right			
	 02.53.238 02.53.239			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.239**	**639 760 1747**	

Type W 639

Details Fitting position: right, lower





02.53.237 02.53.238

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.238**	**639 760 2547**	

Type W 639

Details Fitting position: centre, right





02.53.237 02.53.239

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.288**	**639 760 2847**	

Type W 639

Details Fitting position: centre left





02.53.289

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.289**	**639 760 2947**	

Type W 639

Details Fitting position: centre right





02.53.288

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.137**	**901 760 0028**	

Type W 901 - 904

Details Fitting position: left, lower





02.53.135 02.53.136 02.53.222

Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.085**	**901 760 1047**	

Type W 901 - 904

Details Fitting position: upper, right





02.53.084 02.53.086 02.53.172

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 901 - 904 Details Fitting position: right  02.53.084 02.53.085 02.53.086	**1**	**02.53.172**	**901 760 1047** **cpl.1**
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 901 - 904 Details Fitting position: centre, right  02.53.085 02.53.086 02.53.172	**1**	**02.53.084**	**901 760 1347**
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 901 - 904, 909 Details Fitting position: left, centre  02.53.136 02.53.137 02.53.222	**1**	**02.53.135**	**901 760 0047**
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 901 - 904, 909 Details Fitting position: left  02.53.135 02.53.136 02.53.137	**1**	**02.53.222**	**901 760 0047** **cpl.1**
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 901 - 904, 909 Details Fitting position: right, lower  02.53.084 02.53.085 02.53.172	**1**	**02.53.086**	**901 760 0128**
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 901 - 904, 909 Details Fitting position: left, upper  02.53.135 02.53.137 02.53.222	**1**	**02.53.136**	**901 760 0947**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.179**	**904 760 0447**	

Type W 904

Details Fitting position: centre and rear; Tyres: for dual tyres



Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.235**	**906 760 0047**	

Type W 906

Details Fitting position: left, upper




02.53.234 02.53.236 02.53.253



Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.153**	**906 760 0147**	

Type W 906

Details Fitting position: upper, right



02.53.155 02.53.164 02.53.253



Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.253**	**906 760 0147** **n.cpl.1**	

Type W 906

Details Fitting position: left, upper, right



02.53.153 02.53.155 02.53.164 02.53.234 02.53.235 02.53.236



Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.234**	**906 760 0247**	

Type W 906

Details Fitting position: left, centre



02.53.235 02.53.236 02.53.253



Rollenführung, Schiebetür **Roller guide, sliding door**	**1**	**02.53.155**	**906 760 0347**	

Type W 906

Details Fitting position: centre, right



02.53.153 02.53.164 02.53.253



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 906 Details Fitting position: left, lower  02.53.234 02.53.235 02.53.253	**1**	**02.53.236**	**906 760 0447**
	**Rollenführung, Schiebetür** **Roller guide, sliding door** Type W 906 Details Fitting position: right, lower  02.53.153 02.53.155 02.53.253	**1**	**02.53.164**	**906 760 0547**
	**Schließzylinder** **Lock cylinder** Type W 638, 638/2, 901 - 905  02.43.274 02.54.008	**1**	**02.53.072**	**670 760 0205**
	**Schließzylinder** **Lock cylinder** Type W 669, 670	**1**	**02.37.040**	**670 890 6367**
	**Seilzug, Türentriegelung** **Cable, door release** Type W 901 - 904 Details Fitting position: left front, right front	**1**	**02.54.054**	**901 760 0704**
	**Seilzug, Türentriegelung** **Cable, door release** Type W 901 - 904, 909 Details Length: 980 mm; Vehicle equipment: for vehicles with sliding door  02.53.073	**1**	**02.53.053**	**901 760 0104**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.





BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Spiegelglas, Außenspiegel **Mirror glass, outside mirror** Type W 638 Details Fitting position: left and right  02.57.025 02.57.027	**1**	**02.57.034**	**001 811 2633**	
Spiegelglas, Außenspiegel **Mirror glass, outside mirror** Type W 639 Details Fitting position: left  02.57.152 02.57.154 02.57.157	**1**	**02.57.156**	**000 810 0519**	
Spiegelglas, Außenspiegel **Mirror glass, outside mirror** Type W 639 Details Fitting position: right  02.57.153 02.57.155 02.57.156	**1**	**02.57.157**	**000 810 0619**	
Spiegelglas, Außenspiegel **Mirror glass, outside mirror** Type W 901 - 904 Details Fitting position: right  02.57.022 02.57.028	**1**	**02.57.029**	**001 811 0433**	
Spiegelglas, Außenspiegel **Mirror glass, outside mirror** Type W 901 - 904 Details Fitting position: left  02.57.020 02.57.029	**1**	**02.57.028**	**001 811 0533**	
Spiegelglas, Außenspiegel **Mirror glass, outside mirror** Type W 901 - 904 Details Fitting position: left  02.57.021 02.57.031	**1**	**02.57.030**	**001 811 5133**	

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spiegelglas, Außenspiegel** **Mirror glass, outside mirror** Type W 901 - 904 Details Fitting position: right  02.57.023 02.57.030	1	02.57.031	001 811 5233
	**Spiegelglas, Außenspiegel** **Mirror glass, outside mirror** Type W 906 Details Fitting position: left  02.57.015 02.57.149	1	02.57.102	002 811 1533
	**Spiegelglas, Außenspiegel** **Mirror glass, outside mirror** Type W 906 Details Fitting position: right  02.57.088 02.57.102	1	02.57.149	002 811 1633
	**Spiegelglas, Außenspiegel** **Mirror glass, outside mirror** Type W 906 Details Fitting position: left  02.57.016 02.57.150	1	02.57.103	002 811 1733
	**Spiegelglas, Außenspiegel** **Mirror glass, outside mirror** Type W 906 Details Fitting position: right  02.57.087 02.57.103	1	02.57.150	002 811 1833
	**Spiegelglas, Weitwinkelspiegel** **Mirror glass, wide angle mirror** Type W 906 Details Fitting position: left  02.57.015 02.57.016 02.57.151	1	02.57.104	002 811 1933

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Spiegelglas, Weitwinkelspiegel **Mirror glass, wide angle mirror**	**1**	**02.57.151**	**002 811 2033**	

Type W 906

Details Fitting position: right




02.57.087


02.57.088


02.57.104



Stellelement, Zentralverriegelung **Control, central locking system**	**1**	**02.53.259**	**001 800 2475**	

Type W 638, 638/2, 901 - 904

Details Fitting position: vehicle tailgate; Operating mode: electric



Türfeststeller **Door catch**	**1**	**02.53.245**	**639 760 0628**	

Type W 639

Details Fitting position: rear



Türfeststeller **Door catch**	**1**	**02.53.231**	**901 760 0228**	

Type W 669, 670, 901 - 904

Details Fitting position: rear



Türfeststeller **Door catch**	**1**	**02.53.144**	**901 720 1016**	

Type W 901 - 905

Details Fitting position: left front




02.53.145

Türfeststeller **Door catch**	**1**	**02.53.145**	**901 720 1116**	

Type W 901 - 905

Details Fitting position: right front




02.53.144

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Türfeststeller** **Door catch** Type W 906 Details Fitting position: left front, right front	1	02.53.150	906 720 0316
	**Türfeststeller** **Door catch** Type W 906 Details Fitting position: rear  02.53.247	1	02.53.195	906 760 0228
	**Türfeststeller** **Door catch** Type W 906 Details Fitting position: rear  02.53.195	1	02.53.247	906 760 0428
	**Türfeststeller** **Door catch** Type W 906 Details Fitting position: left rear	1	02.53.248	906 740 0032
	**Türfeststeller** **Door catch** Type W 906 Details Fitting position: sidewall  02.53.221	1	02.53.193	906 740 0216
	**Türfeststeller** **Door catch** Type W 906 Details Fitting position: vehicle hatch door	1	02.53.249	906 760 0077

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Türfeststeller **Door catch**	**1**	**02.53.221**	**906 760 1228**	

Type W 906

Details Fitting position: vehicle hatch door; Equipment variant: magnet





02.53.193

Türgriff **Door handle**	**1**	**01.53.015**	**322 760 0061**	

Type W 310, 313

Details Fitting position: inner, right





01.53.014

Türgriff **Door handle**	**1**	**01.53.014**	**322 760 0161**	

Type W 310, 313

Details Fitting position: inner, left





01.53.015

Türgriff **Door handle**	**1**	**01.53.036**	**381 766 0901**	

Type W 601, 602, 611, 667 - 670

Details Fitting position: left and right



Türgriff **Door handle**	**1**	**02.53.071**	**000 760 1359**	

Type W 638, 638/2, 901 - 905

Details Fitting position: vehicle hatch door





02.43.274

Türgriff **Door handle**	**1**	**02.43.274**	**000 760 1359** **cpl.1**	

Type W 638, 638/2, 901 - 905

Details Fitting position: left and right, front and rear; Lock system: with lock barrel








02.53.071 02.53.072 02.54.008

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Türgriff** **Door handle** Type W 901 - 904 Details Fitting position: left and right; Vehicle equipment: for vehicles with sliding door  02.54.008	**1**	**02.54.007**	**901 760 0459**
	**Türgriff** **Door handle** Type W 901 - 904 Details Fitting position: left and right; Vehicle equipment: for vehicles with sliding door; Lock system: with lock barrel  02.43.274 02.53.072 02.54.007	**1**	**02.54.008**	**901 760 0459 cpl.1**
	**Türgriff** **Door handle** Type W 906 Details Fitting position: left front, right front  02.53.292 02.53.293 02.54.064 02.54.065	**1**	**02.53.087**	**906 760 0070**
	**Türgriff** **Door handle** Type W 906 Details Fitting position: vehicle hatch door  02.53.294 02.54.064 02.54.065	**1**	**02.54.011**	**906 760 0170**
	**Türgriff, Innenausstattung** **Door handle, interior** Type W 447, 906 Details Fitting position: left and right, inner; Vehicle equipment: for vehicles with sliding door	**1**	**02.53.250**	**906 760 0061**
	**Türgriff, Innenausstattung** **Door handle, interior** Type W 639 Details Fitting position: left front  02.53.255	**1**	**02.53.254**	**639 760 0261**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Türgriff, Innenausstattung **Door handle, interior**	**1**	**02.53.255**	**639 760 0361**	

Type W 639

Details Fitting position: right front





02.53.254

Türgriff, Innenausstattung **Door handle, interior**	**1**	**02.53.073**	**901 760 1361**	

Type W 901 - 904

Details Fitting position: left and right, inner;
Vehicle equipment: for vehicles with sliding door





02.54.053

Türgriff, Innenausstattung **Door handle, interior**	**1**	**02.53.251**	**000 727 0037** **cpl.1**	

Type W 901 - 905

Details Fitting position: left front





02.53.252

Türgriff, Innenausstattung **Door handle, interior**	**1**	**02.53.252**	**000 727 0137** **cpl.1**	

Type W 901 - 905

Details Fitting position: right front





02.53.251

Türgriff, Innenausstattung **Door handle, interior**	**1**	**02.53.242**	**906 760 0161**	

Type W 906

Details Fitting position: left front; Colour code: 7j69





02.53.243

Türgriff, Innenausstattung **Door handle, interior**	**1**	**02.53.243**	**906 760 0261**	

Type W 906

Details Fitting position: right front; Colour code: 7j69






02.53.242

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Türgriffbetätigung** **Door-handle control** Type W 638, 638/2, 901 - 904  02.53.160	**1**	**02.53.163**	**901 743 0172**
	**Türscharnier** **Door hinge** Type W 638, 638/2, 901 - 905 Details Fitting position: left and right; Vehicle equipment: for vehicles with sliding door	**2**	**02.53.166**	**901 766 0161**
	**Türscharnier** **Door hinge** Type W 901 - 904 Details Fitting position: vehicle hatch door, upper left; Rotation angle: 270 °	**1**	**02.53.173**	**901 740 0837**
 NEW	**Türscharnier** **Door hinge** Type W 906 Details Fitting position: left front  02.53.087 02.53.292	**1**	**02.53.293**	**906 760 0934**
 NEW	**Türscharnier** **Door hinge** Type W 906 Details Fitting position: right front  02.53.087 02.53.293	**1**	**02.53.292**	**906 760 1034**
 NEW	**Türscharnier** **Door hinge** Type W 906 Details Fitting position: back door, right  02.54.011	**1**	**02.53.294**	**906 760 1234**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.




BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Türscharnier **Door hinge** Type W 906 Details Fitting position: back door, right	1	02.53.295	906 760 1334	 NEW
Türschloss **Door lock** Type W 309, 310, 313 Details Fitting position: left rear	1	02.53.174	309 720 0035	
Türschloss **Door lock** Type W 309, 310, 313 Details Fitting position: right rear	1	02.53.175	309 720 0135	
Türschloss **Door lock** Type W 638, 638/2, 901 - 904 Details Fitting position: right front	1	02.53.168	901 720 1135	
Türschloss **Door lock** Type W 638, 638/2, 901 - 904 Details Fitting position: left front; Left-/right-hand drive vehicles: for right-hand drive vehicles	1	02.53.171	901 720 1235	
Türschloss **Door lock** Type W 638, 638/2, 901 - 904 Details Fitting position: right front; Left-/right-hand drive vehicles: for right-hand drive vehicles	1	02.53.169	901 720 1335	


02.53.175


02.53.174


02.53.169


02.53.171

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Türschloss** **Door lock** Type W 638, 638/2, 901 - 904 Details Fitting position: left rear	**1**	**02.53.191**	**901 730 1035**
	**Türschloss** **Door lock** Type W 638, 638/2, 901 - 904, 909 Details Fitting position: right; Vehicle equipment: for vehicles with sliding door	**1**	**02.54.042**	**901 730 1135**
	**Türschloss** **Door lock** Type W 901 - 903 Details Fitting position: vehicle hatch door	**1**	**02.53.160**	**901 740 0135**
 02.53.163				
	**Türschloss** **Door lock** Type W 901 - 904 Details Fitting position: left; Vehicle equipment: for vehicles with sliding door	**1**	**02.54.045**	**901 730 1235**
	**Türschloss** **Door lock** Type W 901 - 904 Details Fitting position: right; Vehicle equipment: for vehicles with sliding door; Lock system: without central locking	**1**	**02.54.041**	**901 730 1335**
	**Türschloss** **Door lock** Type W 901 - 904 Details Fitting position: right; Vehicle equipment: for vehicles with sliding door; Lock system: with central locking	**1**	**02.54.055**	**901 730 1935**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.



BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Türschloss **Door lock**	**1**	**02.53.170**	**901 720 1035**	
Type W 901 - 905 Details Fitting position: left front				
Türschloss **Door lock**	**1**	**02.53.208**	**906 720 1735**	
Type W 906 Details Fitting position: right front				
Türschloss **Door lock**	**1**	**02.53.212**	**906 720 2135**	
Type W 906 Details Fitting position: left front				
Türschloss **Door lock**	**1**	**02.54.047**	**906 730 1335**	
Type W 906 Details Fitting position: vehicle hatch door, upper right				
Türschloss **Door lock**	**1**	**02.54.050**	**906 730 4335**	
Type W 906 Details Fitting position: sliding door, right				
Türschloss **Door lock**	**1**	**02.53.218**	**906 740 0935**	
Type W 906 Details Fitting position: vehicle hatch door, right				

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Türverkleidung** **Interior door panel** Type W 901 - 904 Details Fitting position: upper ——— 02.53.161	**1**	**02.53.162**	**901 766 0219**
	**Verriegelung, Fahrerhaus** **Door lock, driver cab** Type W 309 Details Fitting position: left front  01.53.024 01.53.025	**1**	**01.53.054**	**309 720 0331**
	**Verriegelung, Fahrerhaus** **Door lock, driver cab** Type W 309, 310, 313 Details Fitting position: left front  01.53.025 01.53.054 01.53.055	**1**	**01.53.024**	**309 720 0031**
	**Verriegelung, Fahrerhaus** **Door lock, driver cab** Type W 309, 310, 313 Details Fitting position: right front  01.53.024 01.53.054 01.53.055	**1**	**01.53.025**	**309 720 0131**
	**Verriegelung, Fahrerhaus** **Door lock, driver cab** Type W 309, 310, 313 Details Fitting position: right front  01.53.024 01.53.025	**1**	**01.53.055**	**309 720 0231**
	**Verriegelung, Fahrerhaus** **Door lock, driver cab** Type W 638, 638/2, 903, 905	**1**	**02.53.240**	**901 720 0431**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Zier-/Schutzleiste, Seitenscheibe **Trim/protective strip, side window**	**10**	**01.67.161**	**001 987 4257**	

Type W 309, 310, 313, 669, 670, 901 - 904



Blinkleuchte **Indicator**	**1**	**02.58.023**	**210 820 0921**	

Type W 638, 638/2, 901 - 904

Details Fitting position: left and right; Colour: white



Blinkleuchte **Indicator**	**1**	**02.58.092**	**901 820 0121**	

Type W 901 - 904

Details Fitting position: left front; Colour: white





02.58.093

Blinkleuchte **Indicator**	**1**	**02.58.093**	**901 820 0221**	

Type W 901 - 904

Details Fitting position: right front; Colour: white





02.58.092

Gehäuse, Blinkleuchte **Housing, indicator**	**1**	**02.58.363**	**001 822 8920**	

Type W 906

Details Fitting position: left





02.57.015



02.57.016



02.58.364

Gehäuse, Blinkleuchte **Housing, indicator**	**1**	**02.58.364**	**001 822 9020**	

Type W 906

Details Fitting position: right





02.57.087



02.57.088



02.58.363

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Glühlampe** **Bulb** Type Universal Details Voltage: 24 V; Rated power: 5 W; Bulb type: R5W; Socket type: Ba15s	**10**	**88.58.009**	**072601 024701**
	**Glühlampe** **Bulb** Type Universal Details Voltage: 24 V; Rated power: 21 W; Bulb type: P21W; Socket type: Ba15s	**10**	**88.58.006**	**072601 024192**
	**Glühlampe** **Bulb** Type Universal Details Voltage: 24 V; Rated power: 21/5 W; Bulb type: P21/5W; Socket type: Bay15d	**10**	**88.58.005**	**072601 024210**
	**Glühlampe** **Bulb** Type Universal Details Voltage: 24 V; Rated power: 10 W; Bulb type: R10W; Socket type: Ba15s	**10**	**88.58.008**	**072601 024704**
	**Glühlampe, Blink-/Begrenzungsleuchte** **Bulb, indicator-/outline lamp** Type Universal Details Voltage: 12 V; Rated power: 16 W; Bulb type: Socket Bulb; Socket type: HPC16WY	**1**	**02.58.447**	**000 820 1277**
	**Glühlampe, Blinkleuchte** **Bulb, indicator** Type Universal Details Voltage: 24 V; Rated power: 21 W; Colour: orange; Bulb type: PY21W; Socket type: Bau15s	**10**	**88.58.007**	**000000 000065**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.101**	**000000 000375**	

Type Universal

Details Voltage: 12 V; Rated power: 55 W; Bulb type: H1; Socket type: P14,5s

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.003**	**072601 024802**	

Type Universal

Details Voltage: 24 V; Rated power: 75/70 W; Bulb type: H4; Socket type: P43t

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.104**	**400809 000007**	

Type Universal

Details Voltage: 12 V; Rated power: 55 W; Bulb type: H7; Socket type: PX26d

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.103**	**350 128 8012**	

Type Universal

Details Voltage: 12 V; Rated power: 60/55 W; Bulb type: H4; Socket type: P43t

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.001**	**072601 024270**	

Type Universal

Details Voltage: 24 V; Rated power: 70 W; Bulb type: H1; Socket type: P14,5s

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.112**	**000000 000069**	

Type Universal

Details Voltage: 12 V; Rated power: 51 W; Bulb type: HB4; Socket type: P22d

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 65 W; Bulb type: H9; Socket type: PGJ19-5	**10**	**88.58.105**	**000000 001605**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 55 W; Bulb type: H11; Socket type: PGJ19-2	**10**	**88.58.106**	**000000 001606**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 24 V; Rated power: 70 W; Bulb type: H7; Socket type: PX26d	**10**	**88.58.004**	**000000 002142**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 24 V; Rated power: 70 W; Bulb type: H11; Socket type: PGJ19-2	**10**	**88.58.014**	**000000 006384**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 5 W; Bulb type: W5W; Socket type: W2,1x9,5d	**10**	**88.58.118**	**0002481V002L044**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 21 W; Colour: orange; Bulb type: PY21W; Socket type: Bau15s	**10**	**88.58.115**	**001 544 9194**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.114**	**002 544 3194**	

Type Universal

Details Voltage: 12 V; Rated power: 6 W; Bulb type: H6W; Socket type: Bax9s

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.125**	**072601 012122**	

Type Universal

Details Voltage: 12 V; Rated power: 18 W; Bulb type: C21W; Socket type: SV 8,5

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.123**	**072601 012130**	

Type Universal

Details Voltage: 12 V; Rated power: 5 W; Bulb type: C5W; Socket type: SV 8,5

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.109**	**072601 012190**	

Type Universal

Details Voltage: 12 V; Rated power: 21 W; Bulb type: P21W; Socket type: Ba15s

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.110**	**072601 012210**	

Type Universal

Details Voltage: 12 V; Rated power: 21/5 W; Bulb type: P21/5W; Socket type: Bay15d

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.122**	**072601 012251**	

Type Universal

Details Voltage: 12 V; Rated power: 5 W; Bulb type: WY5W; Socket type: W2,1x9,5d;
Bulb colour: orange

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 10 W; Bulb type: R10W; Socket type: Ba15s	**10**	**88.58.116**	**072601 012702**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 4 W; Bulb type: T4W; Socket type: Ba9s	**10**	**88.58.119**	**072601 012900**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 24 V; Rated power: 5 w, w5w W; Bulb type: W5W; Socket type: W2,1x9,5 d	**10**	**88.58.012**	**072601 024250**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 24 V; Rated power: 70 W; Bulb type: H3; Socket type: PK22s	**10**	**88.58.002**	**400809 000006**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 85 V; Rated power: 35 W; Bulb type: D2R (gas discharge tube); Socket type: P32d-3	**1**	**88.58.016**	**910139 000000**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 85 V; Rated power: 35 W; Bulb type: D2S (gas discharge tube); Socket type: P32d-2	**1**	**88.58.017**	**910139 000001**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**1**	**88.58.018**	**910139 000002**	

Type Universal

Details Voltage: 85 V; Rated power: 35 W; Bulb type: D1S (gas discharge tube); Socket type: PK32d-2

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.124**	**C10W**	

Type Universal

Details Voltage: 12 V; Rated power: 10 W; Bulb type: C10W; Socket type: SV 8,5

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**1**	**88.58.023**	**D1R**	

Type Universal

Details Voltage: 85 V; Rated power: 35 W; Bulb type: D1R (gas discharge tube); Socket type: Pk32d-3

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**1**	**88.58.019**	**D3R**	

Type Universal

Details Voltage: 42 V; Rated power: 35 W; Bulb type: D3R; Socket type: PK32d-6

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**1**	**88.58.020**	**D3S**	

Type Universal

Details Voltage: 42 V; Rated power: 35 W; Bulb type: D3S (Gas Discharge Lamp); Socket type: PK32d-5

Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**1**	**88.58.021**	**D4R**	

Type Universal

Details Voltage: 42 V; Rated power: 35 W; Bulb type: D4R

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 42 V; Rated power: 35 W; Bulb type: D4S (Gas Discharge Lamp); Socket type: P32d-5	**1**	**88.58.022**	**D4S**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 10 W; Bulb type: H10W; Socket type: Ba9s	**10**	**88.58.107**	**H10W**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 21 W; Bulb type: H5W; Socket type: Bay9s	**10**	**88.58.108**	**H21W**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 60 W; Bulb type: HB3; Socket type: P20d	**10**	**88.58.113**	**HB3**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 21/4 W; Bulb type: P21/4W; Socket type: Baz15d	**10**	**88.58.111**	**P21/4W**
	**Glühlampe, Hauptscheinwerfer** **Bulb, headlight** Type Universal Details Voltage: 12 V; Rated power: 5 W; Bulb type: R5W; Socket type: Ba15s	**10**	**88.58.117**	**R5W**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.120**	**W21W**	

Type Universal

Details Voltage: 12 V; Rated power: 21 W; Bulb type: W21W; Socket type: W3x16d; Bulb colour: orange



Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.121**	**WY21W**	

Type Universal

Details Voltage: 12 V; Rated power: 21 W; Bulb type: WY21W; Socket type: W3x16d



Glühlampe, Hauptscheinwerfer **Bulb, headlight**	**10**	**88.58.102**	**072601 012290**	

Type Universal

Details Voltage: 12 V; Rated power: 55 W; Bulb type: H3; Socket type: PK22s



Glühlampe, Innenraumleuchte **Bulb, interior light**	**10**	**88.58.015**	**000000 000372**	

Type Universal

Details Voltage: 24 V; Rated power: 15 W, C15W W; Socket type: SV8,5-8



Glühlampe, Innenraumleuchte **Bulb, interior light**	**10**	**88.58.013**	**049846 000001**	

Type Universal

Details Voltage: 24 V; Rated power: 1,2 W; Bulb type: W1,2W; Socket type: W2x4,6d



Glühlampe, Umriss-/Begrenzungsleuchte **Bulb, outline lamp**	**10**	**88.58.010**	**072601 024131**	

Type Universal

Details Voltage: 24 V; Rated power: 5 W; C5W; Socket type: S8,5



On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Glühlampe, Umriss-/Begrenzungsleuchte** **Bulb, outline lamp** Type Universal Details Voltage: 24 V; Rated power: 10 W; Bulb type: C10W; Socket type: SV8,5-8	**10**	**88.58.011**	**910151 024000**
	**Hauptscheinwerfer** **Headlight** Type W 906 Details Fitting position: left  02.58.369	**1**	**02.58.368**	**906 820 0161**
	**Hauptscheinwerfer** **Headlight** Type W 906 Details Fitting position: right  02.58.368	**1**	**02.58.369**	**906 820 0261**
	**Hauptscheinwerfer** **Headlight** Type W 906 Details Equipment variant: with fog lights; Fitting position: left; Left-hand / right-hand traffic: for right-hand traffic  02.58.367	**1**	**02.58.366**	**906 820 0561**
	**Hauptscheinwerfer** **Headlight** Type W 906 Details Equipment variant: with fog lights; Fitting position: right; Left-hand / right-hand traffic: for right-hand traffic  02.58.366	**1**	**02.58.367**	**906 820 0661**
	**Kennzeichenleuchte** **Licence plate light** Type W 639, 906, 907, 910 Details Fitting position: left and right	**2**	**02.58.239**	**639 820 0256**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kennzeichenleuchte **Licence plate light**	**2**	**02.58.311**	**901 820 0156**	

Type W 901 - 905

Details Fitting position: left and right



Lampenträger, Heckleuchte **Lamp base, tail light**	**1**	**02.58.393**	**000 820 0577**	

Type W 901 - 904




02.58.031 02.58.032



Lichtscheibe, Heckleuchte **Lens, combination rearlight**	**1**	**02.58.031**	**000 826 1856**	

Type W 901 - 904

Details Fitting position: left




02.58.032 02.58.393



Lichtscheibe, Heckleuchte **Lens, combination rearlight**	**1**	**02.58.032**	**000 826 1956**	

Type W 901 - 904

Details Fitting position: right



02.58.031 02.58.393



Lichtscheibe, Heckleuchte **Lens, combination rearlight**	**1**	**02.58.250**	**000 826 2056**	

Type W 906

Details Fitting position: left



02.58.251



Lichtscheibe, Heckleuchte **Lens, combination rearlight**	**1**	**02.58.251**	**000 826 2156**	

Type W 906

Details Fitting position: right



02.58.250




On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Lichtscheibe, Heckleuchte** **Lens, combination rearlight** Type W 906 Details Fitting position: left; without lamp base  02.58.237	**1**	**02.58.236**	**906 820 0164**
	**Lichtscheibe, Heckleuchte** **Lens, combination rearlight** Type W 906 Details Fitting position: right; without lamp base  02.58.236	**1**	**02.58.237**	**906 820 0264**
	**Seitenmarkierungsleuchte** **Side marker light** Type W 901 - 903, 905 Details Chassis number to: P 605730	**1**	**02.58.361**	**002 820 6456**
	**Seitenmarkierungsleuchte** **Side marker light** Type W 906 Details Fitting position: left and right	**2**	**02.58.370**	**003 820 2956**
	**Bedienelement, Heizung/Lüftung** **Control element, heating/ventilation** Type W 638, 638/2, 901 - 904  02.59.001	**1**	**02.59.006**	**901 820 0092 cpl.1**
	**Bedienelement, Heizung/Lüftung** **Control element, heating/ventilation** Type W 638, 638/2, 903 Details Fitting position: left and right	**1**	**02.59.002**	**000 830 4185**

58


59

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Druckschalter, Klimaanlage **Pressure switch, air conditioning** Type W 638/2 Details Fitting position: left and right	1	02.58.002	004 820 6810	
Elektromotor, Innenraumgebläse **Electric motor, interior blower** Type W 601, 611 Details Voltage: 12 V; Rated power: 72 W	1	02.59.124	000 820 62 42	
Expansionsventil, Klimaanlage **Expansion valve, air conditioning** Type W 414, 638, 638/2, 901 - 905, 909	1	02.59.005	202 830 0184	
Expansionsventil, Klimaanlage **Expansion valve, air conditioning** Type W 639, 906	1	02.59.157	220 830 0384	
Filter, Innenraumluft **Filter, interior air** Type W 309, 310, 601, 602, 611, 667 - 670 Details Filter type: pollen filter	1	01.59.019	000 835 6947	
Filter, Innenraumluft **Filter, interior air** Type W 414 Details Filter type: pollen filter	1	02.59.062	168 830 0018	

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Filter, Innenraumluft** **Filter, interior air** Type W 414 Details Filter type: charcoal filter	**1**	**02.59.071**	**168 830 0718**
NEW				
	**Filter, Innenraumluft** **Filter, interior air** Type W 415 Details Filter type: pollen filter	**1**	**02.59.134**	**415 835 1100**
NEW				
	**Filter, Innenraumluft** **Filter, interior air** Type W 447, 907, 910 Details Filter type: pollen filter	**1**	**02.59.164**	**447 830 0100**
NEW				
	**Filter, Innenraumluft** **Filter, interior air** Type W 638, 638/2, 639 Details Filter type: pollen filter	**1**	**02.59.061**	**001 835 3047**
	**Filter, Innenraumluft** **Filter, interior air** Type W 639 Details Filter type: pollen filter	**1**	**02.59.068**	**639 835 0247**
 02.59.076				
	**Filter, Innenraumluft** **Filter, interior air** Type W 639 Details Filter type: charcoal filter	**1**	**02.59.076**	**639 835 0347**
02.59.068				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Filter, Innenraumluft **Filter, interior air** Type W 901 - 904, 906 Details Filter type: pollen filter	**1**	**02.59.082**	**906 830 0218**	
Filter, Innenraumluft **Filter, interior air** Type W 901 - 905 Details Filter type: charcoal filter	**1**	**02.59.083**	**901 830 0418**	
Filter, Innenraumluft **Filter, interior air** Type W 901 - 905, 909 Details Filter type: pollen filter	**1**	**02.59.081**	**000 830 3318**	
Filter, Innenraumluft **Filter, interior air** Type W 906 Details Filter type: charcoal filter	**1**	**02.59.084**	**906 830 0318**	
Innenraumgebläse **Interior blower** Type W 638, 638/2 Details Voltage: 12 V; Rated power: 120 W	**1**	**02.59.123**	**002 830 1508**	
Innenraumgebläse **Interior blower** Type W 638, 638/2 Details Voltage: 12 V; Rated power: 325 W	**1**	**02.59.122**	**003 830 0308**	


02.59.084


02.59.081


02.59.083


02.59.082

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Innenraumgebläse** **Interior blower** Type W 639 Details Voltage: 12 V; Rated power: 275 W	**1**	**02.59.145**	**000 835 7904**
	**Innenraumgebläse** **Interior blower** Type W 901 - 904 Details Voltage: 12 V; Rated power: 250 W; Left-/right-hand drive vehicles: for right-hand drive vehicles	**1**	**02.59.125**	**001 830 5908**
	**Innenraumgebläse** **Interior blower** Type W 901 - 905 Details Voltage: 12 V	**1**	**02.59.089**	**000 835 2285**
	**Innenraumgebläse** **Interior blower** Type W 901 - 905 Details Voltage: 12 V; Rated power: 250 W; Left-/right-hand drive vehicles: for right-hand drive vehicles; Vehicle equipment: for vehicles with air conditioning	**1**	**02.59.126**	**000 835 2385**
	**Innenraumgebläse** **Interior blower** Type W 901 - 905 Details Voltage: 12 V; Rated power: 150 W; Left-/right-hand drive vehicles: for left-hand drive vehicles; Vehicle equipment: for vehicles with air conditioning	**1**	**02.59.118**	**001 830 5708**
	**Innenraumgebläse** **Interior blower** Type W 905, 906 Details Voltage: 12 V	**1**	**02.59.091**	**000 835 6007**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Innenraumgebläse **Interior blower**	**1**	**02.59.117**	**000 835 6107**	
Type W 906 Details Voltage: 12 V; Rated power: 157 W; Vehicle equipment: for vehicles with air conditioning				
Kompressor, Klimaanlage **Compressor, air conditioning**	**1**	**02.59.136**	**000 230 8011**	
Type W 638, 638/2, 639, 901 - 906, 909 Details Number of ribs: 7				
Kompressor, Klimaanlage **Compressor, air conditioning**	**1**	**02.59.135**	**000 230 2011**	
Type W 638, 638/2, 901 - 905, 909 Details Number of ribs: 6				
Kondensator, Klimaanlage **Condenser, air conditioning**	**1**	**02.40.226**	**638 835 0170**	
Type W 638, 638/2 Details Core dimensions: 500 x 537 x 16 mm				
Kondensator, Klimaanlage **Condenser, air conditioning**	**1**	**02.59.133**	**639 835 0070**	
Type W 639 Details Core dimensions: 670 x 392 x 16 mm				
Kondensator, Klimaanlage **Condenser, air conditioning**	**1**	**02.40.203**	**901 500 0554**	
Type W 901 - 905, 909 Details Core dimensions: 630 x 380 x 16 mm				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kondensator, Klimaanlage** **Condenser, air conditioning** Type W 906, 907, 910 Details Core dimensions: 680 x 460 x 16 mm	1	02.40.278	906 500 0054
	**Kühlmittelregelventil** **Control valve, coolant** Type W 638, 639, 901 - 905	1	02.59.175	001 830 0684
	**Kühlmittelregelventil** **Control valve, coolant** Type W 901 - 904	1	02.59.148	001 830 8684
	**Kühlmittelregelventil** **Control valve, coolant** Type W 901 - 905, 909	1	02.59.121	002 830 8484
	**Trockner, Klimaanlage** **Dryer, air conditioning** Type W 667 - 670, 672, 901 - 905, 909	1	02.59.051	220 830 0083
	**Verdampfer, Klimaanlage** **Evaporator, air conditioning** Type W 638, 638/2	1	02.59.095	000 830 9858

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wärmetauscher, Innenraumheizung **Heat exchanger, interior heating** Type W 901 - 905	**1**	**02.59.001**	**003 835 6101**	
 02.59.006				
Wasserumwälzpumpe, Standheizung **Water pump, parking heater** Type W 414, 638, 638/2, 668, 670, 901 - 905	**1**	**02.59.090**	**001 835 1364**	
Wasserumwälzpumpe, Standheizung **Water pump, parking heater** Type W 447, 639, 906, 907, 909, 910	**1**	**02.59.150**	**204 835 0364**	 NEW
Wasserumwälzpumpe, Standheizung **Water pump, parking heater** Type W 638/2	**1**	**07.59.036**	**001 201 2000**	 NEW
Widerstand, Innenraumgebläse **Resistor, interior blower** Type W 638, 638/2 Details Number of connectors: 4	**1**	**02.59.120**	**001 821 2560**	
Widerstand, Innenraumgebläse **Resistor, interior blower** Type W 901 - 904 Details Number of connectors: 7	**1**	**02.59.113**	**001 821 1360**	

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Widerstand, Innenraumgebläse** **Resistor, interior blower** Type W 901 - 904 Details Number of connectors: 4	1	02.59.114	001 821 6760
	**Widerstand, Innenraumgebläse** **Resistor, interior blower** Type W 906 Details Number of connectors: 4	1	02.59.116	000 821 2992
	**Widerstand, Innenraumgebläse** **Resistor, interior blower** Type W 906 Details Number of connectors: 6	1	02.59.115	000 870 0089
	**Dichtung, Waschwasserpumpe/** **Waschwasserbehälter** **Gasket, washer fluid tank** Type W 309, 414, 670  02.61.003 02.61.006 07.61.009	100	01.63.006	123 997 3681
	**Verschluss, Waschwasserbehälter** **Sealing cap, washer fluid tank** Type W 638, 638/2, 901 - 906, 909	5	02.61.015	906 869 0072

59

61

	**Waschwasserpumpe, Scheibenreinigung** **Water pump, window cleaning** Type W 414  01.63.006	1	07.61.009	210 869 1021

NEW

TRUCKTEC

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Waschwasserpumpe, Scheibenreinigung **Water pump, window cleaning**	**1**	**01.61.007**	**000 860 3326**	
Type W 601, 602, 611, 638, 638/2, 667 - 670, 672, 901 - 905				
Waschwasserpumpe, Scheibenreinigung **Water pump, window cleaning**	**1**	**01.60.001**	**000 860 3226**	
Type W 601, 611, 638, 638/2, 668 - 670, 672, 901 - 904				
Waschwasserpumpe, Scheibenreinigung **Water pump, window cleaning**	**1**	**02.61.003**	**210 869 0821**	
Type W 639, 906, 907, 910				
 01.63.006				
Waschwasserpumpe, Scheinwerferreinigung **Water pump, headlight cleaning**	**1**	**02.61.006**	**210 869 1121**	
Type W 639, 906				
 01.63.006				
Wischarm, Scheibenreinigung **Wiper arm, window cleaning**	**1**	**02.58.049**	**901 820 0044**	
Type W 901 - 905, 909 Details Fitting position: left; Left-/right-hand drive vehicles: for left-hand drive vehicles				
 02.58.050 02.61.013				
Wischarm, Scheibenreinigung **Wiper arm, window cleaning**	**1**	**02.58.050**	**901 820 0144**	
Type W 901 - 905, 909 Details Fitting position: right; Left-/right-hand drive vehicles: for left-hand drive vehicles				
 02.58.049 02.61.013				

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Wischarm, Scheibenreinigung **Wiper arm, window cleaning**	**1**	**02.58.052**	**001 820 5944**



Type W 906

Details Fitting position: right; Left-/right-hand drive vehicles: for left-hand drive vehicles



02.58.051 02.61.014

	Wischarm, Scheibenreinigung **Wiper arm, window cleaning**	**1**	**02.58.051**	**906 820 0644**



Type W 906

Details Fitting position: left; Left-/right-hand drive vehicles: for left-hand drive vehicles



02.58.052 02.61.014

	Wischblatt **Wiper blade**	**1**	**02.58.444**	**169 820 0145**



Type W 414

Details Fitting position: front; Length 1/ length 2: 650/575 mm;
Length 1 / length 2: 26/23 Inch; Left-/right-hand drive vehicles:
for right-hand drive vehicles

	Wischblatt **Wiper blade**	**1**	**02.58.426**	**119855**



Type W 414, 415, 901 - 905

Details Fitting position: front; Length: 550 mm; Length: 22 Inch

	Wischblatt **Wiper blade**	**1**	**02.58.416**	**204 820 1145**



Type W 414, 901 - 904, 906

Details Fitting position: front; Length 1/ length 2: 600/600 mm;
Length 1 / length 2: 24/24 Inch

NEW

61

	Wischblatt **Wiper blade**	**1**	**02.58.409**	**906 820 1000**



Type W 414, 906, 909

Details Fitting position: front; Length 1/ length 2: 650/600 mm;
Length 1 / length 2: 26/24 Inch; Left-/right-hand drive vehicles:
for left-hand drive vehicles;

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wischblatt **Wiper blade**	**1**	**02.58.417**	**119293**	

Type W 415

Details Fitting position: front; Length 1/ length 2: 550/550 mm; Length 1 / length 2: 22/22 Inch; Left-/right-hand drive vehicles: for left-hand drive vehicles;



Wischblatt **Wiper blade**	**1**	**07.58.030**	**8K9 955 425**	

Type W 447

Details Fitting position: rear; Length: 400 mm; Length: 16 Inch



Wischblatt **Wiper blade**	**1**	**07.58.054**	**176 820 2700**	

Type W 601, 602, 611, 668, 670, 901 - 904, 906

Details Fitting position: front; Length 1/ length 2: 600/475 mm; Length 1 / length 2: 24/19 Inch; Left-/right-hand drive vehicles: for right-hand drive vehicles



NEW

Wischblatt **Wiper blade**	**1**	**02.58.425**	**638 820 1345**	

Type W 638, 638/2, 639

Details Fitting position: front; Length 1/ length 2: 650/550 mm; Length 1 / length 2: 26/22 Inch; Supplementary article/ info 2: with integrated washer-fluid jet



Wischblatt **Wiper blade**	**1**	**02.58.413**	**001 820 3145**	

Type W 639

Details Fitting position: front; Length 1/ length 2: 700/650 mm; Length 1 / length 2: 28/26 Inch




Wischblatt **Wiper blade**	**1**	**01.58.073**	**000 820 9345**	

Type W 667 - 670, 672, 901 - 905

Details Fitting position: front; Length: 600 mm; Length: 24 Inch



ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Wischblatt** **Wiper blade** Type W 901 - 904 Details Fitting position: front; Length 1/ length 2: 550/600 mm; Length 1 / length 2: 22/24 Inch	**1**	**02.58.432**	**903 820 0045**
	**Wischblatt** **Wiper blade** Type W 901 - 905 Details Fitting position: front; Length: 550 mm; Length: 22 Inch	**1**	**02.58.427**	**132551**
	**Wischblatt** **Wiper blade** Type W 906 Details Fitting position: front; Length 1/ length 2: 600/650 mm; Left-/right-hand drive vehicles: for right-hand drive vehicles; Length 1 / length 2: 24/26 Inch	**1**	**02.58.437**	**906 820 1100**
	**Wischblatt** **Wiper blade** Type W 906 Details Fitting position: rear; Length: 425 mm; Length: 17 Inch	**1**	**02.58.419**	**339 700 8051**
	**Wischergestänge** **Wiper linkage** Type W 901 - 905 Details Left-/right-hand drive vehicles: for right-hand drive vehicles	**1**	**02.61.016**	**901 820 0181** **n.cpl.1**
	**Wischergestänge** **Wiper linkage** Type W 901 - 905, 909 Details Left-/right-hand drive vehicles: for left-hand drive vehicles	**1**	**02.61.013**	**901 820 0081** **n.cpl.1**



02.58.049 02.58.050 02.61.017

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Wischergestänge **Wiper linkage**	**1**	**02.61.014**	**906 820 0040** **n.cpl.1**	

Type W 906



02.58.051 02.58.052

Wischermotor **Wiper motor**	**1**	**02.58.434**	**639 820 0408**	

Type W 639

Details Voltage: 12 V; Fitting position: rear



Wischermotor **Wiper motor**	**1**	**01.58.053**	**003 820 5042**	

Type W 667 - 670, 672

Details Voltage: 24 V; Fitting position: front



Wischermotor **Wiper motor**	**1**	**02.61.017**	**004 820 6542**	

Type W 901 - 905

Details Voltage: 12 V; Fitting position: front





02.61.013

Gasfeder, Koffer-/Laderaum **Gas spring, boot-/cargo area**	**1**	**02.62.028**	**415 980 0064**	

Type W 415


Details Eject force: 640 N

NEW

Gasfeder, Koffer-/Laderaum **Gas spring, boot-/cargo area**	**1**	**02.62.008**	**638 980 0364**	

Type W 638, 638/2

Details Eject force: 630 N

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Gasfeder, Koffer-/Laderaum **Gas spring, boot-/cargo area** Type W 639 Details Eject force: 755 N	1	02.62.009	639 980 0164
	**Gasfeder, Koffer-/Laderaum** **Gas spring, boot-/cargo area** Type W 667 - 670 Details Eject force: 490 N	1	01.66.007	000 980 6964
	**Motorhaubenschloss** **Bonnet lock** Type W 639, 906  02.55.018	1	02.55.019	906 750 0350
	**Motorhaubenschloss** **Bonnet lock** Type W 639, 906  02.55.019	1	02.55.018	906 750 0450
	**Motorhaubenschloss** **Bonnet lock** Type W 669, 670, 901 - 904  02.55.014 02.55.016	1	02.55.015	670 750 0084
	**Motorhaubenschloss** **Bonnet lock** Type W 901 - 904	1	02.55.017	901 750 0284

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Motorhaubenschloss **Bonnet lock** Type W 901, 902, 904, 905, 909	**1**	**02.55.016**	**901 750 0084**	
Motorhaubenzug **Bonnet cable** Type W 901 - 905, 909	**1**	**02.55.014**	**901 750 0359**	
Scharnier, Motorhaube **Hinge, bonnet** Type W 906 Details Fitting position: left	**1**	**02.55.021**	**906 750 0021**	
Scharnier, Motorhaube **Hinge, bonnet** Type W 906 Details Fitting position: right	**1**	**02.55.022**	**906 750 0121**	
Scharnier, Tankklappe **Hinge, fuel tank filler flap** Type W 639	**1**	**02.55.020**	**639 750 0304**	
Aufnahme, Wagenheber **Jack support plate** Type W 414	**1**	**02.67.265**	**002 997 6186**	


02.55.014 02.55.015


02.55.015 02.55.016


02.55.022


02.55.021

62


63

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Dichtung, Frontscheibe **Seal, windscreen**	**1**	**01.50.018**	**901 671 0220**
	Type W 901 - 904			
NEW				
	Dichtung, Schiebedach **Seal, sunroof**	**1**	**02.54.056**	**124 780 0298**
	Type W 906			
NEW				
	Griff, Motorhaubenentriegelung **Handle, bonnet release**	**1**	**02.60.029**	**110 880 0020**
	Type W 309, 310, 667 - 670			
	Griff, Motorhaubenentriegelung **Handle, bonnet release**	**1**	**02.60.041**	**124 880 0320**
	Type W 414, 639			
	Kühlergitter **Radiator grille**	**1**	**02.60.203**	**638 888 0040**
	Type W 638, 638/2			
	Kühlergitter **Radiator grille**	**1**	**02.60.202**	**638 888 0483**
	Type W 638, 638/2			


On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kühlergitter **Radiator grille** Type W 638/2	**1**	**02.60.204**	**638 888 0315**	
Kühlergitter **Radiator grille** Type W 901 - 904	**1**	**02.60.110**	**901 880 0183**	
Kühlergitter **Radiator grille** Type W 901 - 905	**1**	**02.60.119**	**901 880 0385**	
Kühlergitter **Radiator grille** Type W 906 Details Colour code: 9051	**1**	**02.60.118**	**906 880 0385**	
Lüftungsgitter, Stoßfänger **Ventilation grille, bumper** Type W 906 Details Fitting position: front	**1**	**02.60.397**	**906 885 0011**	
Lüftungsgitter, Stoßfänger **Ventilation grille, bumper** Type W 906 Details Fitting position: front	**1**	**02.60.128**	**906 885 0053**	

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Stoßfänger** **Bumper** Type W 638, 638/2 Details Fitting position: front	**1**	**02.60.387**	**638 880 0570**
	**Stoßfänger** **Bumper** Type W 901 - 904 Details Fitting position: front	**1**	**02.60.364**	**901 880 0270**
	**Stoßfänger** **Bumper** Type W 901 - 904 Details Fitting position: rear	**1**	**02.60.492**	**901 880 0571**
	**Stoßfänger** **Bumper** Type W 901 - 904 Details Fitting position: rear	**1**	**02.60.216**	**901 885 0202**
	**Stoßfänger** **Bumper** Type W 901 - 905 Details Fitting position: front	**1**	**02.60.385**	**901 880 0670**
	**Stoßfänger** **Bumper** Type W 901 - 905 Details Fitting position: left rear  02.60.318	**1**	**02.60.317**	**901 880 0371**

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Stoßfänger **Bumper**	**1**	**02.60.318**	**901 880 0471**	
Type W 901 - 905 Details Fitting position: right rear				
 02.60.317				
Stoßfänger **Bumper**	**1**	**02.60.367**	**906 880 0570**	
Type W 906 Details Fitting position: front				
Stoßfänger **Bumper**	**1**	**02.62.025**	**906 880 0371**	
Type W 906 Details Fitting position: rear				
Zier-/Schutzleiste, Tür **Trim/protective strip, door**	**1**	**01.50.017**	**309 673 0031**	
Type W 309, 310, 313, 415, 447, 601, 669, 670				
Steckschlüsseleinsatz **Socket**	**1**	**01.43.864**	**616 581 0303**	
Type Universal Details Length: 500 mm; Outer Ø: 19 mm				
 01.43.565 01.43.566 01.43.567 01.43.568 01.43.865 01.43.866 01.43.867 01.43.868				NEW
Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.565**	**000 581 1701**	
Type Universal Details Spanner size: 24, 27				
 01.43.864 01.43.865				NEW

63

66

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.865**	**000 581 1701 cpl.1**
	Type Universal Details Spanner size: 24, 27			
NEW	 01.43.565 01.43.864			
	Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.568**	**000 581 3601**
	Type Universal Details Spanner size: 27, 32			
NEW	 01.43.864 01.43.868			
	Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.868**	**000 581 3601 cpl.1**
	Type Universal Details Spanner size: 27, 32			
NEW	 01.43.568 01.43.864			
	Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.567**	**000 581 3901**
	Type Universal Details Spanner size: 30, 32			
NEW	 01.43.864 01.43.867			
	Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.867**	**000 581 3901 cpl.1**
	Type Universal Details Spanner size: 30, 32			
NEW	 01.43.567 01.43.864			
	Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.566**	**000 581 4001**
	Type Universal Details Spanner size: 27, 30			
NEW	 01.43.864 01.43.866			

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steckschlüsseleinsatz, Radmutter/-Bolzen **Socket, wheel nut/bolt**	**1**	**01.43.866**	**000 581 4001** **cpl.1**	

Type Universal

Details Spanner size: 27, 30



01.43.566 01.43.864

NEW

Unterstellheber **Jack**	**1**	**02.66.006**	**904 580 0018**	

Type Universal

Details Height: 460 mm; Load capacity: 10000 kg; Stroke (lift system): 230 mm; Clearance height: 230 mm



NEW

Blechschraube **Sheet metal screw**	**100**	**02.67.157**	**123 990 0136**	

Type Universal

Details Length: 19 mm; Thread size: 4,8



Blechschraube **Sheet metal screw**	**25**	**02.67.184**	**201 990 0536**	

Type Universal

Details Length: 19 mm; Thread size: 4,8



Buchse **Bush**	**500**	**02.67.044**	**000 988 1581**	

Type Universal

Details Colour: red



Buchse **Bush**	**500**	**02.67.028**	**000 988 5581**	

Type Universal

Details Colour: blue





ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Clip** **Clip** Type Universal	**100**	**02.67.228**	**001 988 7681**
	**Clip** **Clip** Type Universal	**100**	**02.67.170**	**000 991 2498**
	**Clip** **Clip** Type Universal	**100**	**02.67.176**	**001 988 4681**
	**Clip** **Clip** Type Universal	**100**	**02.67.154**	**002 997 3386**
	**Clip** **Clip** Type Universal	**100**	**02.67.167**	**003 988 1978**
	**Clip** **Clip** Type Universal	**100**	**02.67.171**	**003 988 4178**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Clip **Clip** Type Universal	**100**	**02.67.177**	**005 988 8278**	
Clip **Clip** Type Universal	**100**	**02.67.172**	**006 988 4378**	
Clip **Clip** Type Universal	**100**	**02.67.169**	**011 988 7678**	
Clip **Clip** Type Universal	**50**	**02.67.229**	**124 988 9478**	
Clip, Zier-/Schutzleiste **Clip, trim/protective strip** Type Universal	**100**	**02.67.116**	**001 988 2081**	
Clip, Zier-/Schutzleiste **Clip, trim/protective strip** Type Universal	**100**	**02.67.224**	**211 988 0578**	

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dicht-/Schutzstopfen** **Sealing-/protection plugs** Type Universal	**100**	**02.67.152**	**002 997 5086**
	Dichtring **Seal ring** Type Universal Details Thickness: 1,5 mm; Inner Ø: 14 mm; Outer Ø: 20 mm	**100**	**02.67.048**	**007603 014106**
				
 02.43.264 02.67.125 07.67.001 86.14.001				
	Dichtring **Seal ring** Type Universal Details Thickness: 1,5 mm; Inner Ø: 24 mm; Outer Ø: 29 mm	**100**	**02.67.046**	**007603 024105**
				
 01.67.056 02.43.286				
	Dichtring **Seal ring** Type Universal Details Thickness: 2 mm; Inner Ø: 26 mm; Outer Ø: 34 mm	**100**	**88.26.001**	**007603 260305**
				
 02.43.287 02.67.138				
	Dichtring **Seal ring** Type Universal Details Thickness: 1 mm; Inner Ø: 12 mm; Outer Ø: 16 mm	**50**	**02.13.114**	**007603 012102**
				
	Dichtring **Seal ring** Type Universal Details Thickness: 1,5 mm; Inner Ø: 12 mm; Outer Ø: 17 mm	**100**	**02.67.047**	**007603 012110**
				
 02.43.117 02.67.003				

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Dichtring **Seal ring**	**100**	**01.67.029**	**003 997 5748**	

Type Universal

Details Thickness: 4 mm; Inner Ø: 60 mm; Outer Ø: 68 mm




01.19.045 02.19.327

NEW

Dichtring **Seal ring**	**100**	**02.67.049**	**007603 008101**	

Type Universal

Details Thickness: 1 mm; Inner Ø: 8 mm; Outer Ø: 11,5 mm



02.43.051 02.43.054

Dichtring **Seal ring**	**50**	**02.18.089**	**007603 008109**	

Type Universal

Details Thickness: 1 mm; Inner Ø: 8 mm; Outer Ø: 11,5 mm

Dichtring **Seal ring**	**100**	**88.26.002**	**007603 026305**	


Type Universal

Details Thickness: 2,5 mm; Inner Ø: 26 mm; Outer Ø: 34 mm

Dichtring **Seal ring**	**10**	**02.67.254**	**006 997 7548**	

Type Universal

Details Thickness: 2 mm; Inner Ø: 36 mm



02.10.099 02.10.192

Dichtringsatz **Seal ring kit**	**1**	**88.99.003**	**007603 022103** **cpl.5**	

Type Universal

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Dichtringsatz** **Seal ring kit** Type Universal	**1**	**88.99.001**	**CU-Dichtung-Set 1**
	**Dichtringsatz** **Seal ring kit** Type Universal	**1**	**88.99.002**	**CU-Dichtung-Set 2**
	**Dichtringsatz** **Seal ring kit** Type Universal	**1**	**88.99.005**	**Dichtung-Set 3**
	**Distanzscheibe** **Spacer** Type Universal Details Thickness: 4 mm; Inner Ø: 10,5 mm; Outer Ø: 25 mm	**100**	**01.67.077**	**007349 010003**
	**Distanzscheibe** **Spacer** Type Universal Details Thickness: 6 mm; Inner Ø: 13 mm; Outer Ø: 30 mm	**100**	**01.67.091**	**387 990 0040**
	**Druckring** **Pressure ring** Type Universal Details Equipment variant: for pipe 15 mm; Height: 9 mm; Inner Ø 1: 11,90 mm; Inner Ø 2: 15,20 mm	**50**	**01.35.002**	**915065 015101**

DIN

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Feder **Spring**	**5**	**01.67.197**	**319 993 0510**	

Type Universal

Details Length: 110 mm; Spring design: tension spring



NEW

Halteclip, Scheibeneinbau **Retaining clip, windows**	**100**	**02.67.153**	**001 988 0325**	

Type Universal



Halteclipsatz, Innenraumverkleidung **Holding clip set, interior trim**	**100**	**02.67.174**	**001 988 9642**	

Type Universal



NEW

Halteklammer **Holding bracket**	**50**	**02.53.165**	**000 727 0046**	

Type Universal



Halteklammer **Holding bracket**	**50**	**02.40.075**	**123 504 0246**	

Type Universal



Halteklammer **Holding bracket**	**100**	**02.67.164**	**000 994 0645**	

Type Universal



DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Halteklammer** **Holding bracket** Type Universal Details Parameter: 3,3 mm	**100**	**02.67.160**	**000 994 2545**
	**Halteklammer** **Holding bracket** Type Universal	**100**	**02.67.215**	**001 988 4981**
	**Halteklammer** **Holding bracket** Type Universal	**100**	**02.67.216**	**001 988 5181**
	**Halteklammer** **Holding bracket** Type Universal Details Parameter: 6,3 mm	**100**	**02.67.156**	**003 994 9345**
	**Halteklammer** **Holding bracket** Type Universal	**100**	**02.67.226**	**006 988 3078**
	**Halteklammer** **Holding bracket** Type Universal	**100**	**02.67.218**	**007 988 7178**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Halteklammer **Holding bracket**	**10**	**02.67.222**	**124 988 0478**	

Type Universal



Halteklammer **Holding bracket**	**10**	**02.67.225**	**124 990 0792**	

Type Universal



Halter **Holder**	**100**	**02.67.151**	**000 988 5681**	

Type Universal



Hohlschraube **Hollow screw**	**50**	**79.08.001**	**326 990 0163**	

Type Universal

Details Thread size: M8 x 1





02.43.051 02.43.054

Hohlschraube **Hollow screw**	**50**	**79.08.002**	**326 990 0063**	

Type Universal

Details Thread size: M8 x 1



Hohlschraube **Hollow screw**	**50**	**79.08.003**	**M 8 x 1 / 1,5** **hole**	

Type Universal

Details Thread size: M8 x 1,5



DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Hohlschraube** **Hollow screw** Type Universal Details Thread size: M10 x 1	**50**	**79.10.001**	**915036 006200**
	**Hohlschraube** **Hollow screw** Type Universal Details Thread size: M10 x 1	**50**	**79.10.002**	**915047 006202**
	**Hohlschraube** **Hollow screw** Type Universal Details Thread size: M12 x 1,5	**50**	**79.12.001**	**915036 008200**
	**Hohlschraube** **Hollow screw** Type Universal Details Thread size: M12 x 1,5	**50**	**79.12.002**	**915047 008100**
	**Hohlschraube** **Hollow screw** Type Universal Details Thread size: M14 x 1,5	**50**	**79.14.001**	**915036 010200**
	**Hohlschraube** **Hollow screw** Type Universal Details Thread size: M14 x 1,5	**50**	**79.14.002**	**915047 010100**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Hohlschraube **Hollow screw**	**50**	**79.16.001**	**915036 012200**	

Type Universal
Details Thread size: M16 x 1,5



Hohlschraube **Hollow screw**	**50**	**79.16.002**	**915047 012200**	

Type Universal
Details Thread size: M16 x 1,5



Hülse **Sleeve**	**10**	**02.67.128**	**900421 006002**	

Type Universal
Details Thread size: M6 x 12



Hydraulikschlauch, Lenkung **Hydraulic hose, steering system**	**20**	**20.07.012**	**000 997 4752**	

Type Universal
Details Inner Ø: 12 mm; Wall thickness: 4 mm



Hydraulikschlauch, Lenkung **Hydraulic hose, steering system**	**20**	**20.07.010**	**201 997 0382**	OE

Type Universal
Details Inner Ø: 10 mm; Wall thickness: 3,8 mm



Kraftstoffschlauch **Fuel hose**	**20**	**20.01.009**	**000 997 8952**	

Type Universal
Details Inner Ø: 9 mm; Wall thickness: 2,5 mm



DIN

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Kraftstoffschlauch** **Fuel hose** Type Universal Details Inner Ø: 3 mm; Wall thickness: 2 mm  02.13.098 02.13.124 02.13.125 02.13.215 02.13.216 02.13.217 02.13.218 20.05.003	**20**	**20.01.001**	**011 997 7782** **cpl.1**
	**Kraftstoffschlauch** **Fuel hose** Type Universal Details Inner Ø: 3,1 mm; Wall thickness: 3 mm	**20**	**20.05.903**	**011 997 7782**
OE 	**Kraftstoffschlauch** **Fuel hose** Type Universal Details Inner Ø: 3,2 mm; Wall thickness: 2,9 mm  20.01.001	**20**	**20.05.003**	**011 997 7782**
	**Kraftstoffschlauch** **Fuel hose** Type Universal Details Inner Ø: 3,2 mm; Wall thickness: 1,9 mm	**20**	**02.38.049**	**605 078 0581**
	**Kraftstoffschlauch** **Fuel hose** Type Universal Details Inner Ø: 3,5 mm; Wall thickness: 2 mm	**20**	**20.06.001**	**117 997 0982**
	**Kraftstoffschlauch** **Fuel hose** Type Universal Details Inner Ø: 5 mm; Wall thickness: 3 mm	**1**	**02.13.001**	**115 078 0781**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Kraftstoffschlauch **Fuel hose**	**20**	**20.01.006**	**107 476 3126**	
Type Universal Details Inner Ø: 5,5 mm; Wall thickness: 2,6 mm				
Kraftstoffschlauch **Fuel hose**	**20**	**20.01.008**	**114 997 1882**	
Type Universal Details Inner Ø: 7 mm; Wall thickness: 2,9 mm				
Kraftstoffschlauch **Fuel hose**	**40**	**20.02.008**	**OLN 7,5 x 3**	
Type Universal Details Inner Ø: 7,5 mm; Wall thickness: 3,3 mm				
Kraftstoffschlauch **Fuel hose**	**20**	**20.01.010**	**112 476 1226**	
Type Universal Details Inner Ø: 12 mm; Wall thickness: 3,4 mm				
Kraftstoffschlauch **Fuel hose**	**20**	**20.01.013**	**OLN 14,5 x 4**	
Type Universal Details Inner Ø: 13 mm; Wall thickness: 4,3 mm				
Kugelpfanne **Ball socket**	**50**	**87.06.202**	**000 991 2422**	
Type Universal Details Ø: 10 mm; Thread size: M6 x 1,5				

DIN

NEW


ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	Molybdänfett Molybdenum grease	**1**	**02.32.003**	**150 ml Fett/ Grease**
	Type Universal			
NEW				
	Mutter Nut	**100**	**02.67.189**	**201 990 0050**
	Type Universal Details Thread size: M6			
	Mutter Nut	**100**	**02.67.230**	**000 990 3250**
	Type Universal Details Thread size: M8 x 1,25			
	Mutter Nut	**50**	**81.08.002**	**000439 008211**
	Type Universal Details Thread size: M8 x 1,25			
	Mutter Nut	**50**	**81.08.001**	**910113 008002**
	Type Universal Details Thread size: M8 x 1,5			
	Mutter Nut	**50**	**81.10.006**	**000 990 2850**
	Type Universal Details Thread size: M10 x 1,5			

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Mutter **Nut**	**50**	**81.10.005**	**913004 010008**	
Type Universal Details Thread size: M10 x 1,5				
Mutter **Nut**	**50**	**81.10.003**	**999901 010000**	
Type Universal Details Thread size: M10 x 1,5				
Mutter **Nut**	**50**	**81.12.006**	**910113 012003**	
Type Universal Details Thread size: M12 x 1,5				
Mutter **Nut**	**50**	**81.12.002**	**913004 012010**	
Type Universal Details Thread size: M12 x 1,75				
Mutter **Nut**	**100**	**81.14.005**	**913004 014005**	
Type Universal Details Thread size: M14 x 1,5				
Mutter **Nut**	**200**	**81.16.001**	**000934 016020**	
Type Universal Details Thread size: M16 x 1,5				

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Mutter** **Nut** Type Universal Details Thread size: M16 x 1,5	**100**	**81.16.005**	**910113 016001**
	**Mutter** **Nut** Type Universal Details Thread size: M20 x 1,5	**50**	**81.20.001**	**913004 020004**
	**Mutter** **Nut** Type Universal Details Thread size: M26 x 1,5	**50**	**81.26.001**	**074305 026202**
	**Mutter** **Nut** Type Universal	**100**	**02.67.193**	**001 994 9845**
	**Niet** **Rivet** Type Universal	**100**	**02.67.188**	**000 990 2192**
	**Ölschlauch** **Oil hose** Type Universal Details Inner Ø: 14 mm; Wall thickness: 3 mm	**20**	**20.07.014**	**CONTI-TCH-OLNS 14x3**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ölschlauch **Oil hose**	**20**	**20.07.006**	**CONTI-TCH-OLNS 6x3**	

Type Universal

Details Inner Ø: 6,4 mm; Wall thickness: 3,5 mm

Ölschlauch **Oil hose**	**20**	**20.07.008**	**Conti-TCH-OLNS 8x3**	

Type Universal

Details Inner Ø: 9 mm; Wall thickness: 3 mm

Paste, Brems-/Kupplungshydraulikteile **Paste, brake / clutch hydraulic parts**	**10**	**02.35.290**	**001 989 1051**	

Type Universal

NEW

Reduzierstück, Druckluftleitung **Reducer, air pipe**	**10**	**83.24.008**	**003 997 8972 n.clp.3**	

Type Universal

Details Ø 1: 10 mm; Ø 2: 8 mm



54.08.001 54.10.001

Reduzierstück, Druckluftleitung **Reducer, air pipe**	**10**	**83.24.004**	**003 997 9172 n.cpl.4**	

Type Universal

Details Ø 1: 6 mm; Ø 2: 4 mm



54.04.001 54.06.001

Reduzierstück, Druckluftleitung **Reducer, air pipe**	**10**	**83.24.006**	**003 997 9172 n.cpl.5**	

Type Universal

Details Ø 1: 8 mm; Ø 2: 6 mm

DIN



54.06.001 54.08.001

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Reduzierstück, Druckluftleitung** **Reducer, air pipe** Type Universal Details Ø 1: 12 mm; Ø 2: 10 mm  54.10.001 54.12.003	**10**	**83.24.010**	**004 997 1772** **n.cpl.3**
	**Reduzierstück, Druckluftleitung** **Reducer, air pipe** Type Universal Details Ø 1: 16 mm; Ø 2: 12 mm  54.12.003	**10**	**83.24.012**	**004 997 1772** **n.cpl.4**
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 10 mm; Hose Ø: 4 mm	**50**	**61.04.002**	**000 990 5188**
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 10 mm; Hose Ø: 6 mm	**50**	**61.06.002**	**915052 006003**
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 12 mm; Hose Ø: 4 mm	**50**	**61.04.003**	**000 990 3888**
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 12 mm; Hose Ø: 6 mm	**50**	**61.06.003**	**000 990 8988**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Ringstutzen, Rohrleitung **Connector, metal pipes** Type Universal Details Ø: 12 mm; Hose Ø: 8 mm	**50**	**61.08.003**	**124 470 2875** **n.cpl.1**	
Ringstutzen, Rohrleitung **Connector, metal pipes** Type Universal Details Ø: 14 mm; Hose Ø: 4 mm	**50**	**61.04.004**	**000 990 4388**	
Ringstutzen, Rohrleitung **Connector, metal pipes** Type Universal Details Ø: 14 mm; Hose Ø: 6 mm	**50**	**61.06.004**	**000 990 5888**	
Ringstutzen, Rohrleitung **Connector, metal pipes** Type Universal Details Ø: 14 mm; Hose Ø: 8 mm	**50**	**61.08.004**	**915052 008016**	
Ringstutzen, Rohrleitung **Connector, metal pipes** Type Universal Details Ø: 14 mm; Hose Ø: 9 mm	**50**	**61.09.004**	**000 987 2827** **n.cpl.1**	
Ringstutzen, Rohrleitung **Connector, metal pipes** Type Universal Details Ø: 16 mm; Hose Ø: 4 mm	**50**	**61.04.005**	**915052 004002**	

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 16 mm; Hose Ø: 6 mm	**50**	**61.06.005**	**000 990 6588**
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 16 mm; Hose Ø: 8 mm	**50**	**61.08.005**	**000 990 4188**
	**Ringstutzen, Rohrleitung** **Connector, metal pipes** Type Universal Details Ø: 16 mm; Hose Ø: 9 mm	**50**	**61.09.005**	**915052 009009**
	**Rohrleitung** **Pipe** Type Universal Details Equipment variant: polyamid; Colour: black; Inner Ø: 2 mm; Outer Ø: 4 mm; Length: 25 m; Wall thickness: 1 mm  83.14.004 83.15.004 83.24.004 83.34.004 83.44.004	**25**	**54.04.001**	**000 429 0001**
	**Rohrleitung** **Pipe** Type Universal Details Equipment variant: polyamid; Colour: black; Inner Ø: 4 mm; Outer Ø: 6 mm; Length: 25 m; Wall thickness: 1 mm  83.14.006 83.15.006 83.24.004 83.24.006 83.34.006 83.44.006	**25**	**54.06.001**	**008 997 6082**
	**Rohrleitung** **Pipe** Type Universal Details Equipment variant: polyamid; Colour: black; Inner Ø: 6 mm; Outer Ø: 8 mm; Length: 25 m; Wall thickness: 1 mm  83.14.008 83.15.008 83.24.006 83.24.008 83.34.008 83.44.008	**25**	**54.08.001**	**008 997 9082**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Rohrleitung **Pipe**	**25**	**54.10.001**	**001 997 0652**	

Type Universal

Details Equipment variant: polyamid; Colour: black; Inner Ø: 8 mm; Outer Ø: 10 mm; Length: 25 m; Wall thickness: 1 mm



83.14.010 83.15.010 83.24.008 83.24.010 83.34.010 83.44.010

Rohrleitung **Pipe**	**25**	**54.10.002**	**828 251 011 6**	

Type Universal

Details Equipment variant: polyamid; Colour: black; Inner Ø: 7 mm; Outer Ø: 10 mm; Length: 25 m; Wall thickness: 1,5 mm



83.14.010 83.15.010 83.34.010 83.44.010

Rohrleitung **Pipe**	**25**	**54.11.001**	**008 997 5482**	

Type Universal

Details Equipment variant: polyamid; Colour: black; Inner Ø: 8 mm; Outer Ø: 11 mm; Length: 25 m; Wall thickness: 1,5 mm

Rohrleitung **Pipe**	**25**	**54.12.003**	**017 997 8082**	

Type Universal

Details Equipment variant: polyamid; Colour: black; Inner Ø: 9,5 mm; Outer Ø: 12 mm; Length: 25 m; Wall thickness: 1,25 mm



83.14.012 83.15.012 83.24.010 83.24.012 83.34.012 83.44.012

Rohrleitung **Pipe**	**25**	**54.12.001**	**010 997 5982**	

Type Universal

Details Equipment variant: polyamid; Colour: black; Inner Ø: 9 mm; Outer Ø: 12 mm; Length: 25 m; Wall thickness: 1,5 mm



83.14.012 83.15.012 83.34.012 83.44.012

Rohrleitung **Pipe**	**25**	**54.13.001**	**000 476 2101**	

Type Universal

Details Equipment variant: polyamid; Colour: black; Inner Ø: 10 mm; Outer Ø: 13 mm; Length: 25 m; Wall thickness: 1,5 mm

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Rohrleitung** **Pipe**	**25**	**54.15.001**	**010 997 4682**
	Type Universal Details Equipment variant: polyamid; Colour: black; Inner Ø: 12 mm; Outer Ø: 15 mm; Length: 25 m; Wall thickness: 1,5 mm			
	Schlauch **Hose**	**10**	**20.06.015**	**900271 015037**
	Type Universal Details Inner Ø: 15 mm; Outer Ø: 22 mm			
NEW				
	**Schlauch** **Hose**	**10**	**98.01.001**	**900271 055000**
	Type Universal Details Length: 60 mm; Inner Ø: 54 mm			
NEW				
	**Schlauchschelle** **Hose clamp**	**50**	**88.99.100**	**8 - 12 mm**
	Type Universal Details Width: 9,1 mm; Material: sheet steel; Ø: from 8 to 12 mm			
	**Schlauchschelle** **Hose clamp**	**50**	**88.99.101**	**10 - 16 mm**
	Type Universal Details Width: 9,1 mm; Material: sheet steel; Ø: from 10 to 16 mm			
	**Schlauchschelle** **Hose clamp**	**50**	**88.99.102**	**12 - 20 mm**
	Type Universal Details Width: 9,1 mm; Material: sheet steel; Ø: from 12 to 20 mm			

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schlauchschelle **Hose clamp**	**50**	**88.99.103**	**16 - 25 mm**	

Type Universal

Details Width: 9,1 mm; Material: sheet steel; Ø: from 16 to 25 mm



Schlauchschelle **Hose clamp**	**50**	**88.99.104**	**16 - 27 mm**	

Type Universal

Details Width: 9,1 mm; Material: sheet steel; Ø: from 16 to 27 mm



Schlauchschelle **Hose clamp**	**50**	**88.99.105**	**22 - 32 mm**	

Type Universal

Details Width: 9,1 mm; Material: sheet steel; Ø: from 22 to 32 mm



Schlauchschelle **Hose clamp**	**50**	**88.99.106**	**25 - 40 mm**	

Type Universal

Details Width: 9,1 mm; Material: sheet steel; Ø: from 25 to 40 mm



Schlauchschelle **Hose clamp**	**50**	**88.99.107**	**35 - 50 mm**	

Type Universal

Details Width: 9,1 mm; Material: sheet steel; Ø: from 35 to 50 mm



Schlauchschelle **Hose clamp**	**50**	**88.99.108**	**40 - 60 mm**	

Type Universal

Details Width: 9,1 mm; Material: sheet steel; Ø: from 40 to 60 mm



DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Schlauchschelle** **Hose clamp** Type Universal Details Width: 9,1 mm; Material: sheet steel; Ø: from 50 to 70 mm	**50**	**88.99.109**	**50 - 70 mm**
	**Schlauchschelle** **Hose clamp** Type Universal Details Width: 9,1 mm; Material: sheet steel; Ø: from 60 to 80 mm	**50**	**88.99.110**	**60 - 80 mm**
	**Schlauchschelle** **Hose clamp** Type Universal Details Width: 9,1 mm; Material: sheet steel; Ø: from 70 to 90 mm	**50**	**88.99.111**	**70 - 90 mm**
	**Schraube** **Screw** Type Universal Details Length: 12 mm; Thread size: M6 x 1,0; Bolt / nut version: with plain washer, with lockwasher  02.67.032	**50**	**02.67.031**	**914020 006009**
	**Schraube** **Screw** Type Universal Details Length: 15 mm; Thread size: M6 x 1,0; Bolt / nut version: with plain washer  02.67.031	**50**	**02.67.032**	**914020 006000**
	**Schraube** **Screw** Type Universal Details Length: 35 mm; Thread size: M12 x 1,5	**100**	**80.12.007**	**000961 012097**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Schraube **Screw**	**50**	**80.12.004**	**000931 012247**	

Type Universal
Details Length: 45 mm; Thread size: M12 x 1,5



Schraube **Screw**	**50**	**80.12.005**	**000931 012132**	

Type Universal
Details Length: 50 mm; Thread size: M12 x 1,5



Schraube **Screw**	**100**	**80.12.009**	**000933 012069**	

Type Universal
Details Length: 30 mm; Thread size: M12 x 1,75



Schraube **Screw**	**25**	**80.20.002**	**914142 020103**	

Type Universal
Details Length: 75 mm; Thread size: M20 x 1,5



Schraube **Screw**	**25**	**80.20.001**	**000960 020123**	

Type Universal
Details Length: 140 mm; Thread size: M20 x 1,5




Schraube, Abgasanlage **Bolt, exhaust system**	**20**	**02.16.091**	**111 990 0405**	

Type Universal
Details Thread size: M8 x 46



DIN

NEW

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Sicherungsclip** **Locking clip** Type Universal	**50**	**02.67.011**	**000 994 2960**
	**Sicherungssatz** **Fuse kit** Type Universal Details Fuse type: standard flat fuse	**1**	**88.99.007**	**Fuse set**
	**Sicherungssatz** **Fuse kit** Type Universal Details Fuse type: mini-flat fuse	**1**	**88.99.006**	**Mini fuse set**
	**Silikonschmierstoff** **Silicon lubricant** Details Quantity: 25; Chemical properties: sprayable; Packing type: tube; Oil viscosity classification sae: 6000 cst  Disassemble Valve Refill Clutch Assemble Valve	**2**	**03.19.200**	**Silikone oil for visco clutch**
	**Spreizniet** **Expanding rivet** Type Universal	**100**	**02.67.204**	**000 990 3792**
	**Spreizniet** **Expanding rivet** Type Universal	**100**	**02.67.201**	**000 988 8425**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Spreizniet **Expanding rivet** Type Universal	**100**	**02.67.187**	**000 990 2292**	
Spreizniet **Expanding rivet** Type Universal	**100**	**02.67.202**	**000 990 3492**	
Spreizniet **Expanding rivet** Type Universal	**100**	**02.67.194**	**001 990 0192**	
Spreizniet **Expanding rivet** Type Universal	**100**	**02.67.205**	**001 990 1692**	
Spreizniet **Expanding rivet** Type Universal	**100**	**02.67.203**	**001 994 4145**	
Spreizniet **Expanding rivet** Type Universal	**100**	**02.67.186**	**123 990 0092**	

NEW

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Spreizniet** **Expanding rivet** Type Universal	**100**	**02.67.206**	**123 990 0292**
	**Spreizniet** **Expanding rivet** Type Universal	**100**	**02.67.192**	**124 990 0492**
	**Spreizniet** **Expanding rivet** Type Universal	**100**	**02.67.195**	**163 990 0292**
	**Spreizniet** **Expanding rivet** Type Universal	**100**	**02.67.173**	**201 990 0292**
	**Steckverbinder** **Plug connector** Type Universal Details Inner Ø: 4 mm  54.04.001	**10**	**83.14.004**	**000 429 0001** **n.cpl.2**
	**Steckverbinder** **Plug connector** Type Universal Details Inner Ø: 6 mm  54.06.001	**10**	**83.14.006**	**003 997 9172** **n.cpl.2**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Steckverbinder **Plug connector**	**10**	**83.14.008**	**003 997 8972** **n.clp.1**	

Type Universal
Details Inner Ø: 8 mm




54.08.001

Steckverbinder **Plug connector**	**10**	**83.14.010**	**001 997 0652** **n.cpl.2**	

Type Universal
Details Inner Ø: 10 mm




54.10.001


54.10.002

Steckverbinder **Plug connector**	**10**	**83.14.012**	**004 997 1772** **n.cpl.1**	

Type Universal
Details Inner Ø: 12 mm




54.12.001


54.12.003

Steckverbinder **Plug connector**	**10**	**83.14.016**	**005 997 4372** **plastic 16mm**	

Type Universal
Details Inner Ø: 16 mm



Steckverbinder **Plug connector**	**10**	**83.15.004**	**000 429 0001** **n.cpl.3**	

Type Universal
Details Inner Ø: 4 mm




54.04.001

Steckverbinder **Plug connector**	**10**	**83.15.006**	**003 997 9172** **n.cpl.3**	

Type Universal
Details Inner Ø: 6 mm



DIN


54.06.001

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Steckverbinder** **Plug connector** Type Universal Details Inner Ø: 8 mm  54.08.001	**10**	**83.15.008**	**003 997 8972** **n.clp.2**
	**Steckverbinder** **Plug connector** Type Universal Details Inner Ø: 10 mm  54.10.001 54.10.002	**10**	**83.15.010**	**001 997 0652** **n.cpl.3**
	**Steckverbinder** **Plug connector** Type Universal Details Inner Ø: 12 mm  54.12.001 54.12.003	**10**	**83.15.012**	**004 997 1772** **n.cpl.2**
	**Stehbolzen** **Stud** Type Universal Details Length: 42 mm; Thread size: M8 x 1,5	**100**	**01.67.242**	**355 180 1265** **n.cpl.1**
NEW				
	**Stehbolzen** **Stud** Type Universal Details Length: 38 mm; Thread size: M10 x 1,5	**50**	**01.67.525**	**000 990 5705**
NEW				
	**Stehbolzen** **Stud** Type Universal Details Length: 42 mm; Thread size: M10x1,5	**50**	**80.10.001**	**000 990 6005**

DIN

NEW

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Stehbolzen **Stud**	**50**	**80.12.001**	**000939 012041**	

Type Universal

Details Length: 50 mm; Thread size: M12 x 1,5



NEW

Stehbolzen **Stud**	**50**	**80.16.001**	**000835 016017**	

Type Universal

Details Length: 38 mm; Thread size: M16 x 1,5



NEW

Tülle **Grommet**	**100**	**02.67.209**	**201 992 1205**	

Type Universal



Unterlegscheibe **Washer**	**100**	**82.04.001**	**000125 004311**	

Type Universal

Details Thickness: 0,73 mm; Inner Ø: 4,4 mm; Outer Ø: 8,75 mm



NEW

Unterlegscheibe **Washer**	**10**	**82.10.001**	**009021 010202**	

Type Universal

Details Thickness: 2,5 mm; Inner Ø: 10,5 mm; Outer Ø: 30 mm



01.40.017 01.43.126

NEW

Verbindungs-/Verteilerstück, Rohrleitungen **Connector, pipes**	**10**	**83.34.004**	**000 429 0001** **n.cpl.5**	

Type Universal


Details Inner Ø: 4 mm



DIN



54.04.001

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Verbindungs-/Verteilerstück, Rohrleitungen** **Connector, pipes** Type Universal Details Inner Ø: 6 mm  54.06.001	**10**	**83.34.006**	**003 997 9172** **n.cpl.7**
	**Verbindungs-/Verteilerstück, Rohrleitungen** **Connector, pipes** Type Universal Details Inner Ø: 8 mm  54.08.001	**10**	**83.34.008**	**003 997 8972** **n.clp.5**
	**Verbindungs-/Verteilerstück, Rohrleitungen** **Connector, pipes** Type Universal Details Inner Ø: 10 mm  54.10.001 54.10.002	**10**	**83.34.010**	**001 997 0652** **n.cpl.6**
	**Verbindungs-/Verteilerstück, Rohrleitungen** **Connector, pipes** Type Universal Details Inner Ø: 12 mm  54.12.001 54.12.003	**10**	**83.34.012**	**004 997 1772** **n.cpl.6**
	**Verbindungs-/Verteilerstück, Rohrleitungen** **Connector, pipes** Type Universal Details Inner Ø: 16 mm	**10**	**83.34.016**	**83.34.016**
	**Verbindungs-/Verteilerstück, Rohrleitungen** **Connector, pipes** Type Universal Details Inner Ø: 4 mm  54.04.001	**10**	**83.44.004**	**000 429 0001** **n.cpl.6**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.	ABBILDUNG PICTURE
Verbindungs-/Verteilerstück, Rohrleitungen **Connector, pipes**	**10**	**83.44.006**	**83.44.006**	

Type Universal
Details Inner Ø: 6 mm


54.06.001

Verbindungs-/Verteilerstück, Rohrleitungen **Connector, pipes**	**10**	**83.44.008**	**003 997 8972** **n.clp.6**	

Type Universal
Details Inner Ø: 8 mm


54.08.001

Verbindungs-/Verteilerstück, Rohrleitungen **Connector, pipes**	**10**	**83.44.010**	**83.44.010**	

Type Universal
Details Inner Ø: 10 mm


54.10.001 54.10.002

Verbindungs-/Verteilerstück, Rohrleitungen **Connector, pipes**	**10**	**83.44.012**	**004 997 1772** **n.cpl.7**	

Type Universal
Details Inner Ø: 12 mm


54.12.001 54.12.003

Verbindungs-/Verteilerstück, Rohrleitungen **Connector, pipes**	**10**	**83.44.016**	**83.44.016**	

Type Universal
Details Inner Ø: 16 mm

Verschluss-/Schutzkappe **Sealing/protective cap**	**100**	**02.67.150**	**000 997 3320**	

Type Universal
Details Ø: 10 mm

DIN

ABBILDUNG PICTURE	BEZEICHNUNG DESCRIPTION	VE PU	TTC NO.	REF NO.
	**Verschlussschraube** **Screw plug** Type Universal Details Thread size: M14 x 1,5	**25**	**86.14.001**	**007604 014110**
NEW	 02.67.048			
	**Verschlussschraube** **Screw plug** Type Universal Details Thread size: M22 x 1,5	**25**	**86.22.001**	**007604 022102**
NEW				
	**Verschlussschraube, Ölwanne** **Sealing plug, oil sump** Type Universal Details Thread size: M20 x 1,5	**25**	**01.67.005**	**000908 020001**
	**Verschlussschraube, Ölwanne** **Sealing plug, oil sump** Type Universal Details Thread size: M20 x 1,5	**1**	**01.43.504**	**000908 020001 cpl.1**

DIN

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

QUALITY SPARE PARTS



Umschlüsselung
Cross Reference

Index

Mercedes
Mercedes DIN
ATE
Bosch
Contitech
F & S
Solex
SWF

➔ TRUCKTEC

REF. NO.	TTC NO.	p.
000 010 0285	02.10.046	17
000 010 0301	02.10.046	17
000 010 0385	02.10.046	17
000 010 1285	02.10.046	17
000 010 1485	02.10.046	17
000 015 0245	07.10.008	22
000 015 0246	07.10.008	22
000 016 0040	01.10.189	9
000 016 0421	01.10.158	9
000 016 0434	02.10.209	12
000 018 0702	02.10.046	17
000 032 0005	02.11.007	27
000 050 0224	02.12.084	49
000 053 0358	02.12.001	29
000 053 0858	02.12.001	29
000 053 1058	02.12.003	28
000 053 1858	02.12.003	28
000 053 1958	02.12.001	29
000 053 3158	02.12.003	28
000 053 3558	02.12.021	30
000 053 3658	02.12.023	29
000 053 4158	02.12.042	31
000 053 4258	02.12.042	31
000 053 4358	02.12.042	31
000 053 4558	02.12.172	30
000 053 4658	02.12.172	30
000 053 4758	02.12.172	30
000 053 4858	07.12.054	30
000 053 4958	02.12.021	30
000 053 5158	02.12.173	30
000 053 5258	01.12.136	30
000 053 5358	01.12.136	30
000 053 5658	02.12.172	30
000 053 5658 cpl.1	02.10.210	10
000 053 5658 cpl.2	02.10.195	11
000 053 5858	01.12.136	30
000 054 0201	07.12.078	52
000 070 1887	02.13.023	59
000 070 1987	02.13.038	60
000 074 0684	01.13.139	74
000 074 3884	01.13.139	74
000 074 4686	02.13.037	292
000 074 4686 n.cpl.1	02.13.937	292
000 074 5786	02.13.037	292
000 074 5786 n.cpl.1	02.13.937	292
000 074 5986	02.13.037	292
000 074 5986 n.cpl.1	02.13.937	292
000 074 6086	02.13.037	292
000 074 6086 n.cpl.1	02.13.937	292
000 074 7684	01.13.139	74
000 078 0680	02.13.133	57
000 078 0956	02.13.082	62
000 078 1489	02.13.044	69
000 078 1589	02.13.044	69
000 078 1889	02.13.044	69
000 090 0040 cpl.1	01.14.015	69
000 090 0050	01.14.005	63
000 090 0050	01.14.182	63
000 090 0151	01.14.014	69
000 090 0200	02.38.132	294
000 090 0210	01.43.046	72
000 090 0751	01.14.058	69
000 090 1050	01.14.045	71
000 090 1151	01.38.045	293
000 090 1251	01.14.071	69
000 090 1351	01.14.058	69
000 090 1551	01.14.071	69
000 090 1651	02.14.097	84
000 090 2051	01.14.061	70
000 090 2250	01.14.046	72
000 090 2651	02.14.064	84
000 090 3751	02.14.064	84
000 090 3851	02.14.097	84
000 090 4105	01.14.061	70
000 090 6450	01.14.045	71
000 090 8850	01.14.049	64
000 091 0039	01.14.011	69
000 091 0640	01.14.015	69
000 091 0790	01.14.005	63
000 091 0790	01.14.182	63
000 091 0840	01.14.015	69
000 091 0840 cpl.1	01.43.120	72
000 091 1101	01.14.005	63
000 091 1101	01.14.182	63
000 091 1690	01.14.048	72
000 091 2190	01.14.048	72
000 092 1505	01.38.045	293
000 092 1905	01.38.045	293
000 092 4708	01.14.056	292
000 092 5208	01.14.056	292
000 094 0548	02.14.052	85
000 094 1048	02.14.052	85
000 094 1255	02.14.020	75
000 094 2048	02.14.165	85
000 094 2248	02.14.166	85
000 094 3248	02.14.166	85
000 094 3448	02.14.166	85
000 142 0089	01.16.107	293
000 142 0289	01.16.107	293
000 150 0280	02.17.040	116
000 152 6210	02.17.016	105
000 152 6910	02.17.016	105
000 152 7310	02.17.024	105
000 152 9810	02.17.020	106
000 153 9513	02.17.105	116
000 154 1705	01.17.031	99
000 154 2405	01.17.067	101
000 154 2605	01.17.067	101
000 154 2705	01.17.067	101
000 154 3605	02.17.005	100
000 154 3805	01.17.067	101
000 154 7216	05.17.004	102
000 154 7316	05.17.004	102
000 156 7110	02.42.323	115
000 156 7210	02.42.323	115
000 156 7510	02.42.323	115
000 158 7003	02.17.040	116
000 158 7103	02.17.040	116
000 158 7303	02.17.041	117
000 158 7503	02.17.040	116
000 158 7803	02.17.041	117
000 159 3304	02.17.106	102
000 159 3404	02.17.107	102
000 159 3542	02.42.322	115
000 159 3642	02.42.322	115
000 159 3804	02.17.108	102
000 180 1509	07.18.010	124
000 180 1609	01.18.103	125
000 180 2209	02.18.032	123
000 180 2309	02.18.140	125
000 180 2409	02.18.116	123
000 180 2509	02.18.117	122
000 180 2609	02.18.032	123
000 180 2665	01.18.097	127
000 180 3109	02.18.032	123
000 184 2225	01.37.058	282
000 184 2325	01.37.058	282
000 184 6525	01.37.058	282
000 184 6580	01.18.007	117
000 200 2022	02.19.284	141
000 200 2470	01.19.177	148
000 200 3702	02.19.211	143
000 200 3722	02.19.211	143
000 200 3723	02.19.213	143
000 200 3822	02.19.212	142
000 200 3922	02.19.281	142
000 200 4923	02.19.215	142
000 200 5122	02.19.213	143
000 200 5822	02.19.215	142
000 200 5922	02.19.216	143
000 200 6023	02.19.214	142
000 200 6023 n.cpl.1	02.19.214	142
000 200 6023 n.cpl.2	02.19.220	145
000 200 6023/1	02.19.214	142
000 200 6323	02.19.271	144
000 200 6323 n.cpl.1	02.19.261	142
000 200 7323	02.19.060	144
000 200 8123	02.19.287	144
000 200 8223	02.19.286	143
000 200 9023	02.19.061	144
000 200 9623	02.19.287	144
000 200 9723	02.19.277	144
000 200 9923	02.19.062	143
000 202 0019	02.19.167	158
000 202 0019	02.19.967	158
000 202 0419	02.19.053	159
000 202 0919	02.19.167	158
000 202 0919	02.19.967	158
000 230 1765	02.36.057	276
000 230 1965	02.36.057	276
000 230 2011	02.59.135	369
000 230 2865	02.36.057	276
000 230 2965	02.36.057	276
000 230 3065	02.36.057	276
000 230 3165	02.36.057	276
000 230 3565	02.36.057	276
000 230 3911	02.59.135	369
000 230 4365	02.36.058	276
000 230 6411	02.59.136	369
000 230 6511	02.59.136	369
000 230 6811	02.59.135	369
000 230 7011	02.59.135	369
000 230 8011	02.59.136	369
000 230 8111	02.59.136	369
000 230 8411	02.59.136	369
000 230 8511	02.59.136	369
000 230 8811	02.59.136	369
000 234 0911	02.59.135	369
000 234 2011	02.59.135	369
000 234 2411	02.59.135	369
000 234 2911	02.59.135	369
000 234 7011	02.59.135	369
000 250 0315	02.23.028	171
000 250 0503	01.23.138	177
000 250 0615	02.23.028	171
000 250 0715	02.23.028	171
000 250 0915	02.23.028	171
000 250 2115	02.23.028	171
000 250 3303	01.23.138	177
000 250 3503	01.23.138	177
000 250 4215	01.23.056	171
000 250 4615	01.23.056	171
000 250 5115	02.23.028	171
000 250 5215	02.23.028	171
000 250 5515	02.23.028	171
000 250 6303	01.23.114	176
000 250 6815	02.23.028	171
000 250 9303	01.23.114	176

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
000 250 9515	02.23.029	171
000 252 0005	02.23.114	178
000 252 1805	02.23.133	179
000 252 4005	02.23.133	179
000 252 5205	02.23.133	179
000 254 1308	02.23.131	180
000 254 1408	02.23.131	180
000 254 1508	02.23.035	180
000 254 1608	02.23.035	180
000 254 1708	02.23.136	180
000 254 1808	02.23.131	180
000 254 2408	02.23.035	180
000 254 2508	02.23.035	180
000 254 2808	02.23.136	180
000 254 5208	02.23.035	180
000 260 0009	02.24.026	180
000 260 0109 n.cpl.1	02.24.027	181
000 268 0091	02.24.025	181
000 268 0191	02.24.024	182
000 268 1096	02.24.018	181
000 268 1096 64	02.24.018	181
000 268 4097	02.32.080	181
000 290 0312	02.27.007	179
000 290 0967	02.27.007	179
000 290 3212	02.23.033	172
000 295 3407	02.23.128	179
000 295 3607	02.23.128	179
000 295 4107	02.23.124	179
000 295 5006	02.27.010	172
000 295 5106	02.27.010	172
000 295 5907	02.23.128	179
000 295 6006	02.27.010	172
000 295 6307	02.23.124	179
000 295 6507	02.23.124	179
000 295 6606	02.27.010	172
000 295 6807	02.23.128	179
000 295 7606	02.23.128	179
000 295 7607	02.23.128	179
000 295 7706	02.27.010	172
000 295 7806	02.27.010	172
000 295 8207	02.23.124	179
000 295 9106	02.27.005	172
000 321 0050	02.30.028	205
000 321 0150	02.30.028	205
000 321 0250	02.30.186	206
000 321 0350	02.30.028	205
000 321 0450	02.30.186	206
000 323 2444	01.30.048	213
000 323 2885	01.30.048	213
000 330 0036	02.31.181	224
000 330 0235	02.37.065	290
000 330 0735	02.37.065	290

REF. NO.	TTC NO.	p.
000 330 1035	02.31.158	291
000 330 1135	02.31.159	291
000 330 1435	02.31.277	291
000 330 1585	02.31.181	224
000 330 1685	02.31.009	224
000 330 1885	02.31.182	224
000 330 5035	02.37.056	288
000 330 6835	02.37.065	290
000 330 8635	02.37.065	290
000 330 8835	02.37.065	290
000 338 1610	02.31.277	291
000 411 0212	01.34.040	243
000 420 0054	02.35.303	266
000 420 0076	02.35.304	264
000 420 0120	02.35.117	249
000 420 0244	02.43.134	266
000 420 0250	02.35.303	266
000 420 2120	02.35.104	251
000 420 9720	02.35.086	251
000 421 0818	02.35.304	264
000 421 0850	02.35.303	266
000 421 1448	02.35.305	268
000 421 1548	02.35.309	268
000 421 2410	02.35.084	250
000 421 4110	02.35.117	249
000 421 4110 cpl.1	02.35.123	249
000 421 4210	02.35.118	249
000 421 6110	02.35.160	250
000 421 6210	02.35.161	250
000 423 7110	02.35.083	250
000 428 2835	02.35.013	260
000 428 6635	02.35.013	260
000 428 8035	02.35.013	260
000 428 8235	02.35.013	260
000 430 0470	01.35.157	264
000 430 0970	01.35.159	264
000 430 2070	01.35.158	264
000 430 2170	01.35.159	264
000 430 2270	01.35.159	264
000 430 2370	01.35.157	264
000 430 2760	02.43.154	268
000 430 5601	02.35.286	265
000 430 6401	02.35.286	265
000 430 6501	02.35.286	265
000 430 7660	02.43.154	268
000 430 9360	02.43.154	268
000 431 4701	02.35.286	265
000 431 5601	02.35.286	265
000 431 5701	02.35.286	265
000 431 6301	02.35.285	265
000 431 6401	02.35.286	265
000 431 6501	02.35.286	265

REF. NO.	TTC NO.	p.
000 431 7001	02.35.554	265
000 431 7101	02.35.288	265
000 431 7601	02.35.384	265
000 460 0057	01.37.023	282
000 460 0157	01.37.023	282
000 460 2148	02.37.056	288
000 460 2248	02.37.057	288
000 460 2561	02.43.129	280
000 460 2761	02.43.149	280
000 460 4148	02.37.056	288
000 460 4161	02.43.129	280
000 460 4248	02.37.057	288
000 460 4380	02.43.149	280
000 460 4480	02.43.160	280
000 460 4548	02.37.056	288
000 460 4561	02.43.149	280
000 460 4648	02.37.057	288
000 460 4761	02.43.180	280
000 460 4780	02.43.149	280
000 460 4861	02.43.180	280
000 460 6548	02.31.155	290
000 460 7248	02.37.066	290
000 460 7348	02.37.065	290
000 460 8548	02.37.056	288
000 460 8648	02.37.057	288
000 460 8748	02.37.057	288
000 460 9480	01.37.104	284
000 462 0179	02.37.040	340
000 463 1029	02.37.046	289
000 466 0204	01.37.058	282
000 466 0604	01.37.058	282
000 466 0704	02.37.011	283
000 466 1304	02.43.073	282
000 466 1304 cpl.1	02.43.072	283
000 466 1604	02.37.011	283
000 466 1604 cpl.1	02.43.073	282
000 466 1604 cpl.2	02.43.072	283
000 466 1680 cpl.2	02.43.072	283
000 466 2104	02.37.011	283
000 466 2104 cpl.1	02.43.072	283
000 466 2804	01.37.058	282
000 466 3004	01.37.058	282
000 470 0192	01.38.045	293
000 470 5593	02.38.134	297
000 470 8593	02.38.134	297
000 477 0080	01.38.004	56
000 477 1180	01.38.004	56
000 477 2380	01.38.004	56
000 477 3180	01.38.004	56
000 477 3680	01.38.004	56
000 477 3815	01.38.045	293
000 477 4215	01.38.045	293

REF. NO.	TTC NO.	p.
000 477 5415	01.38.045	293
000 477 5715	01.38.045	293
000 477 6815	01.38.045	293
000 477 9115	02.38.051	296
000 477 9215	02.14.003	296
000 500 7093	02.40.180	308
000 500 7193	02.40.180	308
000 501 6215	02.40.204	308
000 501 8215	02.40.119	308
000 540 0217	02.42.006	277
000 540 3917	02.39.055	103
000 540 4217	02.39.055	103
000 540 4317	02.39.049	104
000 540 6417	02.39.049	104
000 540 7445	02.42.085	313
000 540 7517	02.39.048	103
000 540 7545	02.42.313	313
000 540 7617	02.39.044	105
000 540 9217	02.39.050	104
000 540 9517	02.39.045	104
000 542 2818	02.17.050	110
000 542 3717	01.42.009	319
000 542 5118	02.19.238	319
000 542 6218	02.17.037	319
000 542 8418	02.42.001	318
000 542 9719	07.42.064	314
000 544 6394	88.58.011	362
000 544 9094	88.58.103	355
000 545 0427	02.42.357	96
000 545 0527	02.42.316	96
000 545 1219	01.42.012	312
000 545 1235	01.42.002	318
000 545 1630	01.42.087	312
000 545 2209	01.42.061	310
000 545 2319	01.42.051	312
000 545 3013	01.42.001	325
000 545 3516	02.42.282	115
000 545 3616	02.42.283	116
000 545 4609	01.42.061	310
000 545 4709	01.42.040	310
000 545 4906	02.42.264	315
000 545 5009	01.42.040	310
000 545 5209	01.42.039	311
000 545 5909	01.42.040	310
000 545 6109	01.42.061	310
000 545 6314	01.42.010	325
000 545 6511	01.42.040	310
000 545 6514	01.42.010	325
000 545 6909	01.42.011	310
000 545 7709	02.42.268	310
000 545 7909	01.42.039	311
000 545 8108	02.42.119	325

REF. NO.	TTC NO.	p.
000 545 8108 cpl.1	02.37.213	286
000 545 8609	02.42.268	310
000 545 8714	01.42.059	317
000 545 8808	02.42.349	325
000 545 9009	01.42.039	311
000 545 9109	01.42.075	317
000 545 9111	01.42.003	317
000 545 9211	01.42.005	324
000 545 9311	01.42.004	325
000 545 9809	02.42.320	311
000 545 9811	01.42.059	317
000 545 9909	02.42.268	310
000 545 9915	01.42.087	312
000 581 0001	01.43.565	383
000 581 1701	01.43.565	383
000 581 1701 cpl.1	01.43.865	384
000 581 3601	01.43.568	384
000 581 3601 cpl.1	01.43.868	384
000 581 3901	01.43.567	384
000 581 3901 cpl.1	01.43.867	384
000 581 4001	01.43.566	384
000 581 4001 cpl.1	01.43.866	385
000 581 5801	01.43.565	383
000 581 5901	01.43.566	384
000 581 6101	01.43.567	384
000 586 2929	02.43.182	179
000 586 3843	02.43.154	268
000 586 4143	02.43.033	268
000 586 4143 n.cpl.1	02.56.018	266
000 586 8942	02.35.144	247
000 727 0037 cpl.1	02.53.251	347
000 727 0137 cpl.1	02.53.252	347
000 743 0372	02.53.180	333
000 750 3180	01.66.007	378
000 760 1359	02.53.071	345
000 760 1359 cpl.1	02.43.274	345
000 763 0047	02.53.236	340
000 763 0147	02.53.164	340
000 810 0519	02.57.156	341
000 810 0619	02.57.157	341
000 810 1516	01.57.002	329
000 820 0577	02.58.393	363
000 820 1277	02.58.447	354
000 820 5045	01.58.073	375
000 820 5210	02.58.002	365
000 820 6045	01.58.073	375
000 820 62 42	02.59.124	365
000 820 8245	01.58.073	375
000 820 9245	01.58.073	375
000 820 9345	01.58.073	375
000 821 2992	02.59.116	372
000 826 0451	02.58.236	364
000 826 0551	02.58.237	364
000 826 0756	02.58.031	363
000 826 0856	02.58.032	363
000 826 1556	02.58.031	363
000 826 1656	02.58.032	363
000 826 1856	02.58.031	363
000 826 1956	02.58.032	363
000 826 2056	02.58.250	363
000 826 2156	02.58.251	363
000 826 2356	02.58.251	363
000 830 3318	02.59.081	367
000 830 4185	02.59.002	364
000 830 9858	02.59.095	370
000 835 2285	02.59.089	368
000 835 2385	02.59.126	368
000 835 3047	02.59.061	366
000 835 6007	02.59.091	368
000 835 6107	02.59.117	369
000 835 6947	01.59.019	365
000 835 7904	02.59.145	368
000 835 8064	02.59.090	371
000 860 0726	01.61.007	373
000 860 1026	01.61.007	373
000 860 1126	01.60.001	373
000 860 1226	01.60.001	373
000 860 1326	01.61.007	373
000 860 2026	01.61.007	373
000 860 3226	01.60.001	373
000 860 3326	01.61.007	373
000 860 3526	01.61.007	373
000 860 5826	02.61.003	373
000 869 1126	01.60.001	373
000 869 3621	01.60.001	373
000 870 0089	02.59.115	372
000 897 3692	07.19.139	136
000 905 0600	02.42.068	321
000 905 0700	02.19.238	319
000 905 1405	02.17.145	109
000 905 2210	02.17.136	106
000 905 2310	02.17.152	106
000 905 3300	02.17.145	109
000 905 3403	02.17.136	106
000 905 3503	02.17.135	106
000 905 3603	02.17.137	106
000 905 3708	02.17.146	108
000 905 3905	02.42.416	109
000 905 4005	02.17.146	108
000 905 4410	02.17.152	106
000 905 5100	02.17.136	106
000 905 6102	02.42.068	321
000 905 6104	02.17.136	106
000 905 6204	02.17.152	106
000 905 6404	02.17.103	108
000 905 6900	02.17.136	106
000 905 7000	02.17.135	106
000 905 7100	02.17.137	106
000 905 8700	02.17.097	110
000 905 8804	02.17.099	110
000 905 9803	02.17.138	106
000 905 9905	02.42.418	109
000 906 0126 80	02.17.112	115
000 934 0240	83.22.003	240
000 980 4964	01.66.007	378
000 980 6964	01.66.007	378
000 980 9002	02.32.166	237
000 981 9002	02.32.166	237
000 982 1610	88.58.013	361
000 982 2923	02.42.401	315
000 982 6423	02.42.401	315
000 989 0825	88.19.001	132
000 989 1625	88.19.003	132
000 989 2825	88.19.005	132
000 989 6503	88.25.012	184
000 989 6503 colourless	88.25.013	184
000 989 8803 colourless	88.25.013	184
000 989 9203	88.25.012	184
000 989 9203 colourless	88.25.013	184
000 990 1007	02.33.004	240
000 990 2407	02.33.022	241
000 990 2907	02.13.101	74
000 990 2907 cpl.1	02.13.141	59
000 990 4507	02.33.001	240
000 990 4807	02.33.004	240
000 990 4907	02.33.020	241
000 990 5353	02.33.031	240
000 990 6707	02.33.020	241
000 990 6907	02.33.020	241
000 990 7207	02.33.020	241
000 990 7909	02.33.020	241
000 990 9807	02.33.020	241
000 991 0533	01.35.166	266
000 993 0676	02.67.244	44
000 993 0776	02.67.247	38
000 993 1396	02.19.315	138
000 993 1976	02.67.231	45
000 993 1995	01.19.184	133
000 993 2076	02.67.243	44
000 993 2096	02.19.302	134
000 993 2176	02.67.231	45
000 993 2176 cpl.1	02.12.217	47
000 993 2896	02.19.304	140
000 993 3696	02.19.170	137
000 993 5876	02.67.243	44
000 993 6276	02.67.246	43
000 993 6376	02.67.245	44
000 993 8276	02.67.246	43
000 993 8276 cpl.1	02.12.223	45
000 993 8276 cpl.2	02.12.241	45
000 993 8276 cpl.3	02.12.250	45
000 995 3402	02.30.159	204
000 997 0040	01.67.010	56
000 997 0196	02.19.341	138
000 997 0198	02.67.064	38
000 997 0498	02.67.072	38
000 997 0598	02.67.064	38
000 997 1298	02.67.094	38
000 997 1908	02.10.202	21
000 997 2035	01.67.056	239
000 997 2398	02.67.094	38
000 997 2698	02.67.094	38
000 997 2898	02.67.094	38
000 997 3435	01.67.056	239
000 997 3494	02.67.067	43
000 997 3594	02.67.073	43
000 997 4294	02.67.067	43
000 997 4320	01.10.129	13
000 997 4394	02.67.073	43
000 997 5892	01.19.183	133
000 997 6220	02.10.086	17
000 997 6220 cpl.1	02.10.210	10
000 997 6220 cpl.2	02.10.195	11
000 997 6320	02.10.104	18
000 997 6320 cpl.1	02.10.210	10
000 997 6320 cpl.2	02.10.195	11
000 997 6694	02.67.073	43
000 997 6941	02.67.005	20
000 997 7092	07.19.142	133
000 997 7192	14.19.033	133
000 997 7194	02.67.067	43
000 997 7535	01.67.056	239
000 997 7741	02.67.005	20
000 997 8392	14.19.033	133
000 997 8692	01.19.186	134
000 997 9041	02.67.005	20
000 997 9141	02.67.005	20
000 997 9294	02.67.071	43
000 997 9892	04.19.050	134
000 997 9894	02.67.071	43
000000 000372	88.58.015	361
000000 004055	02.67.120	12
000000 006384	88.58.014	356
000125 007408	83.22.002	240
001 074 0984	01.13.139	74
001 091 4501	01.14.005	63
001 091 4501	01.14.182	63
001 092 1452	02.14.027	294

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
001 092 2201	02.14.027	294
001 092 2201 cpl.1	02.14.027	294
001 092 2301	02.14.027	294
001 092 2301 cpl.1	02.14.027	294
001 092 2302	02.14.027	294
001 092 2401	02.14.027	294
001 092 2401 cpl.1	02.14.027	294
001 092 3201	02.14.027	294
001 092 8401	02.14.027	294
001 092 9001	02.14.027	294
001 094 0405	02.14.106	82
001 094 9504	02.14.106	82
001 151 7301	01.17.056	114
001 151 9601	01.17.056	114
001 152 1110	02.17.014	105
001 152 2210	02.17.020	106
001 152 6510	02.17.038	105
001 153 2120	01.17.044	110
001 153 3120	01.17.044	110
001 154 0716	05.17.004	102
001 154 1016	05.17.004	102
001 154 1116	05.17.004	102
001 154 1616	05.17.004	102
001 154 1806	01.17.011	100
001 154 2116	05.17.004	102
001 155 0015	02.17.027	98
001 184 2225	01.37.058	282
001 201 2000	07.59.036	371
001 203 6975 83 °C	01.19.045	152
001 230 1411	02.59.136	369
001 230 1711	02.59.136	369
001 230 2811	02.59.136	369
001 230 8111	02.59.136	369
001 250 0115	02.23.030	171
001 250 0215	02.23.030	171
001 250 0503	01.23.138	177
001 250 0603	01.23.114	176
001 250 0815	02.23.029	171
001 250 2115	01.23.056	171
001 250 2515	02.23.030	171
001 250 3603	01.23.138	177
001 250 4003	01.23.138	177
001 250 4104	02.23.166	173
001 250 4204	02.23.166	173
001 250 4304	02.23.164	173
001 250 6003	01.23.116	178
001 250 7215	02.23.030	171
001 250 9115	01.23.056	171
001 250 9315	01.23.056	171
001 250 9915	02.23.042	171
001 295 1106	02.23.129	172
001 295 1406	02.27.005	172
001 295 1506	02.27.010	172
001 295 1706	02.23.129	172
001 295 2406	01.27.057	172
001 295 4406	02.27.005	172
001 295 5206	01.27.057	172
001 295 5906	01.27.057	172
001 295 6807	02.23.124	179
001 295 7606	02.23.129	172
001 295 7906	02.23.129	172
001 295 8606	02.23.129	172
001 295 8706	02.27.010	172
001 295 9606	01.27.057	172
001 330 1235	02.31.158	291
001 330 1435	02.31.158	291
001 330 4835	02.37.219	290
001 420 1420	02.35.144	247
001 420 1520	02.35.146	250
001 420 2383	02.35.312	267
001 420 2483	02.35.397	267
001 420 2583	02.35.308	267
001 420 6983	02.35.244	253
001 420 7083	02.35.245	253
001 420 7083 n.cpl.1	02.35.395	267
001 420 8683	02.35.244	253
001 420 8720	02.35.144	247
001 420 8783	02.35.245	253
001 421 0910	02.35.160	250
001 421 1010	02.35.161	250
001 421 1191	02.35.292	279
001 421 4110	02.35.117	249
001 421 4110 cpl.1	02.35.123	249
001 428 0335	02.35.077	261
001 428 9435	02.35.013	260
001 428 9535	02.35.297	260
001 430 4660	02.43.154	268
001 430 5160	02.43.154	268
001 460 4280	01.37.104	284
001 460 5880	01.37.104	284
001 460 8080	01.37.104	284
001 540 0417	02.39.045	104
001 540 4645	02.42.085	313
001 540 4745	02.42.097	313
001 540 4945	02.42.313	313
001 542 2317	01.42.009	319
001 542 4208	01.42.107	309
001 542 4917	01.42.036	113
001 542 5918	02.42.346	318
001 542 6719	02.42.090	314
001 542 7418	02.42.345	318
001 544 5994	88.58.006	354
001 544 9144	88.58.115	356
001 544 9194	88.58.115	356
001 545 0109	02.42.268	310
001 545 0214	01.42.045	325
001 545 0615 cpl.1	01.42.090	312
001 545 0809	01.42.061	310
001 545 1209	01.42.075	317
001 545 1815	01.42.085	312
001 545 2009	02.42.270	310
001 545 2709	01.42.039	311
001 545 2809	01.42.075	317
001 545 3109	02.42.269	311
001 545 3809	02.42.271	310
001 545 4409	02.42.278	311
001 545 4914	01.42.045	325
001 545 5309	01.42.039	311
001 545 5409	01.42.075	317
001 545 6309	02.42.002	311
001 545 6409	02.42.269	311
001 545 6709	02.42.278	311
001 545 7809	01.42.039	311
001 545 8632	02.42.018	107
001 545 8709	02.42.270	310
001 545 9609	02.42.278	311
001 583 3015	02.66.006	385
001 586 0743	02.43.033	268
001 586 7042	02.35.144	247
001 586 8942	02.35.144	247
001 800 2475	02.53.259	343
001 811 0433	02.57.029	341
001 811 0533	02.57.028	341
001 811 0633	02.57.028	341
001 811 0733	02.57.029	341
001 811 2633	02.57.034	341
001 811 5133	02.57.030	341
001 811 5233	02.57.031	342
001 820 0245	01.58.073	375
001 820 1501	01.58.053	377
001 820 3045	02.58.413	375
001 820 3145	02.58.413	375
001 820 3445	02.58.409	374
001 820 3545	02.58.409	374
001 820 3945	02.58.409	374
001 820 4945	02.58.432	376
001 820 5844	02.58.051	374
001 820 5944	02.58.052	374
001 821 1360	02.59.113	371
001 821 2560	02.59.120	371
001 821 6760	02.59.114	372
001 822 8420	02.58.364	353
001 822 8920	02.58.363	353
001 822 9020	02.58.364	353
001 824 1501	01.58.053	377
001 824 3001	01.58.053	377
001 830 0684	02.59.175	370
001 830 5608	02.59.089	368
001 830 5708	02.59.118	368
001 830 5908	02.59.125	368
001 830 8684	02.59.148	370
001 835 1164	02.59.090	371
001 835 1364	02.59.090	371
001 835 3047	02.59.061	366
001 905 3000	02.17.099	110
001 980 6302	02.31.112	230
001 981 8905	02.32.167	237
001 987 2340	02.39.057	298
001 987 3140	02.39.057	298
001 987 4257	01.67.161	353
001 987 5340	02.39.057	298
001 989 2103	88.25.005	184
001 989 2103 red	88.25.006	184
001 989 2203	88.25.001	184
001 989 4603	88.25.011	184
001 989 6803	88.25.008	185
001 989 6903	88.25.008	185
001 989 7703	88.25.009	185
001 989 7803	88.25.009	185
001 989 8503	88.25.004	185
001 993 1896	07.19.236	138
001 993 3096	02.19.302	134
001 993 3496	07.19.141	137
001 993 3696	02.19.336	138
001 993 3896	02.19.340	135
001 993 7596	02.19.341	138
001 993 7796	02.19.302	134
001 993 7896	02.19.314	138
001 993 8696	07.19.107	137
001 997 0094	02.67.142	37
001 997 0294	02.67.077	38
001 997 0394	02.67.142	37
001 997 0794	02.67.071	43
001 997 1241	02.67.005	20
001 997 1694	02.67.078	43
001 997 1794	02.67.073	43
001 997 1994	02.67.071	43
001 997 2692	01.19.043	133
001 997 2994	02.67.078	43
001 997 3094	02.67.073	43
001 997 3345	02.67.006	131
001 997 3694	02.67.077	38
001 997 4794	02.67.077	38
001 997 4994	02.67.071	43
001 997 5294	02.67.142	37
001 997 5394	02.67.077	38
001 997 5594	02.67.071	43
001 997 7094	02.67.071	43

REF. NO.	TTC NO.	p.
001 997 7447	02.67.005	20
001 997 8897	01.35.166	266
002 091 6101	01.14.046	72
002 092 3001	02.14.027	294
002 094 1580	01.14.172	56
002 094 9304	02.14.109	84
002 140 2660	02.16.028	87
002 151 0701	01.17.056	114
002 154 0606	01.17.011	100
002 154 1806	01.17.011	100
002 154 2506	01.17.011	100
002 154 3206	01.17.011	100
002 154 3806	01.17.031	99
002 154 3906	01.17.031	99
002 154 4006	02.17.006	99
002 154 4106	02.17.005	100
002 154 4706	01.17.031	99
002 154 4906	01.17.031	99
002 154 5106	02.17.005	100
002 154 5806	01.17.011	100
002 154 6406	01.17.031	99
002 154 6706	01.17.031	99
002 154 7206	02.17.005	100
002 154 7606	01.17.031	99
002 154 8106	02.17.013	100
002 154 8206	02.17.013	100
002 154 8506	02.17.013	100
002 154 8706	02.17.013	100
002 154 9106	02.17.076	100
002 154 9206	02.17.013	100
002 154 9806	01.17.011	100
002 203 7575	07.19.015	155
002 203 7675	02.19.006	153
002 203 7975	02.19.327	153
002 203 8075	08.19.049	153
002 203 8175	02.19.006	153
002 203 9075 83 °C	01.19.045	152
002 215 9106	02.17.013	100
002 230 1911	02.59.136	369
002 230 3411	02.59.136	369
002 230 4011	02.59.136	369
002 230 5011	02.59.136	369
002 230 6411	02.59.136	369
002 230 6511	02.59.136	369
002 230 6611	02.59.136	369
002 230 7211	02.59.136	369
002 230 9011	02.59.136	369
002 250 0515	02.23.030	171
002 250 1815	02.23.125	180
002 250 3503	01.23.114	176
002 250 3903	01.23.116	178
002 250 6303	01.23.114	176
002 250 6515	02.23.042	171
002 250 7304	02.23.166	173
002 250 7403	01.23.114	176
002 250 8803	01.23.116	178
002 250 8904	02.23.164	173
002 295 0607	02.23.034	179
002 295 1307	02.23.128	179
002 295 2107	02.23.034	179
002 420 1420	02.35.144	247
002 420 2120	02.35.104	251
002 420 2220	02.35.104	251
002 420 2220 cpl.1	02.35.128	251
002 420 3820	02.35.084	250
002 420 3920	02.35.082	249
002 420 4020	02.35.085	251
002 420 4120	02.35.083	250
002 420 4220	02.35.083	250
002 420 4720	02.35.046	247
002 420 4820	02.35.145	249
002 420 5620	02.35.084	250
002 420 5720	02.35.146	250
002 420 5783	02.35.244	253
002 420 5820	02.35.051	247
002 420 5883	02.35.245	253
002 420 5883 n.cpl.1	02.35.395	267
002 420 5920	02.35.052	247
002 420 6020	02.35.085	251
002 420 6220	02.35.146	250
002 420 6920	02.35.084	250
002 420 9920	02.35.082	249
002 460 1480	01.37.104	284
002 460 1648	02.37.066	290
002 460 1680	01.37.104	284
002 460 1948	02.37.065	290
002 460 3580	01.37.163	284
002 460 5080	01.37.104	284
002 460 5280	01.37.163	284
002 466 0701	02.37.100	284
002 466 1101	02.37.135	283
002 466 2301	02.37.135	283
002 466 2501	02.37.100	284
002 466 2601	02.37.100	284
002 466 2701	02.37.100	284
002 466 2801	02.37.100	284
002 466 4801	02.37.136	283
002 466 4901	02.37.137	283
002 466 5101	02.37.136	283
002 466 5201	02.37.137	283
002 466 6901	02.37.019	283
002 466 7001	02.37.019	283
002 466 7501	02.37.091	285
002 466 7601	02.37.091	285
002 470 6894	02.38.083	293
002 477 2601	08.14.003	295
002 477 2701	08.14.003	295
002 477 2801	08.14.003	295
002 477 3801	02.38.055	293
002 477 3901	02.38.055	293
002 477 6501	02.38.055	293
002 540 1497	02.42.070	116
002 540 7097	02.42.070	116
002 542 1017	02.42.005	319
002 542 1219	02.42.272	314
002 542 1419	02.42.280	314
002 542 1702	01.42.105	309
002 542 2319	02.42.353	315
002 542 2517	02.42.005	319
002 542 2619	02.42.400	315
002 542 7419	02.42.280	314
002 542 7619	02.42.353	315
002 542 8503	01.42.106	309
002 542 8819	02.42.401	315
002 542 8919	02.42.280	314
002 542 9417	01.42.013	297
002 542 9619	02.42.280	314
002 544 0794	88.58.006	354
002 544 1794	88.58.013	361
002 544 2694	88.58.122	357
002 544 3194	88.58.114	357
002 544 3294	88.58.016	358
002 545 1832	02.42.018	107
002 545 2632	02.42.018	107
002 545 5832	02.42.018	107
002 545 5932	02.42.018	107
002 545 7124	01.42.021	324
002 545 9032	02.42.018	107
002 554 5106	02.17.005	100
002 811 1533	02.57.102	342
002 811 1633	02.57.149	342
002 811 1733	02.57.103	342
002 811 1833	02.57.150	342
002 811 1933	02.57.104	342
002 811 2033	02.57.151	343
002 820 2741 n.cpl.1	02.61.013	376
002 820 3042	01.58.053	377
002 820 5210	02.58.002	365
002 820 6456	02.58.361	364
002 830 1508	02.59.123	367
002 830 1608	02.59.122	367
002 830 4684 cpl.1	02.59.148	370
002 830 8484	02.59.121	370
002 835 0847	02.59.061	366
002 835 50 1	02.59.124	365
002 981 1205 cpl.1	02.31.362	230
002 981 1305	02.32.166	237
002 981 1905	02.32.167	237
002 981 2205	02.32.167	237
002 981 6605	02.32.166	237
002 981 6605 cpl.1	02.32.165	238
002 990 6454	02.16.021	300
002 993 2996	02.19.304	140
002 993 3296	02.19.258	137
002 993 4296	02.19.341	138
002 993 5496	02.19.258	137
002 997 0394	02.67.076	43
002 997 0394 cpl.1	02.12.211	46
002 997 1192	01.19.183	133
002 997 1494	02.67.076	43
002 997 1794	02.67.073	43
002 997 2692	01.19.182	133
002 997 3194	02.67.073	43
002 997 3392	04.19.050	134
002 997 3394	02.67.078	43
002 997 3430	02.67.003	18
002 997 3430 cpl.1	02.43.117	18
002 997 3494	02.67.073	43
002 997 3892	07.19.142	133
002 997 4192	01.19.186	134
002 997 4292	04.19.050	134
002 997 4694	02.67.142	37
002 997 4794	02.67.077	38
002 997 5292	01.19.183	133
002 997 6186	02.67.265	379
002 997 6394	02.67.076	43
002 997 6792	01.19.182	133
002 997 7394	02.67.090	44
002 997 7994	02.67.090	44
002 997 8392	14.19.033	133
002 997 9192	01.19.186	134
002 997 9394	02.67.067	43
002 997 9994	02.67.090	44
003 091 7401	01.14.183	71
003 091 9901	01.14.183	71
003 094 5104	02.14.065	83
003 094 7504	02.14.067	83
003 094 7504 cpl.1	02.14.867	83
003 094 8204	02.14.063	84
003 094 8304	02.14.063	84
003 151 0401	01.17.056	114
003 151 0801	01.17.056	114
003 151 1801	01.17.056	114
003 151 7401	01.17.056	114
003 151 8601	01.17.056	114
003 151 8701	01.17.057	114
003 151 8801	01.17.056	114
003 153 2728	02.17.031	102

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
003 153 2828	02.17.031	102
003 153 7228	02.17.032	103
003 153 7428	02.17.032	103
003 153 8328	02.17.048	112
003 153 8628	02.17.134	103
003 153 9128	02.17.033	113
003 153 9728	02.17.039	113
003 154 0106	02.17.076	100
003 154 0306	02.17.076	100
003 154 0606	02.17.013	100
003 154 0706	02.17.013	100
003 154 0906	02.17.076	100
003 154 2306	02.17.013	100
003 154 2406	02.17.110	100
003 154 2606	01.17.067	101
003 154 4206	02.17.084	100
003 154 5306	02.17.110	100
003 154 6006	02.17.084	100
003 154 7206	02.17.089	101
003 154 8306	02.17.087	101
003 154 9006	02.17.063	101
003 154 9206	02.17.088	101
003 154 9506	02.17.084	100
003 154 9606	02.17.089	101
003 154 9806	02.17.111	101
003 158 5001	07.17.021	116
003 203 1475 83 °C	01.19.045	152
003 203 3175 83 °C	01.19.045	152
003 203 7375	02.19.327	153
003 203 7375 83 °C	01.19.045	152
003 203 7875 83 °C	01.19.045	152
003 205 0306	02.19.134	145
003 205 1306	02.19.133	145
003 250 0204	02.23.164	173
003 250 0704	02.23.164	173
003 250 0804	02.23.164	173
003 250 3704	02.23.166	173
003 250 6604	02.23.166	173
003 250 7904	02.23.166	173
003 250 8004	02.23.166	173
003 250 8203	01.23.116	178
003 250 8303	01.23.116	178
003 250 9104	02.23.166	173
003 250 9404	01.23.411	174
003 420 0020	02.35.145	249
003 420 0120	02.35.117	249
003 420 0120 cpl.1	02.35.123	249
003 420 0220	02.35.118	249
003 420 0720	02.35.144	247
003 420 1420	02.35.051	247
003 420 1520	02.35.146	250
003 420 1720	02.35.083	250

REF. NO.	TTC NO.	p.
003 420 2420	02.35.086	251
003 420 3420	02.35.051	247
003 420 4620	02.35.242	250
003 420 4720	02.35.086	251
003 420 5420	02.35.117	249
003 420 5420 cpl.1	02.35.123	249
003 420 6420	02.35.084	250
003 420 7020	02.35.046	247
003 420 7383	02.35.474	253
003 420 7483	02.35.475	253
003 420 7720	02.35.146	250
003 420 7820	02.35.160	250
003 420 7910	02.35.160	250
003 420 8120	02.35.161	250
003 420 8583	02.35.488	254
003 420 8683	02.35.487	254
003 420 8720	02.35.086	251
003 420 8783	02.35.002	253
003 420 8883	02.35.076	254
003 466 0701	02.37.100	284
003 466 7101	02.37.101	284
003 466 7201	02.37.101	284
003 466 9301	02.37.054	284
003 540 6047	01.42.108	311
003 542 0219	02.42.272	314
003 542 1019	02.42.280	314
003 542 1619	02.42.401	315
003 542 6817	01.42.013	297
003 542 7018	02.42.050	104
003 542 7118	02.42.051	105
003 542 7405	01.42.104	309
003 542 8718	02.42.345	318
003 545 1632	02.42.018	107
003 545 1732	02.42.018	107
003 545 4032	02.42.018	107
003 820 1256	02.58.370	364
003 820 2742	01.58.053	377
003 820 2956	02.58.370	364
003 820 4842	01.58.053	377
003 820 5042	01.58.053	377
003 830 0308	02.59.122	367
003 835 6101	02.59.001	371
003 981 9505	02.31.112	230
003 990 4012	02.13.101	74
003 990 4012 cpl.1	02.13.141	59
003 993 0196	02.19.336	138
003 993 5196	02.19.360	135
003 997 0094	02.67.142	37
003 997 0192	07.19.142	133
003 997 0194	02.67.077	38
003 997 0792	01.19.186	134
003 997 1094	02.67.078	43

REF. NO.	TTC NO.	p.
003 997 1394	02.67.078	43
003 997 1492	01.19.183	133
003 997 1794	02.67.090	44
003 997 1794 cpl.2	02.12.213	46
003 997 2094	02.67.078	43
003 997 2594	02.67.073	43
003 997 2794	02.67.078	43
003 997 2994	02.67.073	43
003 997 3294	02.67.078	43
003 997 3494	02.67.073	43
003 997 3692	04.19.050	134
003 997 3794	02.67.078	43
003 997 4194	02.67.142	37
003 997 4294	02.67.078	43
003 997 4894	02.67.078	43
003 997 5092	01.19.043	133
003 997 5292	01.19.186	134
003 997 5392	04.19.050	134
003 997 5594	02.67.078	43
003 997 5594 cpl.1	02.12.219	45
003 997 5794	02.67.073	43
003 997 5894	02.67.073	43
003 997 6294	02.67.073	43
003 997 6394	02.67.143	44
003 997 6894	02.67.143	44
003 997 6894 cpl.1	02.12.214	46
003 997 7494	02.67.142	37
003 997 7594	02.67.141	44
003 997 7594 cpl.1	02.12.221	46
003 997 7594 cpl.2	02.12.222	46
003 997 7794	02.67.077	38
003 997 7894	02.67.077	38
003 997 8294	02.67.071	43
003 997 8294 cpl.1	02.12.210	45
003 997 8794	02.67.145	38
003 997 8894	02.67.145	38
003 997 9794	02.67.231	45
004 062 2000	02.35.425	278
004 091 0501	01.14.183	71
004 091 1401	01.14.183	71
004 094 2604	02.14.067	83
004 094 2604 cpl.1	02.14.867	83
004 094 4104	02.14.109	84
004 094 6704	02.14.109	84
004 131 3000	02.35.292	279
004 151 2201	01.17.057	114
004 151 5801	01.17.057	114
004 151 5901	01.17.056	114
004 151 6201	01.17.052	115
004 151 7301	01.17.056	114
004 151 8401	01.17.052	115
004 151 8601	01.17.053	114

REF. NO.	TTC NO.	p.
004 153 0028	02.17.033	113
004 153 0728	02.17.048	112
004 153 1528	02.17.035	111
004 153 1628	01.17.069	320
004 153 1828	01.17.076	112
004 153 1928	01.17.076	112
004 153 2028	01.17.082	114
004 153 2528	01.17.069	320
004 153 3028	02.17.062	111
004 153 3128	02.17.060	111
004 153 3228	02.17.062	111
004 153 3328	02.17.060	111
004 153 3728	02.17.068	113
004 153 4228	01.17.070	320
004 153 4328	01.17.070	320
004 153 6628	02.42.368	112
004 153 6928	02.17.048	112
004 153 7028	01.17.077	112
004 153 7528	02.17.035	111
004 153 7628	01.17.077	112
004 153 8228	02.14.121	112
004 153 8428	02.17.079	112
004 153 8728	02.17.093	102
004 153 9128	02.17.033	113
004 153 9628	02.17.048	112
004 153 9728	02.42.068	321
004 153 9828	02.17.080	108
004 154 3106	02.17.087	101
004 203 2675 83 °C	01.19.045	152
004 203 8375	02.19.327	153
004 203 8375 83 °C	01.19.045	152
004 250 3803	02.23.100	177
004 250 4903	01.23.116	178
004 250 5104	01.23.411	174
004 250 5403	02.23.100	177
004 250 5503	02.23.108	177
004 250 6603	01.23.138	177
004 250 8304	02.23.164	173
004 420 1420	02.35.144	247
004 420 1520	02.35.083	250
004 420 1820	02.35.085	251
004 420 2420	02.35.083	250
004 420 2520	02.35.086	251
004 420 2720	02.35.085	251
004 420 4820	02.35.146	250
004 420 5520	02.35.082	249
004 420 5583	02.35.488	254
004 420 5583 cpl.1	02.35.524	266
004 420 5620	02.35.084	250
004 420 5683	02.35.487	254
004 420 5683 cpl.1	02.35.524	266
004 420 5783	02.35.002	253

REF. NO.	TTC NO.	p.
004 420 5883	02.35.076	254
004 420 6720	02.35.196	248
004 420 6820	02.35.201	251
004 420 6920	02.35.195	251
004 420 8120	02.35.200	252
004 420 8220	02.35.201	251
004 420 8320	02.35.196	248
004 542 1617	01.42.013	297
004 542 3717	01.42.013	297
004 542 5917	02.42.034	107
004 542 8718	02.42.345	318
004 542 8917	01.42.036	113
004 545 0224	01.42.060	324
004 545 2114	02.42.281	317
004 545 2905	02.42.272	314
004 820 0710	02.58.002	365
004 820 1301	01.58.053	377
004 820 6542	02.61.017	377
004 820 6710	02.58.002	365
004 820 6742	01.58.053	377
004 820 6810	02.58.002	365
004 990 2812	02.13.101	74
004 990 2812 cpl.1	02.13.141	59
004 997 0192	04.19.050	134
004 997 0292	04.19.050	134
004 997 0592	01.19.183	133
004 997 0892	14.19.033	133
004 997 1292	04.19.049	134
004 997 5536	01.30.218	265
004 997 9336	01.30.218	265
004 997 9392	01.19.182	133
005 151 2001	01.17.052	115
005 151 2201	01.17.052	115
005 151 9701	01.17.052	115
005 153 1028	02.17.098	110
005 153 1328	02.17.039	113
005 153 2228	02.17.099	110
005 153 2328	02.17.037	319
005 153 4128	02.17.094	109
005 153 5028	02.17.062	111
005 153 5528	02.42.317	96
005 153 5828	02.17.036	111
005 153 6328	02.17.037	319
005 153 7228	02.17.060	111
005 153 7428	02.17.077	108
005 153 7728	02.17.077	108
005 153 8028	02.17.101	110
005 154 3402	01.17.059	97
005 154 6902	02.17.051	97
005 154 7002	02.17.051	97
005 203 2675	02.19.327	153
005 203 2975	07.19.015	155

REF. NO.	TTC NO.	p.
005 203 6275 n.cpl.1 75°C	02.19.260	154
005 250 0403	02.23.101	177
005 250 0703	01.23.116	178
005 250 1403	02.23.100	177
005 250 1503	02.23.108	177
005 250 1603	02.23.100	177
005 250 3904	01.23.411	174
005 250 5903	02.23.167	177
005 250 8003	02.23.167	177
005 250 9403	01.23.138	177
005 250 9503	01.23.138	177
005 420 0320	02.35.104	251
005 420 2120	02.35.196	248
005 420 4620	02.35.104	251
005 420 5220	02.35.196	248
005 420 5320	02.35.201	251
005 420 7020	02.35.196	248
005 420 7420	02.35.200	252
005 420 8118	02.35.392	266
005 420 8620	02.35.083	250
005 450 9820	02.35.144	247
005 542 1017	02.42.005	319
005 542 1817	02.42.009	113
005 542 2617	02.42.005	319
005 542 3817	01.42.013	297
005 542 9017	02.42.265	107
005 545 0324	02.42.324	320
005 545 1005	02.42.272	314
005 545 4909	01.42.039	311
005 545 7424	02.42.267	313
005 545 9224	01.42.020	324
005 820 2242	02.58.391	330
005 820 2342	02.58.390	329
005 981 5305	02.32.167	237
005 997 0092	01.19.182	133
005 997 0992	01.19.182	133
005 997 1092	01.19.183	133
005 997 1192	01.19.183	133
005 997 1236	01.30.218	265
005 997 2292	04.19.050	134
005 997 2647	01.10.073	22
005 997 5892	14.19.033	133
005 997 6892	01.19.043	133
005 997 6992	07.19.142	133
005 997 9192	01.19.183	133
006 151 2201	01.17.052	115
006 151 2203	01.17.052	115
006 151 4501	02.17.112	115
006 151 4501 80	02.17.112	115
006 153 1328	02.17.062	111
006 153 1428	02.17.060	111
006 153 1528	02.17.079	112

REF. NO.	TTC NO.	p.
006 153 1628	02.17.007	111
006 153 2028	02.17.050	110
006 153 2928	02.42.368	112
006 153 4928	02.17.077	108
006 153 6028	02.17.080	108
006 153 6228	02.17.099	110
006 153 6628	02.42.317	96
006 153 7728	02.17.082	113
006 153 8028	02.17.050	110
006 153 9528	02.17.077	108
006 153 9728	02.17.062	111
006 153 9828	02.17.060	111
006 153 9928	02.17.079	112
006 154 6402	02.17.051	97
006 154 6502	02.17.051	97
006 154 7202	02.17.051	97
006 154 7302	02.17.051	97
006 250 0404	02.23.161	173
006 250 0704	02.23.162	173
006 250 1003	02.23.101	177
006 250 1803	02.23.101	177
006 250 2204	02.23.161	173
006 250 2304	02.23.161	173
006 250 2404	02.23.161	173
006 250 2504	02.23.162	173
006 250 2604	02.23.162	173
006 250 2704	02.23.162	173
006 250 3004	02.23.041	173
006 250 3503	02.23.110	176
006 250 3603	02.23.101	177
006 250 3702	02.23.108	177
006 250 3703	02.23.108	177
006 250 5003	02.23.167	177
006 250 6504	02.23.161	173
006 250 6704	02.23.041	173
006 420 2120	02.35.161	250
006 420 2220	02.35.200	252
006 420 4320	02.35.160	250
006 420 4420	02.35.161	250
006 420 4520	02.35.200	252
006 420 8420	02.35.196	248
006 466 1701	02.37.092	284
006 466 7801	02.37.092	284
006 542 7218	02.17.135	106
006 542 90 17	08.39.045	104
006 542 9417	02.42.009	113
006 545 1014	02.42.281	317
006 545 7824	02.42.266	313
006 820 1842	02.58.395	329
006 820 1942	02.58.396	329
006 981 4505 cpl.1	02.31.362	230
006 981 5605	02.32.166	237

REF. NO.	TTC NO.	p.
006 981 9002	02.32.166	237
006 997 1092	07.19.142	133
006 997 1392	01.19.182	133
006 997 3347	01.10.073	22
006 997 4392	07.19.142	133
006 997 4692	01.19.043	133
006 997 6392	01.19.182	133
006 997 7092	01.19.183	133
006 997 9792	07.19.142	133
007 153 0028	02.17.007	111
007 153 0228	02.17.036	111
007 153 0328	02.42.004	107
007 153 1428	02.17.081	97
007 153 3428	02.17.099	110
007 153 4328	02.17.080	108
007 153 6128	02.17.077	108
007 153 6228	02.17.098	110
007 153 6628	02.17.102	109
007 153 7528	02.17.094	109
007 153 8528	02.17.101	110
007 153 9528	02.17.099	110
007 154 0602	02.17.051	97
007 154 2702	01.17.059	97
007 154 5802	02.17.051	97
007 154 6702	02.17.052	97
007 154 6802	02.17.052	97
007 154 9202	01.17.060	97
007 154 9902	01.17.060	97
007 250 1803	01.23.138	177
007 250 1903	01.23.138	177
007 250 2103	01.23.114	176
007 250 9103	02.23.101	177
007 250 9203	02.23.101	177
007 250 9303	02.23.101	177
007 250 9503	02.23.110	176
007 250 9603	02.23.110	176
007 542 1318	02.42.001	318
007 542 3617	01.42.137	319
007 542 6417	01.42.137	319
007 545 3824	01.42.020	324
007 981 0405	02.32.166	237
007 981 2105 cpl.1	02.32.165	238
007 981 5505	02.32.167	237
007 997 0292	02.19.166	136
007 997 0392	07.19.142	133
007 997 0692	01.19.182	133
007 997 1047	02.67.251	239
007 997 1692	07.19.142	133
007 997 2292	04.19.050	134
007 997 2446	01.10.073	22
007 997 3192	05.19.067	134
007 997 6447	02.67.251	239

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
007 997 6747	02.67.251	239
007 997 8092	02.19.230	135
007 997 8492	07.19.140	136
008 153 2228	02.17.103	108
008 153 3428	02.17.129	108
008 153 3628	02.17.104	109
008 153 3728	02.17.102	109
008 153 3729	02.17.102	109
008 154 4002	02.17.051	97
008 154 4202	02.17.051	97
008 154 4802	02.17.052	97
008 154 4902	02.17.052	97
008 154 7602	02.17.051	97
008 154 8002	02.17.052	97
008 250 2203	01.23.138	177
008 250 2303	01.23.138	177
008 250 6803	02.23.114	178
008 250 7203	01.23.116	178
008 420 4020	02.35.144	247
008 420 4218	02.35.392	266
008 420 5120	02.35.195	251
008 542 2617	02.42.005	319
008 542 5617	02.42.318	320
008 542 8017	01.42.013	297
008 977 2292	07.19.138	136
008 997 0992	07.19.139	136
008 997 2192	08.19.079	136
008 997 2292	07.19.138	136
008 997 2692	07.19.139	136
008 997 3392	02.19.166	136
008 997 3492	07.19.140	136
008 997 3647	02.67.251	239
008 997 3692	07.19.139	136
008 997 3792	08.19.079	136
008 997 3892	07.19.138	136
008 997 4592	02.19.230	135
008 997 6392	02.19.169	135
008 997 7392	02.19.230	135
008 997 8147	02.67.251	239
008 997 8892	07.19.234	137
008 997 9092	07.19.128	135
008 997 9292	02.19.166	136
008 997 9392	02.19.166	136
009 153 3128	02.17.081	97
009 153 4728	01.17.082	114
009 153 5028	02.17.080	108
009 153 5128	02.42.004	107
009 154 0102	02.17.053	97
009 154 0202	02.17.053	97
009 154 0702	01.17.059	97
009 154 3002	02.17.013	100
009 154 3502	02.17.013	100
009 154 5802	02.17.013	100
009 154 5902	02.17.053	97
009 250 2303	02.23.167	177
009 250 2403	02.23.167	177
009 250 2603	02.23.108	177
009 250 2703	02.23.108	177
009 250 2903	02.23.108	177
009 250 3003	02.23.108	177
009 250 3803	02.23.101	177
009 250 3903	02.23.101	177
009 250 4504	02.23.041	173
009 250 7703	02.23.167	177
009 250 9003	02.23.100	177
009 250 9103	02.23.100	177
009 542 3517	02.42.029	321
009 981 4105 cpl.1	02.31.362	230
009 981 4505	02.32.166	237
009 981 4505 cpl.1	02.31.362	230
009 981 4805	02.32.166	237
009 981 4805 cpl.1	02.31.362	230
009 981 6005 cpl.1	02.31.362	230
009 981 6105	02.32.166	237
009 981 6105 cpl.1	02.31.362	230
009 981 7005	02.32.166	237
009 981 7005 cpl.1	02.31.362	230
009 997 1545	01.18.007	117
009 997 1692	02.19.226	138
009 997 6392	05.19.067	134
009 997 6892	07.19.142	133
009 997 7592	04.19.050	134
009 997 7692	04.19.050	134
009 997 7948	02.67.112	1
009 997 8947	02.67.146	21
009 997 9047	02.67.242	20
009 997 9192	07.19.138	136
010 153 5328	01.17.077	112
010 154 2002	01.17.059	97
010 154 4602	02.17.053	97
010 154 4702	02.17.013	100
010 154 5402	02.17.013	100
010 154 5502	02.17.053	97
010 154 9902	02.17.053	97
010 250 2903	02.23.167	177
010 250 3603	01.23.114	176
010 250 6903	02.23.110	176
010 250 7003	02.23.110	176
010 250 7203	02.23.110	176
010 250 7303	02.23.110	176
010 250 8503	01.23.138	177
010 250 8603	01.23.116	178
010 250 9503	02.23.114	178
010 250 9703	02.23.114	178
010 542 3017	01.42.137	319
010 542 7617	02.42.332	324
010 997 0692	02.19.303	136
010 997 0947	02.67.146	21
010 997 1047	02.67.242	20
010 997 1192	02.19.233	140
010 997 2048	02.67.112	1
010 997 2292	02.19.360	135
010 997 3347	02.67.146	21
010 997 3447	02.67.146	21
010 997 3547	02.67.242	20
010 997 4892	08.19.079	136
010 997 5892	02.19.226	138
010 997 6292	02.19.166	136
010 997 7092	02.19.166	136
010 997 7992	02.19.303	136
010 997 8092	08.19.079	136
010 997 8192	02.19.226	138
010 997 8592	02.19.233	140
010 997 8692	02.19.303	136
010 997 8947	02.67.146	21
010 997 9047	02.67.242	20
011 154 8602	01.17.062	98
011 250 2203	02.23.114	178
011 542 0717	02.17.061	111
011 542 5117	02.42.399	320
011 981 8905	02.32.091	237
011 981 9005	02.32.091	237
011 981 9105	02.32.091	237
011 997 0592	02.19.226	138
011 997 0647	02.67.242	20
011 997 1492	08.19.079	136
011 997 1592	07.19.139	136
011 997 1692	07.19.140	136
011 997 1792	02.19.303	136
011 997 1892	02.19.166	136
011 997 1992	07.19.141	137
011 997 2092	07.19.139	136
011 997 2892	07.19.138	136
011 997 3492	02.19.315	138
011 997 4792	02.19.226	138
011 997 4992	02.19.258	137
011 997 5292	07.19.141	137
011 997 5392	07.19.128	135
011 997 8092	07.19.140	136
011 997 8692	02.19.314	138
011 997 9292	02.19.302	134
011 997 9492	02.19.302	134
011 997 9692	02.19.314	138
012 154 0402	01.17.062	98
012 154 1002	01.17.062	98
012 154 6802	01.17.062	98
012 542 4817	01.42.137	319
012 997 0692	08.19.089	137
012 997 0792	02.19.170	137
012 997 1092	07.19.234	137
012 997 1192	07.19.234	137
012 997 1592	02.19.166	136
012 997 3592	02.19.314	138
012 997 4292	08.19.079	136
012 997 4392	08.19.089	137
012 997 4592	02.19.360	135
012 997 4892	07.19.107	137
012 997 5092	02.19.170	137
012 997 5148	02.67.112	1
012 997 5192	02.19.314	138
012 997 5292	07.19.141	137
012 997 7792	02.19.302	134
012 997 9945	02.67.008	93
012 997 9945 cpl.1	02.14.071	86
013 154 2802	01.17.062	98
013 154 7802	01.17.062	98
013 250 5403	01.23.138	177
013 250 8003	02.23.114	178
013 250 8103	02.23.114	178
013 250 8203	01.23.116	178
013 250 8903	01.23.138	177
013 250 9203	01.23.116	178
013 542 6217	01.42.137	319
013 542 7817	07.42.077	320
013 997 0792	01.19.186	134
013 997 0892	04.19.050	134
013 997 0992	01.19.183	133
013 997 1447	01.10.073	22
013 997 1592	02.19.302	134
013 997 2392	07.19.107	137
013 997 2592	08.19.079	136
013 997 2692	08.19.089	137
013 997 3792	01.19.183	133
013 997 4092	02.19.169	135
013 997 4592	02.19.303	136
013 997 5847	02.67.066	292
013 997 5847 cpl.1	02.43.146	281
013 997 6847	02.67.146	21
013 997 8292	01.19.183	133
013 997 9692	01.19.182	133
014 154 5302	01.17.062	98
014 250 3503	02.23.113	178
014 250 3603	02.23.113	178
014 250 4103	02.23.112	178
014 250 4203	02.23.112	178
014 250 4303	02.23.112	178
014 250 8203	02.23.110	176
014 250 8303	02.23.110	176

REF. NO.	TTC NO.	p.
014 250 9403	01.23.114	176
014 997 0492	02.19.170	137
014 997 0692	07.19.107	137
014 997 0792	07.19.107	137
014 997 0892	08.19.079	136
014 997 1192	08.19.089	137
014 997 1292	08.19.089	137
014 997 1347	01.10.073	22
014 997 2546	02.67.263	21
014 997 2646	02.67.264	21
014 997 3392	02.19.302	134
014 997 5146	02.67.264	21
014 997 6845	08.13.004	56
014 997 7192	02.19.315	138
015 250 0703	02.23.114	178
015 250 0803	02.23.114	178
015 250 0903	02.23.114	178
015 250 1303	02.23.114	178
015 250 1403	02.23.114	178
015 250 1503	02.23.114	178
015 250 1603	02.23.113	178
015 250 1703	02.23.113	178
015 250 1803	02.23.113	178
015 250 1903	02.23.175	178
015 250 2801	02.23.163	174
015 250 2901	02.23.163	174
015 250 3001	02.23.127	174
015 250 3101	02.23.165	174
015 250 3301	02.23.169	174
015 250 3401	02.23.169	174
015 250 3601	02.23.168	174
015 250 3701	02.23.169	174
015 250 3801	02.23.168	174
015 250 4001	02.23.169	174
015 542 2417	01.42.137	319
015 981 5505	02.32.091	237
015 997 0647	01.24.297	183
015 997 1045	02.16.048	94
015 997 1647	01.24.297	183
015 997 2348	02.67.006	131
015 997 2592	07.19.236	138
015 997 5846	02.10.202	21
016 250 2801	02.23.143	175
016 250 5803	02.23.114	178
016 250 9203	02.23.114	178
016 997 0146	02.10.202	21
016 997 0847	01.10.073	22
016 997 5847	02.67.251	239
017 250 0503	01.23.168	178
017 250 0603	01.23.168	178
017 250 7403	02.23.110	176
017 250 7603	02.23.101	177

REF. NO.	TTC NO.	p.
017 981 3805	02.32.167	237
017 981 4605	02.32.091	237
017 997 1648	02.10.006	1
017 997 4447	02.67.251	239
017 997 5547	02.67.251	239
017 997 7447	02.67.242	20
018 250 1703	02.23.110	176
018 250 8903	02.23.110	176
018 250 9203	01.23.168	178
018 250 9401	02.23.040	175
018 981 2510	02.23.001	171
018 997 0547	02.67.251	239
018 997 1747	02.67.251	239
018 997 1947	02.67.146	21
018 997 5247	02.67.146	21
018 997 7647	01.32.018	239
019 250 2201	02.23.143	175
019 250 4203	01.23.168	178
019 250 5601	02.23.140	175
019 250 5701	02.23.141	175
019 250 5801	02.23.038	176
019 250 5901	02.23.155	175
019 250 6101	02.23.140	175
019 250 6401	02.23.041	173
019 250 9103	01.23.168	178
019 545 6932	02.42.283	116
019 997 0445	02.18.055	117
019 997 0445 cpl.1	02.18.139	121
019 997 0445 cpl.2	02.18.149	121
019 997 0545	02.18.090	117
019 997 0545 cpl.1	02.18.139	121
019 997 0545 cpl.2	02.18.149	121
019 997 1348	08.13.004	56
019 997 6047	01.32.018	239
019 997 8382	02.67.101	195
019 997 8582	02.67.102	195
02.23.010 n.cpl.1	02.23.039	175
020 250 1201	02.23.038	176
020 250 1201 n.cpl.1	02.23.938	176
020 250 29 01 n.cpl.1	02.23.937	176
020 250 2901	02.23.037	176
021 250 3401	02.23.040	175
021 250 3501	02.23.040	175
021 250 6003	01.23.168	178
021 250 6103	01.23.168	178
021 997 1847	02.67.146	21
021 997 3047	01.24.297	183
021 997 7647	02.67.146	21
022 250 0903	02.23.101	177
022 250 1003	02.23.108	177
022 250 1303	01.23.138	177
022 250 8101	02.23.041	173

REF. NO.	TTC NO.	p.
023 997 5847	02.67.251	239
023 997 8447	02.67.146	21
024 250 1703	01.23.168	178
024 250 2103	01.23.168	178
024 997 2147	01.24.297	183
025 250 2301	02.23.040	175
025 250 2501	02.23.040	175
025 545 2832	02.42.282	115
025 545 2932	02.42.283	116
025 545 3232	02.58.383	315
027 074 9202	01.13.195	62
027 545 8032	02.58.383	315
028 074 3202	01.13.195	62
028 074 4802	01.13.195	62
028 074 6302	01.13.195	62
028 074 6902	01.13.195	62
028 545 4032	02.42.283	116
029 997 6648	02.10.006	1
099 905 3700	02.42.068	321
099 905 3800	02.19.238	319
100 200 0715	02.19.327	153
100 200 0902	02.19.158	161
102 014 0033	02.10.065	17
102 014 0080	02.10.031	2
102 014 0122	02.10.031	2
102 014 0522	02.10.031	2
102 014 0722	02.10.031	2
102 016 0221	02.10.008	6
102 016 0321	02.10.008	6
102 016 0421	02.10.008	6
102 016 0521	02.10.009	7
102 016 1121	02.10.008	6
102 016 1221	02.10.009	7
102 018 0080	02.10.046	17
102 018 0302	02.10.046	17
102 018 0380	02.10.046	17
102 018 0402	02.10.046	17
102 018 0802	02.10.046	17
102 030 0512	02.11.011	27
102 030 1312	02.11.011	27
102 030 1712	02.11.011	27
102 032 0205	02.11.007	27
102 050 0005	02.43.006	31
102 050 0016	02.12.097	35
102 050 0058	02.43.259	31
102 050 0067	02.43.006	31
102 050 0111	02.12.012	41
102 050 0158	02.43.006	31
102 050 0306	02.12.045	55
102 050 0405	02.12.045	55
102 050 0406	02.12.045	55
102 050 0411	02.12.012	41

REF. NO.	TTC NO.	p.
102 050 0562	02.12.071	48
102 050 0606	02.12.045	55
102 050 0706	02.12.045	55
102 050 0806	02.12.045	55
102 050 0806 cpl.1	02.12.210	45
102 050 0816	02.12.097	35
102 050 0816 cpl.1	02.12.210	45
102 050 0906	02.12.051	55
102 050 0906 cpl.1	02.12.211	46
102 050 0924	02.12.073	48
102 050 1011	02.12.012	41
102 050 1011 cpl.1	02.12.210	45
102 050 1011 cpl.2	02.12.211	46
102 050 1216	02.12.102	35
102 050 1216 cpl.1	02.12.211	46
102 050 1224	02.12.071	48
102 050 1724	02.12.073	48
102 050 1824	02.12.071	48
102 050 8924	02.12.073	48
102 052 0003	02.12.076	53
102 052 0003 cpl.1	02.12.210	45
102 052 0003 cpl.2	02.12.211	46
102 052 0101	02.12.077	54
102 052 0174	02.12.024	28
102 052 0174 cpl.1	02.12.210	45
102 052 0174 cpl.2	02.12.211	46
102 052 0201	02.12.077	54
102 052 0201 cpl.1	02.12.210	45
102 052 0358	02.12.030	29
102 053 0026	02.12.129	50
102 053 0258	02.12.008	29
102 053 0358	02.12.009	29
102 053 0358 cpl.1	02.43.151	31
102 053 1658	02.12.030	29
102 053 1658 cpl.1	02.43.151	31
102 094 2187	02.14.016	14
102 141 1280	02.16.001	92
102 141 1580	02.16.011	88
102 141 2080	02.16.001	92
102 141 2580	02.16.011	88
102 141 3480	02.16.001	92
102 142 0180	02.16.011	88
102 142 0480	02.16.017	88
102 142 0980	02.16.011	88
102 142 1080	02.16.017	88
102 142 1180	02.16.011	88
102 142 1280	02.16.017	88
102 142 1380	02.16.011	88
102 142 1480	02.16.011	88
102 142 1480 cpl.1	02.43.265	96
102 142 1580	02.16.017	88
102 142 1580 cpl.1	02.43.265	96

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
102 159 0940	02.17.021	107
102 159 1040	02.17.022	107
102 159 1140	02.17.021	107
102 159 1240	02.17.022	107
102 180 0104	02.18.016	130
102 180 0109	02.18.116	123
102 180 0204	02.18.016	130
102 180 0304	02.18.016	130
102 180 0404	02.18.016	130
102 180 0504	02.18.017	130
102 184 0325	02.18.116	123
102 200 0036 cpl.1	02.19.025	150
102 200 0058	02.19.004	140
102 200 0120	02.19.147	160
102 200 0122	02.19.101	141
102 200 0201	02.19.147	160
102 200 0217	02.19.114	156
102 200 0220	02.19.146	162
102 200 0222	02.19.101	141
102 200 0236 cpl.1	02.19.025	150
102 200 0258	02.19.004	140
102 200 0258 cpl.1	02.43.051	141
102 200 0301	02.19.146	162
102 200 0320	02.19.146	162
102 200 0401	02.19.146	162
102 200 0414	02.19.020	150
102 200 0417	02.19.114	156
102 200 0420	02.19.146	162
102 200 0714	02.19.020	150
102 200 0801	02.19.147	160
102 200 0814	02.19.021	149
102 200 0901	02.19.147	160
102 200 0915	02.19.006	153
102 200 1001	02.19.146	162
102 200 1101	02.19.146	162
102 200 1214	02.19.021	149
102 200 1240	02.19.071	151
102 200 1240 cpl.1	02.19.027	146
102 200 1414	02.19.021	149
102 200 1501	02.19.146	162
102 200 1514	02.19.020	150
102 200 2301	02.19.147	160
102 200 3101	02.19.146	162
102 200 3370	02.19.927	146
102 200 3370 cpl.1	02.19.027	146
102 200 3470	02.19.927	146
102 200 3470 cpl.1	02.19.027	146
102 200 4001	02.19.146	162
102 200 4201	02.19.147	160
102 200 4301	02.19.146	162
102 200 6070 cpl.1	02.19.027	146
102 200 6670	02.19.927	146

REF. NO.	TTC NO.	p.
102 200 6670 cpl.1	02.19.027	146
102 200 6970	02.19.927	146
102 200 6970 cpl.1	02.19.027	146
102 203 0374	02.19.116	157
102 586 0005	02.43.006	31
102 586 0158	02.43.006	31
102 990 0810	02.67.140	23
103 050 0080	02.12.083	51
103 200 0114	02.19.022	149
103 200 0114	02.19.922	149
103 200 0323	02.19.030	146
103 200 0423	02.19.030	146
103 200 0570	02.19.074	151
103 200 0571	02.19.074	151
104 030 0008	02.11.017	25
104 050 0177	02.12.085	54
104 050 0258	02.43.166	32
104 050 1025	02.12.103	52
104 050 1225	02.12.103	52
104 053 1201	02.12.137	32
104 053 1201 cpl.1	02.43.294	47
104 053 1201 cpl.3	02.43.294	47
104 053 1401	02.12.137	32
104 053 1401 cpl.1	02.43.294	47
104 053 1401 cpl.3	02.43.294	47
104 180 0109	02.18.022	124
104 180 0509	02.18.022	124
104 180 0609	07.18.010	124
104 180 0709	02.18.022	124
104 180 0825	02.18.022	124
104 184 0109	02.18.022	124
104 184 0205	02.18.022	124
104 184 0225	02.18.022	124
104 184 0325	02.18.022	124
104 184 0425	02.18.022	124
104 184 0825	02.18.022	124
104 184 0925	02.18.022	124
104 184 1025	07.18.010	124
107 490 0141	02.39.010	299
107 492 0340	02.39.010	299
108 991 0067	02.11.006	24
110 053 0158	02.12.009	29
110 053 0258	02.12.009	29
110 200 0120	02.19.158	161
110 200 0515	02.19.006	153
110 200 0615	02.19.006	153
110 200 0915	02.19.006	153
110 200 0920	02.19.158	161
110 200 1520	02.19.158	161
110 200 1720	02.19.158	161
110 401 0170	02.33.001	240
110 492 0082	02.39.004	300

REF. NO.	TTC NO.	p.
110 880 0020	02.60.029	380
111 010 0430 cpl.1	02.10.115	11
111 014 0122	02.10.043	2
111 014 0222	02.10.043	2
111 016 0221	02.10.045	8
111 016 0221 cpl.1	02.10.115	11
111 016 0320	02.10.110	4
111 016 0520	02.10.110	4
111 016 0721	02.10.135	1
111 016 0820	02.10.110	4
111 016 0921	02.10.045	8
111 016 0921 cpl.1	02.10.115	11
111 016 1120	02.10.110	4
111 016 1221	02.10.045	8
111 016 1420	02.10.110	4
111 016 2620	02.10.110	4
111 016 2720	02.10.110	4
111 018 0302	02.10.046	17
111 018 0382	02.18.042	15
111 050 0025	02.12.103	52
111 050 0111	02.43.201	42
111 050 0311	02.43.201	42
111 050 0411	02.43.201	42
111 050 0411 cpl.1	02.12.213	46
111 050 0916	02.12.149	35
111 050 1224	02.12.084	49
111 050 1227	02.12.138	27
111 050 1227 cpl.1	02.43.294	47
111 050 1227 cpl.3	02.43.294	47
111 050 1416	02.12.149	35
111 050 1416 cpl.1	02.12.213	46
111 052 0203	02.12.089	53
111 052 0503	02.12.089	53
111 052 0503 cpl.1	02.12.213	46
111 052 1016	02.12.150	36
111 052 1016 cpl.1	02.12.213	46
111 053 1029	02.12.084	49
111 053 1101	02.12.137	32
111 053 1101 cpl.1	02.43.294	47
111 053 1101 cpl.3	02.43.294	47
111 053 1401	02.12.137	32
111 053 1401 cpl.2	02.43.294	47
111 053 2101	02.12.137	32
111 053 2101 cpl.1	02.43.294	47
111 053 2101 cpl.3	02.43.294	47
111 053 2301	02.12.137	32
111 053 2301 cpl.1	02.43.294	47
111 053 2301 cpl.3	02.43.294	47
111 053 2401	02.12.137	32
111 053 2401 cpl.1	02.43.294	47
111 053 2401 cpl.3	02.43.294	47
111 141 0780	02.16.008	92

REF. NO.	TTC NO.	p.
111 180 0071	02.18.035	33
111 200 0070	02.19.038	151
111 200 0214	02.19.052	150
111 200 0315	02.19.118	156
111 200 0414	02.19.052	150
111 200 0415	02.19.119	154
111 200 0670	02.19.092	147
111 200 0770	02.19.092	147
111 200 0770 cpl.1	02.19.337	147
111 200 0815	02.19.118	156
111 200 0915	02.19.119	154
111 200 0915-71°C	02.19.099	155
111 200 1270	02.19.092	147
111 200 2101	02.19.203	162
111 200 2201	02.19.210	165
111 200 2401	02.19.178	163
111 200 3801	02.19.203	162
111 200 3901	02.19.178	163
111 200 4101	02.19.210	165
111 200 9270	02.19.092	147
111 203 0282	02.19.088	303
111 203 0675	02.19.119	154
111 203 0875	02.19.119	154
111 203 0975	02.19.119	154
111 990 0305	02.19.092	147
111 997 0330	02.67.125	18
111 997 0330 cpl.1	02.43.264	19
112 010 0372	02.10.129	14
112 014 0133	02.10.102	17
112 016 0021	02.10.073	8
112 016 0121	02.10.074	8
112 016 0221	02.10.073	8
112 016 0320	02.10.112	5
112 016 0321	02.10.074	8
112 016 0420	02.10.111	5
112 018 0182	02.18.045	15
112 018 0209	02.18.082	15
112 018 0282	02.18.046	15
112 018 0382	02.18.047	16
112 018 0482	02.18.048	16
112 035 0000	02.11.016	26
112 035 0400	02.11.016	26
112 035 0500	02.11.016	26
112 035 0600	02.11.016	26
112 035 0800	02.11.016	26
112 035 0900	02.11.016	26
112 035 1300	02.11.016	26
112 035 1400	02.11.016	26
112 038 0071	02.11.054	26
112 050 0058	02.43.266	32
112 050 0511	02.12.090	42
112 050 0711	02.12.090	42

REF. NO.	TTC NO.	p.
112 050 0811	02.12.090	42
112 050 0811 cpl.1	02.12.214	46
112 052 0016	02.12.123	36
112 052 0016 cpl.1	02.12.214	46
112 052 0116	02.12.124	36
112 052 0116 cpl.1	02.12.214	46
112 052 0216	02.12.125	36
112 052 0216 cpl.1	02.12.214	46
112 094 0048	02.14.028	85
112 142 0072	02.16.021	300
112 151 0001	01.17.053	114
112 180 0009	02.18.140	125
112 180 0311	02.18.051	126
112 184 0025	02.18.032	123
112 184 0061	02.18.052	117
112 184 0161 cpl.1	02.43.288	122
112 184 0261	02.18.057	117
112 184 0261 cpl.1	02.43.301	122
112 184 0280	02.18.058	3
112 184 0280 cpl.1	02.43.300	122
112 184 0361	02.18.054	118
112 184 0425	02.18.100	124
112 184 0525	02.18.140	125
112 184 0625	02.18.140	125
112 188 0301	02.18.051	126
112 188 0401	02.18.051	126
112 200 0015	02.19.127	155
112 200 0070	02.19.121	147
112 200 0170	02.19.121	147
112 200 0201	02.19.160	163
112 200 0370	02.19.121	147
112 200 0401	02.19.160	163
112 200 0501	02.19.179	163
112 200 0670	02.19.121	147
112 200 0870	02.19.121	147
112 200 0901	02.19.160	163
112 200 0970	02.19.121	147
112 200 0970 n.cpl.1	02.19.123	151
112 200 1001	02.19.179	163
112 200 1101	02.19.160	163
112 200 1201	02.19.179	163
112 200 1401	02.19.160	163
112 200 1501	02.19.179	163
112 201 0301	02.19.160	163
112 203 0275	02.19.127	155
112 203 0275-71°C	02.19.175	155
112 203 0382	02.19.246	303
113 050 0033	02.12.108	39
113 050 0034	02.12.110	39
113 050 0080	02.12.111	51
113 050 0133	02.12.109	39
113 050 0280	02.12.112	52
113 050 0380	02.12.112	52
113 050 0534	02.12.110	39
113 050 1034	02.12.110	39
113 050 1433	02.12.108	39
113 050 1633	02.12.109	39
115 050 0067	02.43.005	31
115 200 0020	02.19.158	161
115 200 0058	02.19.001	140
115 200 0058 cpl.1	02.43.054	140
115 200 0615	02.19.005	153
115 200 1520	02.19.158	161
115 200 1820	02.19.158	161
115 271 0280	02.25.017	192
115 271 1580	02.25.017	192
115 271 1680	02.25.017	192
115 272 0025	02.25.005	185
115 320 0344	02.30.190	223
115 586 0005	02.43.005	31
115 586 1005	02.43.005	31
115 997 0032	01.67.056	239
115 997 0392	02.19.226	138
116 053 6058	02.12.009	29
116 130 0160	02.19.108	157
116 130 0460	02.19.108	157
116 132 0215	02.19.108	157
117 050 0267	02.43.008	32
117 050 0367	02.43.008	32
117 997 0230	02.10.099	18
117 997 0230 cpl.1	02.10.192	18
119 050 0158	02.43.266	32
119 050 0325	02.12.103	52
119 050 0825	02.12.103	52
119 051 0077	02.12.085	54
120 142 0072	02.16.047	300
120 997 0346	02.67.146	21
121 200 0458	02.19.001	140
121 200 0820	02.19.158	161
121 200 0920	02.19.158	161
122 200 0870	02.19.121	147
122 200 0970	02.19.121	147
123 130 0015	02.19.108	157
123 272 0125	02.25.013	186
123 272 0225	02.25.012	186
123 291 0082	02.27.009	196
123 320 0989	02.30.001	216
123 410 0131	02.34.004	242
123 428 0335	02.35.013	260
123 428 0435	02.35.013	260
123 428 0535	02.35.013	260
123 492 0080	02.39.008	299
123 492 0227 cpl.1	02.43.145	299
123 492 0280	02.39.008	299
123 492 0380	02.39.008	299
123 501 0015	02.40.204	308
123 501 0115	02.40.204	308
123 501 0215	02.40.204	308
123 501 1715	02.40.204	308
123 540 0017	02.42.006	277
123 997 0130	02.67.003	18
123 997 0430	02.67.003	18
123 997 3681	01.63.006	372
124 272 0025	02.25.042	186
124 272 0125	02.25.043	186
124 400 0070	02.33.004	240
124 400 0170	02.33.004	240
124 400 0470	02.33.004	240
124 420 0220	02.35.006	246
124 420 0320	02.35.006	246
124 420 0520	02.35.006	246
124 420 0720	02.35.006	246
124 420 0820	02.35.006	246
124 423 0320	02.35.006	246
124 492 0044	02.39.004	300
124 492 0382	02.39.004	300
124 500 0106	02.40.074	309
124 500 0406	02.40.074	309
124 501 0515	02.40.074	309
124 780 0298	02.54.056	380
124 880 0320	02.60.041	380
124 997 0132	01.67.056	239
126 270 0298	02.25.034	193
126 271 0280	02.25.083	192
126 271 1080	02.25.083	192
126 271 1180	02.25.083	192
126 272 0225	02.25.009	187
126 272 0225 cpl.3	02.43.133	191
126 272 0225 cpl.5	02.43.157	191
126 272 0325	02.25.008	186
126 272 0325 cpl.3	02.43.133	191
126 272 0325 cpl.5	02.43.157	191
126 272 0425	02.25.010	186
126 272 0425 cpl.3	02.43.133	191
126 272 0425 cpl.5	02.43.157	191
126 272 0525	02.25.009	187
126 272 0525 cpl.3	02.43.133	191
126 272 0525 cpl.5	02.43.157	191
126 272 0625	02.25.010	186
126 272 0625 cpl.3	02.43.133	191
126 272 0625 cpl.5	02.43.157	191
126 272 0725	02.25.008	186
126 272 0725 cpl.3	02.43.133	191
126 272 0725 cpl.5	02.43.157	191
126 272 0825	02.25.009	187
126 272 0825 cpl.3	02.43.133	191
126 272 0825 cpl.5	02.43.157	191
126 272 0925	02.25.009	187
126 272 0925 cpl.3	02.43.133	191
126 272 0925 cpl.5	02.43.157	191
126 277 0095	02.25.034	193
126 277 0295	02.25.034	193
126 277 0295 cpl.1	02.25.003	194
126 277 0295 cpl.2	02.25.004	194
126 492 0082	02.39.004	300
126 492 0282	02.39.004	300
126 492 0381	02.39.002	299
126 492 0581	02.39.014	299
126 540 1217	02.42.006	277
126 540 2017	02.42.006	277
129 500 0006	02.40.074	309
129 830 0184	02.59.005	365
130 050 0124	02.12.056	48
130 997 0032	02.67.138	19
130 997 0032 cpl.1	02.43.287	19
137 200 0119	02.19.244	159
137 202 0119	02.19.244	159
140 000 1834	88.58.010	361
140 000 6003	88.58.008	354
140 240 1118	02.22.032	170
140 240 1318	02.22.032	170
140 240 1818	02.22.032	170
140 270 0161	02.25.046	195
140 270 0250	02.42.284	195
140 270 0250 cpl.1	02.25.084	194
140 270 0361	02.25.046	195
140 270 0561	02.25.046	195
140 270 0761	02.25.046	195
140 270 0861	02.25.046	195
140 270 0861 cpl.1	02.43.303	195
140 270 1161	02.25.046	195
140 270 6500	02.43.190	193
140 271 0080	02.25.031	193
140 272 0025	02.25.028	187
140 272 0025 cpl.1	02.25.088	191
140 272 0025 cpl.2	02.25.089	191
140 272 0026	02.25.029	187
140 272 0026 cpl.1	02.25.080	192
140 272 0125	02.25.039	191
140 272 0125 cpl.1	02.25.088	191
140 272 0125 cpl.2	02.25.089	191
140 272 0225	02.25.040	187
140 272 0326	02.25.085	187
140 272 0326 cpl.1	02.25.088	191
140 272 0425	02.25.050	190
140 272 0525	02.25.040	187
140 272 0625	02.25.044	189
140 272 0725	02.25.040	187

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
140 272 0725 cpl.1	02.25.088	191
140 272 0725 cpl.2	02.25.089	191
140 272 0726	02.25.087	187
140 272 0726 cpl.1	02.25.088	191
140 272 1026	02.25.055	188
140 272 1126	02.25.056	188
140 272 1826	02.25.054	188
140 272 1826 cpl.1	02.25.080	192
140 272 1826 cpl.2	02.25.088	191
140 272 1826 cpl.3	02.25.089	191
140 272 2626	02.25.029	187
140 272 2726	02.25.056	188
140 272 2726 cpl.1	02.25.088	191
140 272 2726 cpl.2	02.25.089	191
140 272 2826	02.25.086	188
140 272 2826 cpl.2	02.25.089	191
140 272 2926	02.25.051	189
140 277 0095	02.25.033	194
140 277 0095 cpl.1	02.43.192	195
140 277 0095 cpl.2	02.25.084	194
140 492 0144	02.39.042	300
140 492 0244	02.39.042	300
140 492 0444	02.39.042	300
140 492 0644	02.39.016	300
140 540 1217	02.42.006	277
140 540 3617	02.25.046	195
142 894 3500	02.35.013	260
15 x 40 mm	02.34.033	282
151 010 0318	01.17.056	114
151 010 0486	01.17.053	114
153 292 0082	02.27.013	196
155 997 0392	02.19.226	138
158 030 0070	02.17.040	116
160 050 0180	02.12.147	51
160 184 0061	02.18.066	118
160 997 0146	02.43.307	21
160 997 0246	02.43.307	21
161 016 3121	02.10.135	1
163 401 0670	02.33.020	241
164 270 1001 n.cpl.2	02.43.312	193
164 270 1202 n.cpl.1	02.43.311	193
164 270 1202 n.cpl.2	02.43.312	193
164 270 3702 n.cpl.1	02.43.311	193
164 270 3702 n.cpl.2	02.43.312	193
164 270 4102 n.cpl.1	02.43.311	193
164 270 4102 n.cpl.2	02.43.312	193
164 270 5401 n.cpl.2	02.43.312	193
164 270 6502 n.cpl.2	02.43.312	193
164 270 7902 n.cpl.2	02.43.312	193
164 270 8401 n.cpl.2	02.43.312	193
164 270 9300 n.cpl.2	02.43.312	193
164 270 9800 n.cpl.2	02.43.312	193
164 270 9901 n.cpl.2	02.43.312	193
164 460 0096	02.37.080	282
164 540 1017	02.42.094	277
166 050 0080	02.12.111	51
166 180 0009	02.18.115	123
166 180 0109	02.18.115	123
166 180 0209	02.18.115	123
166 180 0710	02.18.115	123
166 184 0525	02.18.115	123
166 202 0219	02.19.183	157
166 202 0519	02.19.183	157
166 202 0619	02.19.183	157
166 997 0046	02.43.306	21
166 997 0146	02.43.307	21
166 997 0246	02.43.306	21
168 357 0089	02.31.002	225
168 371 0280	02.25.094	192
168 371 0280 cpl.1	02.25.095	194
168 377 0295	02.25.062	193
168 377 0395	02.25.062	193
168 377 0395 cpl.1	02.25.095	194
168 420 0420	02.35.147	247
168 423 0212	02.35.226	254
168 428 0335	02.35.154	260
168 470 0290	02.38.055	293
168 540 0017	02.42.386	321
168 540 0117	02.42.387	321
168 545 01 10 7D88	02.42.273	312
168 545 0110	02.42.273	312
168 830 0018	02.59.062	365
168 830 0084	02.59.005	365
168 830 0118	02.59.071	366
168 830 0284	02.59.005	365
168 830 0700	02.59.062	365
168 830 0718	02.59.071	366
168 830 0818	02.59.071	366
168 981 0627	02.31.197	230
169 420 0420	02.35.147	247
169 420 1120	02.35.147	247
169 420 1420	02.35.147	247
169 420 1720	02.35.147	247
169 500 0149	02.40.323	301
169 820 0145	02.58.444	374
16x40 mm	02.34.046	282
170 401 0170	02.33.001	240
170 410 0115	02.34.023	243
171 270 0601 n.cpl.2	02.43.312	193
171 270 3000 n.cpl.2	02.43.312	193
171 270 3800 n.cpl.1	02.43.311	193
171 270 3800 n.cpl.2	02.43.312	193
171 270 7500 n.cpl.2	02.43.312	193
171 270 8800 n.cpl.2	02.43.312	193
171 270 9500 n.cpl.1	02.43.311	193
171 270 9500 n.cpl.2	02.43.312	193
171 270 9700 n.cpl.1	02.43.311	193
171 270 9700 n.cpl.2	02.43.312	193
171 428 0035	02.35.154	260
171 835 0064	02.59.150	371
176 820 2700	07.58.054	375
180 032 0305	02.11.008	27
180 032 0505	02.11.008	27
180 032 0605	02.11.008	27
186 237 5031	02.23.103	177
186 997 0032	01.67.056	239
197 835 0064	02.59.150	371
201 272 0025	02.25.011	188
201 272 0325	02.25.012	186
201 291 0282	02.27.001	197
201 292 0082	02.27.002	197
201 334 0125	02.31.002	225
201 401 0270	02.33.001	240
201 420 0820	02.35.006	246
201 420 0920	02.35.006	246
201 423 0592	02.35.240	264
201 540 3045	02.42.032	315
201 540 3245	02.42.032	315
201 540 3745	02.42.032	315
201 540 3845	02.42.032	315
202 400 0070	02.33.004	240
202 410 1815	02.34.023	243
202 428 0735	02.35.069	262
202 492 0181	02.39.014	299
202 492 0344	02.39.016	300
202 492 0381	02.39.002	299
202 492 0444	02.39.016	300
202 492 0644	02.39.016	300
202 500 0406	02.40.074	309
202 830 0184	02.59.005	365
203 401 0270	02.33.004	240
203 401 0370	02.33.004	240
203 420 0120	02.35.203	246
203 540 0053	02.42.284	195
203 540 0053 cpl.1	02.25.084	194
203 540 0153	02.42.284	195
203 540 0153 cpl.1	02.25.084	194
203 540 0253	02.42.284	195
203 540 0253 cpl.1	02.25.084	194
204 270 1203 n.cpl.2	02.43.312	193
204 270 2201 n.cpl.2	02.43.312	193
204 270 3400 n.cpl.2	02.43.312	193
204 270 5000 n.cpl.1	02.43.311	193
204 270 5000 n.cpl.2	02.43.312	193
204 270 9902 n.cpl.1	02.43.311	193
204 270 9902 n.cpl.2	02.43.312	193
204 428 0135	02.35.235	263
204 428 0435	02.35.235	263
204 820 1145	02.58.416	374
204 835 0364	02.59.150	371
204 866 0221	07.61.009	372
210 272 0025	02.25.041	188
210 401 0270	02.33.001	240
210 410 1215	02.34.023	243
210 420 0820	02.35.006	246
210 428 0035	02.35.154	260
210 428 0535	02.35.154	260
210 460 2300	02.37.069	281
210 463 0798	02.37.069	281
210 501 0215	02.40.119	308
210 501 0315	02.40.119	308
210 501 0415	02.40.119	308
210 501 0515	02.40.119	308
210 501 0615	02.40.119	308
210 501 0715	02.40.119	308
210 820 0921	02.58.023	353
210 830 0084	02.59.005	365
210 830 0184	02.59.005	365
210 869 0821	02.61.003	373
210 869 0921	02.61.003	373
210 869 1021	07.61.009	372
210 869 1121	02.61.006	373
210 869 1221	02.61.006	373
210 992 0010	02.67.148	192
210 997 0032	01.67.056	239
210 997 0132	01.67.056	239
210 997 0132 cpl.1	02.43.286	19
211 270 0502 n.cpl.2	02.43.312	193
211 270 3301 n.cpl.1	02.43.311	193
211 270 3301 n.cpl.2	02.43.312	193
211 270 4402 n.cpl.1	02.43.311	193
211 270 4402 n.cpl.2	02.43.312	193
211 270 6102 n.cpl.2	02.43.312	193
211 270 6702 n.cpl.1	02.43.311	193
211 270 6702 n.cpl.2	02.43.312	193
211 401 0370	02.33.020	241
211 506 0000	02.59.150	371
211 528 2082	02.14.154	79
211 540 1717	02.42.036	277
211 835 0064	02.59.150	371
211 835 0164	02.59.150	371
211 835 0264	02.59.150	371
211 835 0364	02.59.150	371
212 240 0418	02.22.091	169
212 320 0169	02.30.336	84
212 542 0018	02.42.056	318
219 270 3200 n.cpl.2	02.43.312	193
220 240 0218	02.22.032	170

REF. NO.	TTC NO.	p.
220 240 0518	02.22.032	170
220 240 1818	02.22.032	170
220 271 0180	02.25.049	192
220 271 0380	02.25.049	192
220 271 0380 n.cpl.1	02.43.311	193
220 271 0380 n.cpl.2	02.43.312	193
220 272 0325	02.25.052	189
220 272 0325 cpl.1	02.25.080	192
220 272 0725	02.25.044	189
220 272 0725 cpl.1	02.25.080	192
220 272 0725 cpl.2	02.25.088	191
220 272 0725 cpl.3	02.25.089	191
220 272 0825	02.25.045	189
220 272 0825 cpl.1	02.25.080	192
220 272 0926	02.25.053	189
220 272 0926 cpl.1	02.25.080	192
220 272 1726	02.25.029	187
220 272 1726 cpl.1	02.25.088	191
220 272 1726 cpl.2	02.25.089	191
220 272 1826	02.25.066	189
220 272 1826 cpl.1	02.25.080	192
220 272 2226	02.25.051	189
220 272 2226 cpl.2	02.25.089	191
220 277 0095	02.25.048	194
220 277 0395	02.25.048	194
220 277 0695	02.25.048	194
220 540 0617	02.42.036	277
220 540 0717	02.42.036	277
220 540 1517	02.42.094	277
220 545 0024	02.40.219	319
220 830 0083	02.59.051	370
220 830 0384	02.59.157	365
220 997 1652	02.67.101	195
221 270 0202 n.cpl.2	02.43.312	193
221 270 2100 n.cpl.2	02.43.312	193
221 270 3503 n.cpl.2	02.43.312	193
221 270 6002 n.cpl.2	02.43.312	193
221 270 6701 n.cpl.1	02.43.311	193
221 270 6701 n.cpl.2	02.43.312	193
221 270 7030 n.cpl.1	02.43.311	193
221 270 7030 n.cpl.2	02.43.312	193
221 270 7530 n.cpl.1	02.43.311	193
221 270 7530 n.cpl.2	02.43.312	193
221 270 7702 n.cpl.1	02.43.311	193
221 270 7702 n.cpl.2	02.43.312	193
221 270 9303 n.cpl.1	02.43.311	193
221 270 9303 n.cpl.2	02.43.312	193
221 270 9330 n.cpl.2	02.43.312	193
221 272 0025	02.25.050	190
221 272 0025 cpl.1	02.25.080	192
221 272 0025 cpl.2	02.25.088	191
221 272 0025 cpl.3	02.25.089	191

REF. NO.	TTC NO.	p.
221 272 0225	02.25.070	190
221 272 0225 cpl.1	02.25.080	192
221 272 2426	02.25.069	190
221 272 2426 cpl.1	02.25.080	192
221 277 0095	02.25.048	194
221 277 0195	02.25.048	194
221 277 0200	02.25.048	194
221 500 0486	02.59.150	371
221 542 0417	02.42.057	318
221 869 0121	02.61.003	373
222 277 2000	02.25.048	194
230 222 0904	02.35.117	249
230 270 2628 cpl.1	02.25.080	192
230 270 2628 n.cpl.1	02.25.077	190
230 270 2628 n.cpl.2	02.25.078	190
24 X 74,5 mm	02.34.053	243
240 272 0025	02.25.090	190
240 272 0026	02.25.091	191
240 272 0225	02.25.039	191
240 272 0225 cpl.1	02.25.088	191
251 129 5101	02.37.080	282
251 270 0901 n.cpl.1	02.43.311	193
251 270 0901 n.cpl.2	02.43.312	193
251 270 2901 n.cpl.1	02.43.311	193
251 270 2901 n.cpl.2	02.43.312	193
26 x 70 mm	02.34.011	241
27 x 75 mm	02.34.041	242
27 x 88 mm	02.34.044	242
27 x 92 mm	02.34.043	243
270 180 0009	02.18.147	123
270 180 0109	02.18.147	123
270 184 0025	02.18.147	123
270 184 0125	02.18.147	123
271 016 0121	02.10.137	1
271 016 0320	02.10.186	6
271 016 0520	02.10.186	6
271 016 0921	02.10.116	9
271 016 0921 cpl.1	02.10.117	11
271 016 1120	02.10.186	6
271 016 1520	02.10.186	6
271 018 1282	02.18.085	16
271 018 1482	02.18.086	16
271 018 1582	02.18.087	16
271 050 0411	02.12.165	42
271 050 0611	02.12.165	42
271 050 0611 cpl.1	02.12.217	47
271 050 0800	02.12.167	40
271 050 0900	02.12.168	40
271 050 1247	02.12.168	40
271 050 1447	02.12.167	40
271 051 0177	02.12.130	54
271 052 0416 cpl.1	02.12.217	47

REF. NO.	TTC NO.	p.
271 052 1016	02.12.164	37
271 052 1016 cpl.1	02.12.217	47
271 052 1116	02.12.163	37
271 052 1116 cpl.1	02.12.217	47
271 094 0204	02.14.136	84
271 140 0601	02.14.214	86
271 141 0880	02.16.067	94
271 141 1080	02.16.057	95
271 142 0072	02.16.046	300
271 142 0172	02.16.046	300
271 142 0380	02.16.064	89
271 150 2733	02.12.158	96
271 155 0016	02.17.044	99
271 155 0115	02.17.044	99
271 180 0009	02.18.040	124
271 180 0109	02.18.040	124
271 184 0080	02.18.073	121
271 184 0102	02.18.040	124
271 184 0125	02.18.040	124
271 184 0180	02.18.074	121
271 184 0225	02.18.040	124
271 184 0425	02.18.040	124
271 188 0401	02.18.072	127
271 200 0015	02.19.373	156
271 200 0470	02.19.276	149
271 200 0501	02.19.345	166
271 200 0570	02.19.207	152
271 200 0901	02.19.345	166
271 200 1152	02.19.316	141
271 200 1352	02.19.317	141
271 200 1552	02.19.316	141
271 203 0375	02.19.373	156
271 203 0575	02.19.373	156
271 206 0019	02.19.185	160
271 206 0219	02.19.054	160
272 010 0631	02.10.189	13
272 016 0134	02.10.178	13
272 016 1120	02.10.188	5
272 016 1220	02.10.187	5
272 016 1520	02.10.187	5
272 016 1620	02.10.188	5
272 016 1920	02.10.188	5
272 016 2020	02.10.187	5
272 050 0111	02.12.178	42
272 050 0311	02.12.179	42
272 050 0711	02.12.179	42
272 050 0811	02.12.179	42
272 050 0811 cpl.1	02.12.218	46
272 050 1547	02.12.238	39
272 050 2347	02.12.239	40
272 050 2447	02.12.239	40
272 050 2747	02.12.238	39

REF. NO.	TTC NO.	p.
272 050 4047	02.12.240	40
272 050 4147	02.12.240	40
272 050 4347	02.12.238	39
272 050 4447	02.12.239	40
272 050 4547	02.12.238	39
272 050 4647	02.12.239	40
272 050 4847	02.12.240	40
272 050 4947	02.12.240	40
272 050 5047	02.12.240	40
272 050 5247	02.12.238	39
272 050 5347	02.12.239	40
272 050 6847	02.12.240	40
272 052 0016	02.12.184	36
272 052 0016 cpl.1	02.12.218	46
272 052 0216	02.12.182	36
272 052 0216 cpl.1	02.12.218	46
272 052 1316	02.12.183	37
272 052 1316 cpl.1	02.12.218	46
272 052 1516	02.12.185	37
272 052 1516 cpl.1	02.12.218	46
272 140 2101 n.cpl.1	02.14.182	86
272 140 2201 n.cpl.1	02.14.182	86
272 140 2401 n.cpl.1	02.14.182	86
272 141 2080	02.16.066	93
272 141 2180	02.16.066	93
272 141 2280	02.16.066	93
272 141 2380	02.16.066	93
272 180 0410 n.cpl.1	02.18.130	126
272 180 0510 n.cpl.1	02.18.130	126
272 184 0080	02.18.129	118
272 184 0280	02.18.128	120
272 188 0001	02.18.130	126
272 200 0070	02.19.221	147
272 200 0114	02.19.222	150
272 200 0270	02.19.221	147
272 200 0270 n.cpl.1	02.19.249	152
272 200 0515	02.19.320	156
272 200 1301	02.19.334	164
272 200 1501	02.19.334	164
272 200 1601	02.19.334	164
272 200 3901	02.19.066	164
272 202 0119	02.19.251	158
272 202 0219	02.19.251	158
272 202 0419	02.19.252	158
272 202 0619	02.19.252	158
272 202 0719	02.19.252	158
272 202 0819	02.19.167	158
272 202 0819	02.19.967	158
272 202 1019	02.19.167	158
272 202 1019	02.19.967	158
272 202 1419	02.19.252	158
272 905 0000	02.17.093	102

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
272 905 0043	02.17.048	112
272 905 0143	02.17.048	112
273 200 0215	02.19.320	156
274 094 0004	02.14.209	83
274 188 0101	02.18.152	125
276 200 0401	02.19.350	166
276 200 1301	02.19.350	166
276 200 1501	02.19.350	166
276 905 0000	02.17.050	110
278 150 0060	02.17.065	98
301 492 0382	02.39.032	299
302 320 0431	02.30.056	220
307 990 0297	01.35.166	266
308 295 7006	02.27.010	172
308 323 7085	02.30.041	210
308 460 7005	02.37.104	286
309 310 0277	02.30.017	197
309 320 0073	02.30.049	207
309 320 0177	02.30.018	197
309 323 0385	02.30.024	207
309 401 0171	02.33.019	239
309 402 0171	02.33.019	239
309 402 0271	02.33.019	239
309 402 0471	02.33.019	239
309 406 1605	02.37.104	286
309 410 0110	02.34.009	244
309 420 0182	02.35.004	278
309 421 0992	02.35.004	278
309 460 0305	02.37.104	286
309 460 0405	02.37.104	286
309 460 0505	02.37.104	286
309 460 0805	02.37.104	286
309 460 0905	02.37.104	286
309 460 1005	02.37.104	286
309 460 1105	02.37.104	286
309 460 1205	02.37.104	286
309 460 1305	02.37.104	286
309 460 1405	02.37.104	286
309 460 1505	02.37.104	286
309 460 1605	02.37.104	286
309 460 2005	02.37.104	286
309 460 2205	02.37.104	286
309 460 2305	02.37.104	286
309 460 2405	02.37.104	286
309 460 2505	02.37.104	286
309 460 2605	02.37.104	286
309 460 2905	02.37.104	286
309 460 3005	02.37.104	286
309 460 3105	02.37.104	286
309 586 0141	02.34.009	244
309 673 0031	01.50.017	383
309 720 0031	01.53.024	352
309 720 0035	02.53.174	349
309 720 0131	01.53.025	352
309 720 0135	02.53.175	349
309 720 0231	01.53.055	352
309 720 0331	01.53.054	352
30948304	02.14.063	84
31 x 88 mm	02.34.012	243
310 320 0050	02.30.010	205
310 330 0019	02.43.292	231
310 330 0319	02.43.262	231
310 330 0319 cpl.1	02.43.263	231
310 330 0319 x 2	02.43.263	231
310 330 0435	02.37.056	288
310 330 0519	02.43.292	231
310 330 0835	02.37.056	288
310 330 1219	02.43.291	231
310 330 1335	02.37.056	288
310 410 0622	02.34.009	244
310 410 0822	02.34.009	244
310 410 0922	02.34.009	244
310 586 0133	02.43.262	231
310 586 0333	02.43.292	231
312 053 0127	01.12.013	50
312 054 0501	01.12.016	51
312 462 1150	01.37.003	280
312 462 1150 cpl.2	01.43.133	281
312 990 0251	01.67.106	39
314 035 0214	01.11.002	25
314 130 0060	02.19.108	157
314 130 0160	02.19.108	157
314 130 0260	02.19.108	157
314 130 0360	02.19.108	157
314 150 1272 cpl.1	01.17.007	114
314 300 0507	01.28.015	63
314 300 0907	01.28.015	63
314 300 1107	01.28.015	63
314 300 1307	01.28.015	63
314 326 0153	02.30.049	207
314 326 0481	02.30.049	207
314 811 0330	01.57.002	329
316 460 0057	01.37.023	282
316 460 0157	01.37.023	282
318 300 0007	01.28.015	63
318 320 0073	02.30.014	210
318 322 0250	02.30.019	206
319 292 0082	02.27.013	196
319 324 0450	01.30.040	205
319 324 0750	01.30.040	205
319 402 0171	02.33.019	239
319 402 0371	02.33.019	239
319 402 0471	02.33.019	239
319 410 0231	02.34.004	242
321 462 0165	01.37.004	280
321 462 0165 cpl.2	01.43.133	281
322 035 0014	01.11.002	25
322 053 0125	01.12.014	52
322 053 0420	01.12.032	48
322 725 0202	01.53.007	330
322 725 0302	01.53.008	330
322 760 0061	01.53.015	345
322 760 0161	01.53.014	345
326 990 0151	01.67.008	39
326 997 1020	01.10.129	13
327 504 5082 cpl.1	01.43.126	132
338 500 0045 cpl.1	01.40.017	132
338 504 0130	01.40.017	132
339 700 8051	02.58.419	376
343 053 7027	01.12.013	50
344 018 0168	02.10.046	17
344 018 7002	02.10.046	17
344 018 7080	02.10.046	17
344 477 7215	01.38.045	293
344 720 0031	01.53.024	352
344 720 0131	01.53.025	352
344 720 7031	01.53.024	352
344 720 7131	01.53.025	352
344 720 7231	01.53.024	352
344 720 7331	01.53.025	352
344 760 0061	01.53.014	345
344 760 0161	01.53.015	345
345 180 7065	01.18.008	127
345 180 7065 cpl.1	01.43.160	127
345 250 7503	01.23.116	178
345 542 7317	01.42.036	113
345 542 7717	01.42.009	319
345 545 7314	01.42.010	325
345 990 7597	01.35.166	266
346 017 0160	01.10.007	56
346 693 0180	02.37.054	284
350 128 8012	88.58.103	355
352 010 0168	02.10.046	17
352 030 1220	01.11.056	25
352 030 1420	01.11.056	25
352 030 2720	01.11.056	25
352 030 3420	01.11.056	25
352 030 3920	01.11.056	25
352 030 4920	01.11.056	25
352 030 5720	01.11.056	25
352 032 1105	01.11.023	26
352 053 0032	01.12.008	50
352 053 0320	01.12.032	48
352 053 1532	01.12.008	50
352 053 1631	01.12.003	50
352 053 2032	01.12.008	50
352 053 3131	01.12.003	50
352 054 0501	01.12.016	51
352 131 2533	01.11.075	26
352 155 0550	01.17.003	103
352 155 0650	01.17.003	103
352 200 3401	01.19.156	161
352 200 5401	01.19.156	161
352 200 6401	01.19.156	161
352 200 7201	01.19.156	161
352 200 7501	01.19.156	161
352 200 8101	01.19.156	161
352 200 8501	01.19.156	161
352 200 8801	01.19.156	161
352 200 8901	01.19.156	161
352 200 9501	01.19.156	161
352 200 9601	01.19.156	161
352 200 9701	01.19.156	161
352 997 0032	01.67.056	239
353 200 1601	01.19.156	161
353 200 1701	01.19.156	161
353 200 3801	01.19.156	161
353 200 5601	01.19.156	161
355 088 0080	01.18.015	121
355 180 1265	01.18.008	127
355 180 1265 cpl.1	01.43.160	127
355 188 0080	01.18.015	121
355 188 0180	01.18.015	121
355 997 0032	01.67.056	239
356 180 0065	01.18.008	127
356 180 0065 cpl.1	01.43.160	127
360 300 0107	01.28.015	63
364 200 0001	01.19.189	165
364 200 0101	01.19.189	165
364 200 0901	01.19.189	165
364 200 2001	01.19.189	165
366 030 2120	01.11.056	25
366 030 2520	01.11.056	25
366 030 3520	01.11.056	25
366 053 0026	01.12.013	50
366 053 1632	01.12.008	50
371 725 0002	01.53.039	330
374 200 0001	01.19.189	165
376 030 7120	01.11.056	25
376 151 0301	01.17.053	114
381 250 0415	01.23.056	171
381 460 0057	01.37.023	282
381 460 0157	01.37.023	282
381 492 0082	02.39.032	299
381 725 0002	01.53.039	330
381 725 0060 cpl.1	01.43.111	332
381 725 0102	01.53.040	330
381 725 0279	01.53.044	334

REF. NO.	TTC NO.	p.
381 725 0379	01.53.045	334
381 760 0259	01.53.036	345
381 766 0901	01.53.036	345
384 301 7001	01.28.014	196
384 987 7140	02.39.057	298
385 410 0131	02.34.013	242
388 017 0160	01.10.007	56
388 295 7106	01.27.057	172
4.02323.04N	02.43.021	57
403 150 0572	01.17.005	114
403 150 0572 cpl.1	01.17.007	114
403 155 0250	01.17.018	103
403 997 0420	02.67.043	12
403 997 0620	02.67.042	12
414 320 0189	02.31.228	215
414 320 0289	02.31.228	215
414 320 0389	02.31.228	215
414 330 0307	02.31.255	227
414 330 0407	02.31.256	227
414 330 0507	02.31.255	227
414 330 0607	02.31.256	227
414 333 0027	02.31.229	233
414 333 0127	02.31.229	233
414 333 0227	02.31.229	233
414 420 0120	02.35.147	247
414 420 0320	02.35.203	246
414 820 0145	02.58.444	374
414 820 0245	02.58.409	374
414 820 0245	02.58.444	374
415 070 0152	02.38.056	294
415 094 0304	02.14.134	82
415 320 0089	02.37.223	279
415 320 0189	02.30.319	215
415 330 0200	02.31.200	228
415 330 0200 n.cpl.1	02.31.332	233
415 330 0200 n.cpl.2	02.31.333	225
415 330 0200 n.cpl.3	02.31.334	225
415 330 0300	02.31.199	227
415 330 0300 n.cpl.1	02.31.331	234
415 330 0300 n.cpl.2	02.31.333	225
415 330 0300 n.cpl.3	02.31.334	225
415 420 0001	02.35.443	255
415 420 0101	02.35.442	254
415 420 0102	02.35.471	255
415 420 0302	02.35.471	255
415 420 0701	02.35.443	255
415 421 0100	02.35.471	255
415 421 0310	02.35.445	248
415 421 0410	02.35.448	248
415 421 0412	02.35.443	255
415 421 0510	02.35.449	248
415 421 0610	02.35.445	248

REF. NO.	TTC NO.	p.
415 430 0022	02.35.445	248
415 460 0005	02.37.209	289
415 460 0105	02.37.210	289
415 835 0600	02.59.134	366
415 835 1100	02.59.134	366
415 835 1300	02.59.134	366
415 980 0064	02.62.028	377
421 460 0457	01.37.023	282
422 990 0051	01.67.106	39
425 460 0057	01.37.023	282
425 460 0157	01.37.023	282
425 460 0457	01.37.023	282
428 283 5000	02.35.013	260
428 803 5000	02.35.013	260
447 330 1407	02.31.357	228
447 330 1507	02.31.358	228
447 330 3400	02.31.357	228
447 333 0100	02.31.366	225
447 333 0127	02.31.367	234
447 333 0514	02.31.368	226
447 420 0020	02.35.497	248
447 420 0120	02.35.517	248
447 420 0220	02.35.497	248
447 420 0320	02.35.517	248
447 421 0012	02.35.558	255
447 421 0312	02.35.134	255
447 421 0512	02.35.134	255
447 423 0012	02.35.559	255
447 423 0012 07	02.35.559	255
447 423 0412	02.35.559	255
447 477 0000 n.cpl.1	02.38.132	294
447 477 0101 n.cpl.1	02.38.132	294
447 760 0047	02.53.281	334
447 760 0147	02.53.280	334
447 760 0447	02.53.282	334
447 760 0547	02.53.283	334
447 760 0647	02.53.284	335
447 760 0747	02.53.285	335
447 830 0100	02.59.164	366
460 330 1235	02.37.219	290
460 401 0270	02.33.024	241
460 420 0020	02.35.144	247
461 423 0120	02.35.365	275
461 423 0220	02.35.365	275
463 428 0235	02.35.013	260
463 997 0547	02.67.251	239
476 670 6100	01.19.183	133
476 672 1000	01.19.186	134
476 672 1100	01.19.186	134
476 672 1102	01.19.186	134
476 672 1103	01.19.186	134
476 6721020	01.19.186	134

REF. NO.	TTC NO.	p.
476 687 3000	01.19.186	134
476 805 1000	01.19.186	134
515 410 6882	02.34.029	245
515 410 7182	02.34.030	245
515 410 7282	02.34.029	245
541 017 0071	01.10.134	74
541 017 0171	01.10.134	74
541 017 0260	01.10.213	56
541 150 4233	01.17.076	112
541 998 0190	01.10.129	13
541 998 0390	01.10.129	13
601 010 5020	02.10.183	10
601 011 0108	02.12.159	22
601 011 0210	02.10.087	24
601 011 0310	02.10.082	24
601 014 0022	02.10.043	2
601 014 0222	02.10.043	2
601 014 0222 neu	02.10.100	2
601 016 0163	02.10.064	1
601 016 0320	02.10.090	4
601 016 0381	02.10.062	15
601 016 0420	02.10.090	4
601 016 0421	02.10.011	8
601 016 0481	02.10.063	15
601 016 0521	02.10.012	7
601 016 0621	02.10.011	8
601 016 0721	02.10.012	7
601 016 1420	02.10.151	4
601 016 1920	02.10.090	4
601 016 2320	02.10.151	4
601 016 2920	02.10.090	4
601 016 3320	02.10.151	4
601 017 0060	02.10.071	20
601 030 0108	02.11.017	25
601 050 0111	02.12.080	41
601 050 0216	02.12.091	34
601 050 0227	02.12.140	27
601 050 0227 cpl.1	02.43.295	47
601 050 0227 cpl.3	02.43.295	47
601 050 0311	02.12.080	41
601 050 0325	02.12.099	51
601 050 0416	02.12.091	34
601 050 0425	02.12.099	51
601 050 0525	02.12.099	51
601 050 0611	02.12.080	41
601 050 0711	02.12.080	41
601 050 0711 cpl.1	02.12.219	45
601 050 0724	02.12.131	49
601 050 0725	02.12.099	51
601 050 0816	02.12.091	34
601 050 0816 cpl.1	02.12.219	45
601 050 0825	02.12.099	51

REF. NO.	TTC NO.	p.
601 050 0880	02.12.099	51
601 050 1024	02.12.132	49
601 050 1227	02.12.140	27
601 050 1227 cpl.1	02.43.295	47
601 050 1227 cpl.3	02.43.295	47
601 050 1427	02.12.140	27
601 050 1427 cpl.1	02.43.295	47
601 050 1427 cpl.3	02.43.295	47
601 050 2127	02.12.140	27
601 050 2127 cpl.1	02.43.295	47
601 050 2127 cpl.3	02.43.295	47
601 050 2527	02.12.140	27
601 050 2527 cpl.1	02.43.295	47
601 050 2527 cpl.3	02.43.295	47
601 050 3027	02.12.140	27
601 050 3027 cpl.1	02.43.295	47
601 050 3027 cpl.3	02.43.295	47
601 052 0001	02.12.094	54
601 052 0001 cpl.1	02.12.219	45
601 052 0003	02.12.096	53
601 052 0216	02.12.126	34
601 052 0316	02.12.093	34
601 052 0316 cpl.1	02.12.219	45
601 052 0516	02.12.126	34
601 052 0516 cpl.1	02.12.219	45
601 053 0158	02.12.009	29
601 053 0201	02.12.139	32
601 053 0201 cpl.1	02.43.295	47
601 053 0201 cpl.3	02.43.295	47
601 053 0258	02.12.009	29
601 053 0401	02.12.139	32
601 053 0401 cpl.1	02.43.295	47
601 053 0401 cpl.3	02.43.295	47
601 053 0458	02.12.009	29
601 053 0558	02.12.009	29
601 053 0858	02.12.009	29
601 053 0958	02.12.009	29
601 053 1201	02.12.139	32
601 053 1201 cpl.1	02.43.295	47
601 053 1201 cpl.3	02.43.295	47
601 053 1258	02.12.009	29
601 053 1358	02.12.009	29
601 053 1501	02.12.139	32
601 053 1501 cpl.1	02.43.295	47
601 053 1501 cpl.3	02.43.295	47
601 053 1701	02.12.139	32
601 053 1701 cpl.1	02.43.295	47
601 053 1701 cpl.3	02.43.295	47
601 053 1901	02.12.139	32
601 053 1901 cpl.1	02.43.295	47
601 053 1901 cpl.3	02.43.295	47
601 070 1933	02.13.066	64

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
601 070 1933 cpl.1	02.13.071	68
601 070 2033	02.13.067	64
601 070 2033 cpl.1	02.13.071	68
601 070 2233	02.13.069	65
601 070 2233 cpl.1	02.13.071	68
601 070 2733	02.13.066	64
601 070 2733 cpl.1	02.13.071	68
601 070 2833	02.13.067	64
601 070 2833 cpl.1	02.13.071	68
601 070 2933	02.13.068	64
601 070 2933 cpl.1	02.13.071	68
601 070 3033	02.13.069	65
601 070 3033 cpl.1	02.13.071	68
601 070 3133	02.13.068	64
601 070 3133 cpl.1	02.13.071	68
601 070 3733	02.13.066	64
601 070 3733 cpl.1	02.13.071	68
601 070 3833	02.13.067	64
601 070 3833 cpl.1	02.13.071	68
601 070 3933	02.13.068	64
601 070 3933 cpl.1	02.13.071	68
601 070 4*33 cpl.1	02.13.060	68
601 070 4033	02.13.069	65
601 070 4033 cpl.1	02.13.071	68
601 070 4533	02.13.061	65
601 070 4533 cpl.1	02.13.060	68
601 070 4633	02.13.062	65
601 070 4633 cpl.1	02.13.060	68
601 070 4733	02.13.063	65
601 070 4733 cpl.1	02.13.060	68
601 070 4833	02.13.064	65
601 070 4833 cpl.1	02.13.060	68
601 078 1441	02.13.050	63
601 078 2041	02.13.052	63
601 078 2641	02.13.050	63
601 078 2841	02.13.050	63
601 090 0352	02.14.027	294
601 090 0352 cpl.1	02.14.027	294
601 090 1452	02.14.027	294
601 090 1452 cpl.1	02.14.027	294
601 090 1552	02.14.027	294
601 090 1552 cpl.1	02.14.027	294
601 090 1652	02.14.027	294
601 092 0001	02.14.027	294
601 092 0101	02.14.027	294
601 092 0105	02.14.099	295
601 141 0180	02.16.018	92
601 141 0280	02.16.018	92
601 141 0580	02.16.018	92
601 141 0980	02.16.018	92
601 141 1080	02.16.018	92
601 141 1180	02.16.018	92
601 142 0280	02.16.061	89
601 155 0115	02.17.027	98
601 164 0125	02.18.031	124
601 180 0009	02.18.031	124
601 180 0065	02.18.061	126
601 180 0109	02.18.031	124
601 180 0210	02.18.031	124
601 180 1101	02.18.036	129
601 180 1401	02.18.039	128
601 180 1501	02.18.036	129
601 181 0159	02.12.086	33
601 184 0025	02.18.031	124
601 184 0125	02.18.031	124
601 200 0015	02.19.112	154
601 200 0015-60°C	02.19.143	154
601 200 0015-65°C	02.19.144	155
601 200 0015-75°C	02.19.115	154
601 200 0115	02.19.113	156
601 200 0314	02.19.022	149
601 200 0314	02.19.922	149
601 200 0514	02.19.022	149
601 200 0514	02.19.922	149
601 200 0770	02.19.073	158
601 200 0970	02.19.071	151
601 200 0970	02.19.330	151
601 200 1070	02.19.104	158
601 200 1373	02.19.044	150
601 200 1373 cpl.1	02.19.125	146
601 200 1773	02.19.044	150
601 200 1773 cpl.1	02.19.125	146
601 230 0165	02.36.057	276
601 234 0244	02.13.070	62
601 240 0218	02.22.024	169
601 240 0318	02.22.024	169
601 240 0617	02.22.021	167
601 240 0717	02.22.022	167
601 240 0718	02.22.025	169
601 240 0817	02.22.028	167
601 240 0917	02.22.053	167
601 240 1417	02.22.021	167
601 242 0013	02.22.027	167
601 301 0050	02.28.011	196
601 301 0150	02.28.011	196
601 320 0030	01.30.058	219
601 320 0083	01.43.257	214
601 320 0130	01.30.058	219
601 320 0183	01.43.258	214
601 320 0230	01.30.058	219
601 320 0330	01.30.058	219
601 320 0411	02.30.030	214
601 320 0430	01.30.058	219
601 320 0431	02.30.056	220
601 320 0631	02.30.056	220
601 320 0711	01.43.257	214
601 320 0730	01.30.058	219
601 320 0831	02.30.056	220
601 320 1231	02.30.056	220
601 321 0062	02.30.401	223
601 321 0350	01.30.023	208
601 324 0050	02.30.009	205
601 324 0150	02.30.009	205
601 325 0447	02.30.045	201
601 325 0547	02.30.046	201
601 326 0226	02.30.333	204
601 330 0019	02.43.205	233
601 330 0019 cpl.1	02.43.268	233
601 330 0019 cpl.2	02.43.269	233
601 330 0019 wr	02.43.205	233
601 330 0019/2	02.43.202	232
601 330 0319	02.43.271	232
601 330 0319 cpl.1	02.43.273	232
601 330 0419	02.43.272	232
601 330 0419 cpl.1	02.43.273	232
601 330 0435	02.37.046	289
601 330 0535	02.37.047	289
601 330 0635	02.37.046	289
601 330 0735	02.37.047	289
601 330 5235	02.37.047	289
601 330 5335	02.37.046	289
601 332 5306	02.43.202	232
601 350 0068	02.32.013	237
601 350 0168	02.32.013	237
601 350 0268	02.32.013	237
601 350 0468	02.32.013	237
601 350 1510	02.32.013	237
601 351 0080	02.32.164	236
601 351 5080	02.32.164	236
601 351 5180	02.32.164	236
601 401 0170	02.33.016	241
601 401 0270	02.33.016	241
601 401 0370	02.33.016	241
601 410 0231	02.34.017	242
601 410 0231 cpl.1	02.34.053	243
601 410 0231 cpl.2	02.34.060	246
601 410 0410	02.34.010	244
601 410 1510	02.34.010	244
601 410 1710	02.34.010	244
601 410 2110	02.34.031	244
601 410 5010	02.34.010	244
601 420 0072	02.35.039	254
601 420 0172	02.35.073	255
601 420 0272	02.35.039	254
601 420 0312	02.35.073	255
601 420 0372	02.35.073	255
601 420 0512	02.35.073	255
601 420 1185	02.35.270	268
601 420 1685	02.35.271	269
601 420 1785	02.35.272	269
601 420 3385	02.35.042	268
601 420 3485	02.35.043	269
601 420 3685	02.35.042	268
601 420 3785	02.35.043	269
601 420 4685	02.35.042	268
601 420 4785	02.35.043	269
601 420 7620	02.35.144	247
601 420 8720	02.35.144	247
601 421 0208	02.35.144	247
601 421 0312	02.35.073	255
601 421 0408	02.35.144	247
601 421 0412	02.35.039	254
601 421 0512	02.35.073	255
601 421 0608	02.35.144	247
601 421 5012	02.35.039	254
601 421 5112	02.35.039	254
601 428 0435	02.35.047	262
601 430 0435	02.36.054	215
601 430 0535	02.36.054	215
601 430 0622	02.35.502	252
601 492 0082	02.39.004	300
601 500 3703	02.40.277	301
601 500 5103	02.40.277	301
601 500 5203	02.40.277	301
601 500 5303	02.40.277	301
601 500 6503	02.40.277	301
601 500 6803	02.40.277	301
601 500 6903	02.40.277	301
601 500 7003	02.40.277	301
601 500 7403	02.40.277	301
601 500 7503	02.40.277	301
601 500 7803	02.40.277	301
601 500 8103	02.40.277	301
601 500 8401	02.40.277	301
601 500 8403	02.40.277	301
601 501 1882	02.40.069	303
601 501 2582	02.40.069	303
601 501 2682	02.40.069	303
601 501 2982	02.40.070	303
601 501 3782	02.40.071	303
601 501 4582	02.40.072	303
601 540 0617	02.42.081	277
601 540 1317	02.42.006	277
601 586 0032	01.43.257	214
601 586 0041	02.34.010	244
601 586 0042	02.35.144	247
601 586 0045	02.35.144	247
601 586 0132	01.43.258	214

REF. NO.	TTC NO.	p.
601 586 5033	02.43.202	232
601 760 0059	01.53.036	345
601 760 0159	01.53.036	345
601 760 0347	02.53.225	335
601 760 0547	02.53.225	335
601 760 1847	02.53.225	335
601 981 0027	02.67.105	143
601 990 0110	02.67.131	22
601 990 0210	02.67.115	23
601 990 0310	02.67.130	23
601 997 0230	02.67.125	18
601 997 0230 cpl.1	02.43.264	19
601 997 0292	02.19.166	136
601 997 0345	02.13.122	57
601 997 0445	02.13.121	57
601 997 0645	02.13.122	57
602 011 0310	02.10.087	24
602 014 0022	02.10.061	3
602 014 0322	02.10.061	3
602 016 0021	02.10.013	9
602 016 0220	02.10.092	4
602 016 0221	02.10.013	9
602 016 0420	02.10.092	4
602 016 0720	02.10.152	4
602 016 1020	02.10.092	4
602 016 1620	02.10.092	4
602 016 1820	02.10.092	4
602 016 2220	02.10.152	4
602 016 2320	02.10.152	4
602 016 2420	02.10.152	4
602 016 3020	02.10.092	4
602 016 3120	02.10.092	4
602 016 3520	02.10.152	4
602 016 3920	02.10.152	4
602 016 4620	02.10.152	4
602 070 0233	02.13.072	65
602 070 0233 cpl.1	02.13.071	68
602 070 0333	02.13.072	65
602 070 0333 cpl.1	02.13.071	68
602 070 1133	02.13.055	67
602 070 1133 cpl.1	02.13.054	68
602 070 1233	02.13.056	67
602 070 1233 cpl.1	02.13.054	68
602 070 1333	02.13.057	67
602 070 1333 cpl.1	02.13.054	68
602 070 1433	02.13.058	67
602 070 1433 cpl.1	02.13.054	68
602 070 1533	02.13.059	67
602 070 1533 cpl.1	02.13.054	68
602 070 1633	02.13.055	67
602 070 1633 cpl.1	02.13.054	68
602 070 1733	02.13.056	67

REF. NO.	TTC NO.	p.
602 070 1733 cpl.1	02.13.054	68
602 070 1833	02.13.057	67
602 070 1833 cpl.1	02.13.054	68
602 070 1933	02.13.058	67
602 070 1933 cpl.1	02.13.054	68
602 070 2033	02.13.059	67
602 070 2033 cpl.1	02.13.054	68
602 070 2332	02.13.085	73
602 070 2633	02.13.055	67
602 070 2633 cpl.1	02.13.054	68
602 070 2733	02.13.056	67
602 070 2733 cpl.1	02.13.054	68
602 070 2833	02.13.057	67
602 070 2833 cpl.1	02.13.054	68
602 070 2933	02.13.058	67
602 070 2933 cpl.1	02.13.054	68
602 070 3033	02.13.059	67
602 070 3033 cpl.1	02.13.054	68
602 070 3233	02.13.055	67
602 070 3233 cpl.1	02.13.054	68
602 070 3333	02.13.056	67
602 070 3333 cpl.1	02.13.054	68
602 070 3433	02.13.057	67
602 070 3433 cpl.1	02.13.054	68
602 070 3533	02.13.058	67
602 070 3533 cpl.1	02.13.054	68
602 070 3633	02.13.059	67
602 070 3633 cpl.1	02.13.054	68
602 070 3733	02.13.055	67
602 070 3733 cpl.1	02.13.054	68
602 070 3833	02.13.056	67
602 070 3833 cpl.1	02.13.054	68
602 070 3933	02.13.057	67
602 070 3933 cpl.1	02.13.054	68
602 070 4033	02.13.058	67
602 070 4033 cpl.1	02.13.054	68
602 070 4133	02.13.059	67
602 070 4133 cpl.1	02.13.054	68
602 070 4732	02.13.085	73
602 070 xx33 cpl.1	02.13.054	68
602 090 1380	02.14.022	82
602 092 0101	02.14.027	294
602 096 0199	02.14.022	82
602 096 0699	02.14.022	82
602 096 0899	02.14.022	82
602 141 0280	02.16.019	92
602 141 0580	02.16.019	92
602 141 0680	02.16.019	92
602 141 0780	02.16.019	92
602 141 0880	02.16.019	92
602 142 0080	02.16.062	89
602 150 0060	02.17.027	98

REF. NO.	TTC NO.	p.
602 180 0009	02.18.033	124
602 180 1001	02.18.084	128
602 180 1801	02.18.084	128
602 180 3001	02.18.084	128
602 200 0015	02.19.113	156
602 200 0020	02.19.161	162
602 200 0115	02.19.113	156
602 200 0120	02.19.161	162
602 200 0122	02.19.282	141
602 200 0173	02.19.095	150
602 200 0220	02.19.161	162
602 200 0220	02.19.273	162
602 200 0420	02.19.161	162
602 200 0520	02.19.161	162
602 200 0623	02.19.132	145
602 300 0903	02.37.088	288
602 320 0431	02.30.056	220
602 320 0531	02.30.056	220
602 320 0631	02.30.056	220
602 320 0731	02.30.056	220
602 320 0831	02.30.056	220
602 320 1231	02.30.056	220
602 320 1331	02.30.086	220
602 320 1431	02.30.086	220
602 321 0050	01.30.024	208
602 321 0250	01.30.024	208
602 321 0350	01.30.024	208
602 321 0450	01.30.024	208
602 324 0050	02.30.009	205
602 324 0150	02.30.009	205
602 326 0282	02.30.029	208
602 326 0426	02.30.334	204
602 326 0482	01.30.025	208
602 326 0882	02.30.013	208
602 330 0035	02.37.089	289
602 330 0135	02.37.090	289
602 330 0703	02.37.047	289
602 330 0903	02.37.088	288
602 330 0930	02.37.088	288
602 330 1003	02.37.088	288
602 330 5303	02.37.088	288
602 330 5403	02.37.088	288
602 330 5435	02.37.089	289
602 330 5535	02.37.090	289
602 330 5735	02.37.089	289
602 330 5835	02.37.090	289
602 330 5935	02.37.089	289
602 330 6035	02.37.090	289
603 016 0081	02.10.060	14
603 078 0141	02.13.051	63
603 200 0015	02.19.113	156
603 200 0020	02.19.161	162

REF. NO.	TTC NO.	p.
603 200 0022	02.19.101	141
603 200 0114	02.19.022	149
603 200 0114	02.19.922	149
603 200 0122	02.19.101	141
603 200 0222	02.19.101	141
603 200 0314	02.19.022	149
603 200 0314	02.19.922	149
603 200 0522	02.19.282	141
603 200 0523	02.19.137	145
603 201 0110	02.19.161	162
603 230 0065	02.36.057	276
603 990 0110	02.67.131	22
603 990 0210	02.67.115	23
603 990 0210 cpl.1	02.67.132	23
603 990 0310	02.67.130	23
603 997 0092	02.19.169	135
604 010 0114	02.12.159	22
604 014 0022	02.10.043	2
604 014 0022 neu	02.10.100	2
604 014 0122	02.10.043	2
604 014 0122 neu	02.10.100	2
604 092 0001	02.14.027	294
604 094 0085	02.14.062	75
604 150 0060	02.17.027	98
604 150 0160	02.17.029	98
604 150 0360	02.17.027	98
604 150 0460	02.17.114	99
604 150 0560	02.17.029	98
604 150 0660	02.17.114	99
604 180 0201	02.18.038	129
604 180 0301	02.18.038	129
604 180 0401	02.18.038	129
604 200 0114	02.19.022	149
604 200 0114	02.19.922	149
604 200 0214	02.19.922	149
604 200 0314	02.19.022	149
604 200 0314	02.19.922	149
604 203 0075	02.19.112	154
604 236 0010	02.19.256	287
604 330 0025	02.31.112	230
605 014 0022	02.10.061	3
605 014 0122	02.10.061	3
605 180 0065	02.18.062	127
605 203 0075	02.19.113	156
606 050 0216	02.12.128	34
606 050 0616	02.12.128	34
606 052 0003	02.12.096	53
606 052 0003 cpl.1	02.12.219	45
606 053 0230	02.12.084	49
606 053 0425	02.12.146	53
606 053 0825	02.12.146	53
606 053 1025	02.12.145	53

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
606 180 0009	02.18.033	124
606 180 0109	02.18.033	124
606 180 0910	02.18.033	124
606 184 0025	02.18.033	124
606 184 0125	02.18.033	124
606 200 0073	02.19.095	150
606 200 0073 cpl.1	02.19.126	146
606 200 0173	02.19.095	150
606 200 0475	02.19.113	156
606 202 0120	02.19.120	144
606 203 0175	02.19.113	156
606 203 0275	02.19.112	154
606 993 0310	02.19.289	166
606 993 0510	02.19.295	166
607 090 0752	02.38.056	294
607 184 0225	02.18.122	123
607 200 0007	02.19.308	161
608 981 0005	02.31.112	230
611 010 0114	02.12.159	22
611 010 0174	02.12.159	22
611 010 0214	02.12.159	22
611 010 0313	02.10.161	14
611 010 0605	02.10.182	10
611 010 0630	02.10.171	22
611 010 1020	02.10.182	10
611 010 1730	02.10.171	22
611 010 2320	02.10.138	22
611 010 2330	02.10.171	22
611 010 4420	02.10.138	22
611 010 4520	02.10.182	10
611 010 4520 cpl.1	02.10.218	12
611 010 5420	02.10.138	22
611 010 6620	02.10.138	22
611 010 6720	02.10.138	22
611 010 6820	02.10.138	22
611 011 0010	02.10.172	24
611 014 0033	02.10.101	17
611 014 0122	02.10.100	2
611 014 0222	02.10.043	2
611 014 0402	02.10.161	14
611 014 0902	02.10.161	14
611 016 0020	02.10.113	5
611 016 0038	02.13.100	59
611 016 0038 cpl.1	02.13.141	59
611 016 0120	02.10.113	5
611 016 0121	02.10.103	8
611 016 0121 cpl.1	02.10.119	11
611 016 0134	02.10.158	14
611 016 0221	02.10.136	1
611 016 0234	02.10.208	13
611 016 0238	02.13.100	59
611 016 0238 cpl.1	02.13.141	59

REF. NO.	TTC NO.	p.
611 016 0320	02.10.113	5
611 016 0334	02.10.133	13
611 016 0520	02.10.113	5
611 016 0620	02.10.113	5
611 016 0738	02.13.100	59
611 016 0738 cpl.1	02.13.141	59
611 016 1020	02.10.113	5
611 016 1120	02.10.113	5
611 017 0060	02.10.078	20
611 017 0060 cpl.1	02.13.141	59
611 017 0061 cpl.1	02.13.141	59
611 017 0139	02.13.100	59
611 017 0139 cpl.1	02.13.141	59
611 017 0239	02.13.100	59
611 017 0239 cpl.1	02.13.141	59
611 017 0360	02.10.079	20
611 017 0460	02.10.080	20
611 017 0539	02.13.100	59
611 017 0539 cpl.1	02.13.141	59
611 017 0660	02.10.079	20
611 030 0103	02.11.018	26
611 030 0203	02.11.018	26
611 030 0320	02.11.019	25
611 030 0503	02.11.018	26
611 030 0520	02.11.019	25
611 030 0605 cpl.1	02.23.010	180
611 030 0720	02.11.019	25
611 030 1705 cpl.1	02.23.010	180
611 030 1905 cpl.1	02.23.010	180
611 030 2005 cpl.1	02.23.010	180
611 050 0011	02.12.113	41
611 050 0025	02.12.106	52
611 050 0127	02.12.142	28
611 050 0127 cpl.1	02.43.296	47
611 050 0211	02.12.113	41
611 050 0225	02.12.106	52
611 052 0016	02.12.119	35
611 052 0016 cpl.1	02.12.221	46
611 052 0016 cpl.2	02.12.222	46
611 052 0101	02.12.116	54
611 052 0216	02.12.121	35
611 052 0316	02.12.121	35
611 052 0316 cpl.1	02.12.221	46
611 052 0316 cpl.2	02.12.222	46
611 052 0416	02.12.122	35
611 052 0416 cpl.1	02.12.222	46
611 052 0516 cpl.1	02.12.221	46
611 053 0025	02.12.146	53
611 053 0101	02.12.141	32
611 053 0101 cpl.1	02.43.296	47
611 053 0105	02.12.142	28
611 053 0105 cpl.1	02.43.296	47

REF. NO.	TTC NO.	p.
611 053 0329	02.12.133	49
611 053 0401	02.12.141	32
611 053 0401 cpl.1	02.43.296	47
611 053 0429	02.12.134	49
611 070 0032	02.13.086	73
611 070 0032 cpl.1	02.13.215	73
611 070 0032 n.cpl.1	02.13.217	55
611 070 0033	02.13.075	66
611 070 0133	02.13.076	66
611 070 0233	02.13.075	66
611 070 0233 cpl.1	02.43.298	68
611 070 0330	02.13.182	71
611 070 0333	02.13.076	66
611 070 0533	02.13.104	66
611 070 0687	02.13.032	62
611 070 0733	02.13.076	66
611 070 0833	02.13.076	66
611 070 0887	02.13.112	60
611 070 0987	02.13.108	60
611 070 1033	02.13.077	66
611 070 1133	02.13.078	66
611 070 1133 cpl.1	02.43.299	68
611 070 1187	02.13.102	61
611 070 1287	02.13.112	60
611 070 1387	02.13.108	60
611 070 1433	02.13.104	66
611 070 1487	02.13.106	62
611 070 1687	02.13.106	62
611 070 1787	02.13.108	60
611 070 1932	02.13.093	71
611 070 2032	02.13.094	70
611 070 2132	02.13.134	70
611 070 2932	02.13.095	70
611 070 3232	02.13.137	70
611 070 6432	02.13.097	71
611 070 6832	02.13.096	70
611 070 7632	02.13.097	71
611 070 8432	02.13.086	73
611 070 8432 cpl.1	02.13.215	73
611 070 8432 n.cpl.1	02.13.217	55
611 078 0149	02.13.080	58
611 078 0149	02.13.180	59
611 078 0249	02.13.074	297
611 078 0549	02.13.079	59
611 078 0549	02.13.179	59
611 090 0150	02.13.081	71
611 090 0250	02.13.081	71
611 090 0254	02.16.029	87
611 090 0350	02.13.081	71
611 090 0354	02.16.030	87
611 090 0852	02.38.043	293
611 090 0954	02.16.030	87

REF. NO.	TTC NO.	p.
611 092 0101	02.38.050	293
611 092 0201	02.38.043	293
611 092 0601	02.38.043	293
611 094 0048	02.14.026	85
611 094 0080	02.16.022	93
611 094 0085	02.14.113	75
611 094 0385	02.14.113	75
611 094 8304	02.14.067	83
611 094 8304 cpl.1	02.14.867	83
611 096 0899	02.14.066	82
611 096 1499	02.14.066	82
611 096 1599	02.14.066	82
611 096 1699	02.14.066	82
611 098 0180	02.16.056	94
611 098 0280	02.16.055	94
611 098 0380	02.16.051	92
611 141 0280	02.16.024	90
611 150 0160	02.17.028	98
611 155 0215	02.17.028	98
611 155 0315	02.17.083	98
611 155 0515	02.17.083	98
611 155 0715	02.17.083	98
611 159 0180	02.10.041	3
611 159 0480	02.10.041	3
611 180 0001	02.18.038	129
611 180 0009	02.18.032	123
611 180 0043	02.18.136	122
611 180 0101	02.18.036	129
611 180 0620	02.18.060	128
611 180 0967	02.18.140	125
611 184 0280	02.18.079	120
611 188 0301	02.18.050	126
611 200 0201	02.19.168	162
611 200 0215 - 75°C	02.19.278	157
611 200 0215 - 87°C	02.19.218	157
611 200 0215 n.cpl.1 75°C	02.19.260	154
611 200 0215 n.cpl.2 87°C	02.19.239	154
611 200 0270	02.19.131	147
611 200 0370	02.19.131	147
611 200 0401	02.19.174	163
611 200 0470	02.19.131	147
611 200 0501	02.19.173	165
611 200 0570	02.19.131	147
611 200 0570 n.cpl.1	02.19.187	151
611 200 0670	02.19.184	148
611 200 0715 - 75°C	02.19.278	157
611 200 0715 - 87°C	02.19.218	157
611 200 0715 n.cpl.1 75°C	02.19.260	154
611 200 0715 n.cpl.2 87°C	02.19.239	154
611 200 0801	02.19.173	165
611 200 1001	02.19.174	163
611 200 1101	02.19.173	165

REF. NO.	TTC NO.	p.
611 200 1201	02.19.168	162
611 200 1601	02.19.173	165
611 202 0019	02.19.187	151
611 203 0380	02.19.275	131
611 203 0475 - 75°C	02.19.278	157
611 203 0475 - 87°C	02.19.218	157
611 203 0475 n.cpl.1 75°C	02.19.260	154
611 203 0475 n.cpl.2 87°C	02.19.239	154
611 203 0480	02.19.358	91
611 203 0482	02.19.296	304
611 203 0575 - 75°C	02.19.278	157
611 203 0575 - 87°C	02.19.218	157
611 203 0575 n.cpl.1 75°C	02.19.260	154
611 203 0575 n.cpl.2 87°C	02.19.239	154
611 203 0582	02.19.297	304
611 203 1575 - 75°C	02.19.278	157
611 203 1575 - 87°C	02.19.218	157
611 203 1575 n.cpl.1 75°C	02.19.260	154
611 203 1575 n.cpl.2 87°C	02.19.239	154
611 203 1975 - 75°C	02.19.278	157
611 203 1975 - 87°C	02.19.218	157
611 203 1975 n.cpl.1 75°C	02.19.260	154
611 203 1975 n.cpl.2 87°C	02.19.239	154
611 203 2682	02.19.296	304
611 203 2782	02.19.297	304
611 230 0115	02.19.256	287
611 230 0265	02.11.028	276
611 234 0093	02.19.177	157
611 234 0193	02.19.177	157
611 234 0293	02.19.177	157
611 234 0393	02.19.177	157
611 234 0493	02.19.177	157
611 324 0050	02.30.187	206
611 324 0350	02.30.187	206
611 324 0450	02.30.187	206
611 325 0044	02.30.196	197
611 326 0081	02.30.012	208
611 330 0019	02.43.289	233
611 330 0319	02.31.183	232
611 330 0419	02.31.184	232
611 330 0825	02.31.112	230
611 990 0122	02.13.101	74
611 990 0122 cpl.1	02.13.141	59
611 990 0322	02.67.139	23
611 990 1022	02.67.139	23
611 990 1322	02.67.139	23
611 997 0481	02.14.062	75
611 997 2292	07.19.107	137
611 997 3092	07.19.107	137
612 014 0122	02.10.061	3
612 016 0020	02.10.131	6
612 016 0320	02.10.131	6

REF. NO.	TTC NO.	p.
612 030 0705 cpl.1	02.23.010	180
612 030 1005 cpl.1	02.23.010	180
612 050 0058	02.43.266	32
612 070 0087	02.13.112	60
612 070 0487	02.13.112	60
612 070 1032	02.13.098	73
612 070 1032 cpl.1	02.13.216	73
612 070 1032 n.cpl.1	02.13.218	55
612 070 3032	02.13.098	73
612 070 3032 cpl.1	02.13.216	73
612 070 3032 n.cpl.1	02.13.218	55
612 070 3832	02.13.098	73
612 070 3832 cpl.1	02.13.216	73
612 070 3832 n.cpl.1	02.13.218	55
612 070 3932	02.13.098	73
612 070 3932 cpl.1	02.13.216	73
612 070 3932 n.cpl.1	02.13.218	55
612 092 0001	02.14.142	296
612 096 0399	02.14.091	82
612 098 0417	02.16.031	88
612 141 0180	02.16.063	94
612 188 0101	02.18.050	126
613 070 0187	02.13.128	60
613 070 0587	02.13.128	60
613 070 0887	02.13.128	60
613 180 0009	02.18.083	125
613 184 0025	02.18.083	125
613 997 0592	02.19.170	137
615 016 0080	02.10.018	6
615 016 1520	02.10.091	3
615 032 0105	02.11.008	27
615 050 0067	02.12.162	29
615 050 0816	02.12.034	33
615 050 0916	02.12.034	33
615 200 1315	08.19.050	153
615 988 0011	02.66.002	75
615 988 0111	02.66.002	75
615 990 0412	02.67.140	23
616 011 0310	02.10.077	24
616 011 0510	02.10.077	24
616 011 0610	02.10.077	24
616 011 0710	02.10.077	24
616 011 0810	02.10.077	24
616 011 0910	02.10.077	24
616 011 1010	02.10.077	24
616 011 1110	02.10.077	24
616 011 1210	02.10.077	24
616 016 0820	02.10.091	3
616 016 0920	02.10.091	3
616 016 1020	02.10.091	3
616 016 1220	02.10.091	3
616 016 1320	02.10.091	3

REF. NO.	TTC NO.	p.
616 016 1420	02.10.091	3
616 016 1520	02.10.091	3
616 016 1620	02.10.091	3
616 016 1720	02.10.091	3
616 016 1820	02.10.091	3
616 016 1920	02.10.091	3
616 016 2020	02.10.091	3
616 053 0330	02.12.088	48
616 180 0101	02.18.024	128
616 180 0201	02.18.024	128
616 180 0401	02.18.024	128
616 200 0322	02.19.284	141
616 200 0415	08.19.049	153
616 200 0420	02.19.208	162
616 200 0520	02.19.208	162
616 200 0720	02.19.208	162
616 581 0303	01.43.864	383
617 016 0020	02.10.089	4
617 016 0080	02.10.019	7
617 016 0120	02.10.089	4
617 016 0180	02.10.019	7
617 016 0220	02.10.089	4
617 016 0320	02.10.089	4
617 016 0420	02.10.089	4
617 016 0520	02.10.089	4
617 016 0620	02.10.089	4
617 016 0680	02.10.089	4
617 016 0720	02.10.089	4
617 016 0820	02.10.089	4
617 017 0260	02.10.070	19
617 017 0360	02.10.070	19
617 180 0009	02.18.117	122
617 180 0125	02.18.117	122
617 184 0025	02.18.117	122
617 200 0315	07.19.015	155
617 200 0520	02.19.209	161
617 200 0720	02.19.209	161
617 200 0815	07.19.015	155
617 200 1815	08.19.049	153
617 988 0111	02.66.002	75
620 410 0131 cpl.1	02.34.053	243
620 410 0131 cpl.2	02.34.060	246
621 016 0380	02.10.018	6
621 053 3630	02.12.088	48
622 180 0000	02.18.156	123
622 180 0009	02.18.156	123
626 184 0025	02.18.156	123
626 200 0007	02.19.393	161
628 050 0011	02.12.148	42
628 050 0311	02.12.148	42
628 053 0001	02.12.143	33
628 053 0001 cpl.1	02.43.297	47

REF. NO.	TTC NO.	p.
628 053 0005	02.12.144	28
628 053 0005 cpl.1	02.43.297	47
631 250 0303	02.23.103	177
631 250 0403	02.23.103	177
631 320 0028	02.31.156	234
631 320 0228	02.31.156	234
631 330 0410	02.31.153	290
631 330 0603	02.31.157	288
631 338 0310	02.31.152	290
631 338 0410	02.31.153	290
631 338 0510	02.37.219	290
631 420 0120	02.35.302	249
631 420 0172	02.35.072	256
631 420 0320	02.35.302	249
631 420 0372	02.35.071	256
631 420 1285	02.35.273	269
631 420 1985	02.35.274	269
631 420 2085	02.35.275	269
631 420 2185	02.35.273	269
631 428 0035	02.35.298	260
631 760 0547	02.53.225	335
631 760 1259	01.53.036	345
636 542 0318	02.42.056	318
636 750 0004	02.55.020	379
638 090 0051	02.14.111	83
638 090 0151	02.14.111	83
638 090 0154	02.14.111	83
638 241 1413	02.22.054	168
638 242 0013	02.22.079	170
638 242 0113	02.22.080	170
638 266 0203	02.22.097	168
638 266 1685	02.22.081	170
638 267 1297	02.24.029	181
638 268 0197	02.24.029	181
638 268 0397	02.24.029	181
638 268 0597	02.24.029	181
638 268 0697	02.24.029	181
638 268 0797	02.24.029	181
638 268 1297	02.24.029	181
638 290 0316	02.27.012	196
638 292 0082	02.27.013	196
638 300 0004	02.27.008	196
638 300 0104	02.27.008	196
638 317 0212	02.31.350	225
638 317 0312	02.31.348	225
638 317 0912	02.31.348	225
638 320 0313	02.30.101	220
638 320 0613	02.30.101	220
638 320 0713	02.30.101	220
638 320 0813	02.30.101	220
638 320 0913	02.30.101	220
638 320 1013	02.30.101	220

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
638 320 1113	02.30.101	220
638 320 1313	02.30.101	220
638 323 0268	02.30.092	216
638 323 0285	02.30.099	209
638 323 0320	02.30.177	200
638 323 0368	02.30.093	216
638 323 0420	02.30.177	200
638 323 0468	02.30.094	216
638 323 0568	02.30.095	217
638 326 0016	02.30.208	216
638 326 0116	02.30.207	216
638 326 0200	02.30.102	220
638 326 0281	02.30.100	209
638 326 0700	02.30.102	220
638 326 0800	02.30.103	220
638 326 1100	02.30.103	220
638 326 1200	02.30.103	220
638 328 0202	02.30.145	205
638 328 0302	02.30.145	205
638 328 0402	02.30.145	205
638 328 0502	02.30.145	205
638 330 0010	02.31.165	228
638 330 0010 n.cpl.1	02.31.100	234
638 330 0014	02.31.110	226
638 330 0027	02.31.100	234
638 330 0027 n.cpl.1	02.31.100	234
638 330 0110	02.31.164	228
638 330 0110 n.cpl.2	02.31.100	234
638 330 0510	02.31.165	228
638 330 0610	02.31.164	228
638 333 0014	02.31.110	226
638 333 0027 n.cpl.1	02.31.100	234
638 333 0814	02.31.111	226
638 334 1734	02.31.179	224
638 334 2334	02.31.180	224
638 352 0450	02.32.001	236
638 352 0650	02.32.001	236
638 401 0071	02.33.021	241
638 401 0271	02.33.021	241
638 420 0020	02.35.046	247
638 420 0120	02.35.046	247
638 420 0785	02.35.276	270
638 421 0010	02.35.117	249
638 421 0112	02.35.074	256
638 421 0412	02.35.216	256
638 423 0110	02.35.145	249
638 423 0112	02.35.075	256
638 427 0338	02.35.277	270
638 428 0235	02.35.217	260
638 428 0835	02.35.217	260
638 428 1035	02.35.212	261
638 428 2135	02.35.212	261
638 428 2235	02.35.217	260
638 460 0005	02.37.050	288
638 460 0048	02.37.051	291
638 460 0055	02.37.086	279
638 460 0205	02.37.050	288
638 460 0255	02.37.086	279
638 460 0255 cpl.1	02.37.150	286
638 460 2100 n.cpl.2	02.37.102	281
638 460 2200	02.37.102	281
638 460 2200 n.cpl.2	02.37.102	281
638 460 2600 n.cpl.1	02.37.102	281
638 460 2600 n.cpl.2	02.37.102	281
638 460 2900 n.cpl.2	02.37.102	281
638 460 2900 S1	02.37.102	281
638 460 3611	02.34.033	282
638 490 1519	02.39.087	297
638 490 3119	02.39.087	297
638 501 2901	02.40.275	306
638 528 0982	02.40.239	76
638 528 1082	02.40.238	76
638 528 1982	02.40.242	76
638 528 2682	02.40.240	76
638 528 2882	02.40.236	76
638 528 2982	02.40.237	77
638 542 0217	02.42.321	321
638 720 0046	02.53.187	330
638 720 0146	02.53.188	331
638 760 0847	02.53.177	335
638 760 1247	02.53.176	335
638 760 1847	02.53.178	335
638 766 0161	02.53.166	348
638 810 0616	02.57.025	326
638 810 0716	02.57.027	326
638 820 1045	02.58.425	375
638 820 1145	02.58.425	375
638 820 1245	02.58.425	375
638 820 1345	02.58.425	375
638 821 0047	02.42.272	314
638 835 0047	02.59.061	366
638 835 0170	02.40.226	369
638 860 0126	01.61.007	373
638 869 0008	02.61.015	372
638 880 0570	02.60.387	382
638 888 0040	02.60.203	380
638 888 0315	02.60.204	381
638 888 0483	02.60.202	380
638 980 0364	02.62.008	377
638 980 0464	02.62.008	377
638 981 0027	02.32.099	237
638 981 0120	02.30.190	223
639 200 0370	02.19.055	160
639 241 0413	02.22.082	168
639 241 0513	02.22.083	168
639 241 0713	02.22.082	168
639 242 0013	02.22.040	169
639 242 0213	02.22.040	169
639 242 0713	02.22.040	169
639 267 0017	02.24.015	183
639 267 0117	02.24.013	183
639 267 0317	02.24.015	183
639 290 0012	02.27.016	172
639 290 0112	02.27.016	172
639 320 0089	02.30.090	217
639 320 0189	02.30.091	217
639 320 0204	02.30.143	205
639 320 0289	02.30.090	217
639 320 0389	02.30.091	217
639 320 0404	02.30.143	205
639 320 0489	02.30.090	217
639 320 0589	02.30.091	217
639 320 0989	02.31.065	217
639 320 1089	02.31.066	217
639 320 1513	02.30.104	220
639 320 1813	02.30.104	220
639 320 1913	02.30.104	220
639 320 2113	02.30.104	220
639 320 2213	02.30.104	220
639 320 2613	02.30.104	220
639 320 2713	02.30.104	220
639 320 3513	02.30.104	220
639 320 3613	02.30.104	220
639 323 0120	02.30.322	200
639 323 0420	02.30.322	200
639 323 0420 n.cpl.1	02.31.211	223
639 323 0520	02.30.322	200
639 323 0520 n.cpl.1	02.31.211	223
639 323 0585	02.30.098	209
639 323 1285	02.30.098	209
639 323 1985	02.30.098	209
639 323 2085	02.30.317	209
639 324 0504	02.30.387	199
639 324 0704	02.30.387	199
639 326 0216	02.30.318	215
639 326 0300	02.30.169	221
639 326 0616	02.30.318	215
639 326 0781	02.30.315	210
639 326 0800	02.30.105	221
639 326 0900	02.30.105	221
639 326 1000	02.30.105	221
639 326 1081	02.30.315	210
639 326 1281	02.30.316	209
639 326 2100	02.30.169	221
639 326 2400	02.30.105	221
639 326 2500	02.30.105	221
639 326 4000	02.30.105	221
639 328 0101	02.30.312	200
639 328 0201	02.30.312	200
639 328 0301	02.30.312	200
639 330 0220 n.cpl.1	02.31.203	230
639 330 0320 n.cpl.1	02.31.203	230
639 330 0410	02.31.144	228
639 330 0410 n.cpl.1	02.31.099	234
639 330 0420 n.cpl.1	02.31.203	230
639 330 0510	02.31.145	229
639 330 0510 n.cpl.1	02.31.099	234
639 330 0632 n.cpl.1	02.31.203	230
639 330 0732 n.cpl.1	02.31.203	230
639 330 0810	02.31.144	228
639 330 0810 n.cpl.1	02.31.099	234
639 330 0910	02.31.145	229
639 330 0910 n.cpl.1	02.31.099	234
639 330 1207	02.31.146	229
639 330 1207 n.cpl.1	02.31.099	234
639 330 1232 n.cpl.1	02.31.203	230
639 330 1307	02.31.147	229
639 330 1307 n.cpl.1	02.31.099	234
639 330 1332 n.cpl.1	02.31.203	230
639 330 1401	02.31.146	229
639 330 1401 n.cpl.2	02.31.279	226
639 330 1432 n.cpl.1	02.31.203	230
639 330 1501	02.31.147	229
639 330 1501 n.cpl.2	02.31.301	226
639 330 1532 n.cpl.1	02.31.203	230
639 330 1832 n.cpl.1	02.31.203	230
639 330 1932 n.cpl.1	02.31.203	230
639 333 0014	02.31.110	226
639 333 0214	02.31.110	226
639 333 0227	02.31.099	234
639 333 0314	02.31.110	226
639 333 0427	02.31.099	234
639 333 0X14	02.31.279	226
639 333 1114	02.31.263	226
639 334 0006	02.32.156	238
639 352 0350	02.32.067	237
639 353 0050	02.32.067	237
639 356 0601 n.cpl.1	02.31.203	230
639 410 0081	02.34.034	244
639 410 0081 cpl.1	02.34.060	246
639 410 0131	02.34.042	242
639 410 0281	02.34.032	244
639 410 0281 cpl.1	02.34.060	246
639 410 0481	02.34.034	244
639 410 0481 cpl.1	02.34.060	246
639 410 0681	02.34.032	244
639 410 0681 cpl.1	02.34.060	246
639 420 0083	02.35.477	252

REF. NO.	TTC NO.	p.
639 420 0083 n.cpl.1	02.35.393	267
639 420 0183	02.35.478	253
639 420 0183 n.cpl.1	02.35.393	267
639 420 0220	02.35.243	246
639 420 0283	02.35.479	252
639 420 0283 n.cpl.1	02.35.394	267
639 420 0383	02.35.480	252
639 420 0483	02.35.477	252
639 420 0583	02.35.478	253
639 420 0683	02.35.477	252
639 420 0783	02.35.478	253
639 420 0883	02.35.479	252
639 420 0883 n.cpl.1	02.35.394	267
639 420 0983	02.35.480	252
639 420 1083	02.35.477	252
639 420 1083 n.cpl.1	02.35.393	267
639 420 1183	02.35.478	253
639 420 1183 n.cpl.1	02.35.393	267
639 420 1385	02.35.461	270
639 420 1485	02.35.399	271
639 420 1785	02.35.398	270
639 420 2785	02.35.461	270
639 420 2985	02.35.399	271
639 420 3285	02.35.382	271
639 420 3485	02.35.383	271
639 420 3585	02.35.369	270
639 420 3685	02.35.370	270
639 421 0012	02.35.134	255
639 421 0212	02.35.134	255
639 421 0312	02.35.134	255
639 423 0112	02.35.133	256
639 427 0438	02.35.369	270
639 427 0538	02.35.370	270
639 428 0335	02.35.218	261
639 428 0435	02.35.219	261
639 428 0835	02.35.218	261
639 428 0935	02.35.219	261
639 428 1035	02.35.296	261
639 428 1235	02.35.218	261
639 460 0048	02.37.081	291
639 460 0055	02.37.083	279
639 460 0055 cpl.	02.37.085	286
639 460 0096	02.37.084	281
639 460 0196	02.37.084	281
639 460 0255	02.37.083	279
639 460 0255 cpl.	02.37.085	286
639 460 0255 cpl.1	02.37.085	286
639 460 0348	02.37.082	291
639 460 0448	02.37.081	291
639 460 0548	02.37.082	291
639 460 0648	02.37.081	291
639 460 0748	02.37.082	291
639 460 0800	02.37.222	285
639 460 1000	02.37.222	285
639 460 1100	02.37.133	285
639 460 1200	02.37.222	285
639 460 1300	02.37.133	285
639 460 1600	02.37.222	285
639 460 1700	02.37.133	285
639 460 2000	02.37.222	285
639 460 2100	02.37.133	285
639 460 2400	02.37.222	285
639 460 2500	02.37.133	285
639 460 3300	02.37.222	285
639 501 0015	02.19.332	309
639 501 0201	02.40.273	307
639 501 0301	02.40.272	307
639 501 0701	02.40.206	301
639 501 0801	02.40.274	307
639 501 1201	02.40.206	301
639 528 0982	02.40.232	77
639 528 1782	02.40.241	77
639 528 1882	02.40.233	77
639 528 1982	02.40.234	77
639 528 2506	02.14.097	84
639 528 3082	02.40.241	77
639 540 1417	02.42.094	277
639 540 1517	02.42.094	277
639 545 0113	02.42.339	316
639 545 0124	02.42.098	313
639 545 0613	02.42.341	316
639 545 0913	02.42.339	316
639 545 1413	02.42.341	316
639 720 0046	02.53.228	331
639 720 0146	02.53.229	331
639 720 0446	02.53.228	331
639 720 0446 n.cpl.1	02.53.189	331
639 720 0546	02.53.229	331
639 720 0546 n.cpl.1	02.53.190	331
639 747 0187 cpl.1	02.53.250	346
639 750 0304	02.55.020	379
639 750 0304 - C:9999	02.55.020	379
639 760 0000	02.53.286	336
639 760 0100	02.53.287	336
639 760 0161	02.53.244	333
639 760 0261	02.53.254	346
639 760 0261 7C45	02.53.254	346
639 760 0361	02.53.255	347
639 760 0361 7C45	02.53.255	347
639 760 0500	02.53.296	336
639 760 0559	02.53.233	333
639 760 0600	02.53.290	336
639 760 0628	02.53.245	343
639 760 0659	02.53.233	333
639 760 0700	02.53.291	336
639 760 0759 n.cpl.1	02.53.233	333
639 760 1347	02.53.237	336
639 760 1547	02.53.238	337
639 760 1747	02.53.239	337
639 760 2347	02.53.238	337
639 760 2547	02.53.238	337
639 760 2847	02.53.288	337
639 760 2947	02.53.289	337
639 763 0147	02.53.239	337
639 810 0116	02.57.152	327
639 810 0216	02.57.153	327
639 810 5916	02.57.154	327
639 810 6016	02.57.155	327
639 810 9816	02.57.154	327
639 810 9916	02.57.155	327
639 820 0156	02.58.239	362
639 820 0256	02.58.239	362
639 820 0408	02.58.434	377
639 835 0064	02.59.150	371
639 835 0070	02.59.133	369
639 835 0247	02.59.068	366
639 835 0270	02.59.133	369
639 835 0347	02.59.076	366
639 835 0370	02.59.133	369
639 835 0470	02.59.133	369
639 980 0164	02.62.009	378
639 980 0364	02.62.009	378
639 981 0025	02.31.211	223
639 981 0125	02.31.211	223
639 981 0225	02.31.211	223
639 981 0325	02.31.211	223
639 981 0427	02.32.078	238
640 050 0011	02.12.113	41
640 050 0111	02.12.113	41
640 050 0111 cpl.1	02.12.221	46
640 050 0111 cpl.2	02.12.222	46
642 010 1291	02.10.224	16
642 010 1791	02.10.224	16
642 010 1891 n.cpl.1	02.10.225	17
642 010 2091	02.10.225	17
642 016 0280	02.21.010	264
642 016 0280 cpl.1	02.10.210	10
642 016 0280 cpl.2	02.10.195	11
642 016 2120	02.10.154	6
642 016 5120	02.10.153	5
642 016 5120 cpl.1	02.10.210	10
642 016 5120 cpl.2	02.10.211	11
642 016 5220	02.10.154	6
642 016 5220 cpl.1	02.10.195	11
642 016 5220 cpl.2	02.10.211	11
642 050 0080	02.12.147	51
642 050 0180	02.12.147	51
642 050 0211	02.12.148	42
642 050 0311	02.12.148	42
642 070 0487	02.13.138	61
642 070 0587	02.13.138	61
642 070 1387	02.13.138	61
642 070 1987	02.13.138	61
642 090 0070	02.14.227	75
642 090 0270	02.14.227	75
642 090 1652	02.14.101	295
642 090 1752	02.14.102	295
642 090 1852	02.14.102	295
642 090 2052	02.14.102	295
642 090 2252	02.14.103	296
642 090 2352	02.14.103	296
642 090 3152	02.14.100	296
642 090 4852	02.14.100	296
642 090 5352	02.14.100	296
642 090 6052	02.14.100	296
642 090 6352	02.14.100	296
642 091 0150	02.14.093	86
642 092 0101	02.38.045	295
642 092 0201	02.14.101	295
642 092 0301	02.14.102	295
642 092 0401	02.14.103	296
642 092 0501	02.38.045	295
642 092 0701	02.38.045	295
642 098 0037	02.14.071	86
642 098 0180	02.14.175	95
642 098 0180 cpl.1	02.10.210	10
642 098 0180 cpl.2	02.10.195	11
642 098 0280	02.14.174	95
642 098 0280 cpl.1	02.10.210	10
642 098 0280 cpl.2	02.10.195	11
642 140 1460	02.16.026	88
642 140 1760	02.16.032	88
642 141 0080	02.14.176	95
642 141 0080 cpl.1	02.10.210	10
642 141 0080 cpl.2	02.10.195	11
642 141 0580	02.16.050	93
642 141 0580 cpl.1	02.10.210	10
642 141 0580 cpl.2	02.10.195	11
642 142 0080	02.16.052	89
642 142 0080 cpl.1	02.10.210	10
642 142 0080 cpl.2	02.10.195	11
642 142 0280	02.16.082	95
642 142 0481	02.16.081	95
642 142 0580	02.16.084	91
642 142 0580 cpl.1	02.10.210	10
642 142 0580 cpl.2	02.10.195	11
642 142 0681	02.16.082	95
642 142 0681 cpl.1	02.10.210	10

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
642 142 0681 cpl.2	02.10.195	11
642 142 0781	02.16.083	96
642 142 0980	02.16.083	96
642 142 0980 cpl.1	02.10.210	10
642 142 0980 cpl.2	02.10.195	11
642 142 1180	02.16.081	95
642 142 1180 cpl.1	02.10.210	10
642 142 1180 cpl.2	02.10.195	11
642 142 1880	02.16.085	91
642 142 1880 cpl.1	02.10.210	10
642 142 1880 cpl.2	02.10.195	11
642 142 2080	02.16.068	90
642 142 2180	02.16.069	90
642 142 3180	02.16.068	90
642 142 3180 cpl.1	02.10.210	10
642 142 3280	02.16.069	90
642 142 3280 cpl.1	02.10.195	11
642 150 0004	02.14.072	86
642 150 0094	02.14.072	86
642 150 0194	02.14.072	86
642 150 0294	02.14.072	86
642 150 0394	02.14.072	86
642 150 0494	02.14.072	86
642 150 0660	02.17.064	99
642 153 0379	02.42.120	116
642 153 0728	02.17.093	102
642 153 2079	02.42.120	116
642 153 2479	02.42.122	115
642 153 3779	02.42.122	115
642 153 3879	02.42.122	115
642 180 0009	02.18.049	125
642 180 0010 n.cpl.1	02.18.142	118
642 180 0165	02.18.101	127
642 180 1410 n.cpl.1	02.18.142	118
642 180 2101	02.18.104	129
642 184 0080	02.18.091	118
642 188 0001	02.18.101	127
642 188 0180	02.18.092	120
642 188 0480	02.18.092	120
642 188 0580	02.18.092	120
642 200 0070	02.19.245	147
642 200 0070 n.cpl.1	02.19.329	152
642 200 0215	02.19.013	156
642 200 0220	02.19.288	132
642 200 0420	02.19.288	132
642 200 0670	02.19.056	160
642 200 0701	02.19.254	164
642 200 0715	02.19.013	156
642 200 0770	02.19.012	149
642 200 0970	02.19.244	159
642 200 1001	02.19.274	164
642 200 1070	02.19.244	159

REF. NO.	TTC NO.	p.
642 200 1170	02.19.012	149
642 200 1301	02.19.254	164
642 200 1370	02.19.245	147
642 200 1370 n.cpl.1	02.19.329	152
642 200 1570	02.19.012	149
642 200 1670	02.19.012	149
642 200 1701	02.19.254	164
642 200 2015	02.19.013	156
642 200 2201	02.19.254	164
642 200 2370	02.19.244	159
642 200 2570	02.19.244	159
642 200 2670	02.19.012	149
642 200 2815	02.19.013	156
642 900 1979	02.42.120	116
642 900 2700	02.42.122	115
642 900 2800	02.42.120	116
642 900 5701	02.42.122	115
642 900 5801	02.42.120	116
642 900 7701	02.42.122	115
642 900 7800	02.42.120	116
642 900 7801	02.42.120	116
642 905 0000	02.17.093	102
642 905 0100	02.17.077	108
642 905 0200	02.42.003	108
642 997 0292	02.19.341	138
646 010 0062	02.10.030	13
646 010 0668	02.12.159	22
646 010 0762	02.10.030	13
646 010 0862	02.10.159	14
646 010 1562	02.10.159	14
646 010 1930	02.10.171	22
646 014 0022	02.10.100	2
646 014 0122	02.10.100	2
646 014 0222	02.10.100	2
646 014 0322	02.10.100	2
646 016 0520	02.10.113	5
646 016 0621	02.10.120	8
646 016 0621 cpl.1	02.10.121	11
646 016 1221	02.10.120	8
646 016 1221 cpl.1	02.10.121	11
646 016 1321	02.10.136	1
646 030 0020	02.11.019	25
646 030 0903	02.11.018	26
646 053 0001	02.12.143	33
646 053 0001 cpl.1	02.43.297	47
646 070 0233	02.13.091	66
646 070 0287	02.13.115	60
646 070 0333	02.13.092	67
646 070 0487	02.13.123	61
646 070 0932	02.13.088	74
646 070 1132	02.13.086	73
646 070 1132 cpl.1	02.13.215	73

REF. NO.	TTC NO.	p.
646 070 1132 n.cpl.1	02.13.124	55
646 070 1132 n.cpl.2	02.13.125	55
646 070 1132 n.cpl.3	02.13.217	55
646 070 1187	02.13.116	61
646 070 1287	02.13.126	62
646 070 1487	02.13.116	61
646 070 1532	02.13.120	73
646 070 1587	02.13.116	61
646 074 0084	02.13.110	74
646 090 0252	02.38.045	295
646 090 0852	02.38.045	295
646 090 1637	02.14.228	87
646 090 3137	02.14.228	87
646 092 0001	02.38.044	295
646 092 0201	02.38.045	295
646 092 0301	02.38.044	295
646 092 0501	02.38.044	295
646 092 0601	02.38.045	295
646 092 0701	02.38.045	295
646 096 0199	02.14.058	81
646 096 0699	02.14.058	81
646 098 0083	02.14.029	77
646 098 0180	02.16.051	92
646 098 0280	02.16.051	92
646 140 0860	02.16.033	87
646 140 0960	02.16.034	87
646 140 1960	02.16.034	87
646 140 2460	02.16.034	87
646 140 2760	02.16.034	87
646 142 0119	02.16.035	88
646 153 6579	02.42.282	115
646 153 8491	02.42.282	115
646 155 0115	02.17.065	98
646 180 0301	02.18.119	129
646 180 1401	02.18.119	129
646 180 1601	02.18.118	129
646 188 0301	02.18.050	126
646 200 0070	02.19.184	148
646 200 0070 n.cpl.1	02.19.250	152
646 200 0270	02.19.131	147
646 200 0270 n.cpl.1	02.19.187	151
646 200 0370	02.19.131	147
646 200 0470	02.19.184	148
646 200 05 01	02.19.190	164
646 200 0570	02.19.131	147
646 200 1001	02.19.190	164
646 200 1215 - 75°C	02.19.278	157
646 200 1215 - 87°C	02.19.218	157
646 200 1215 n.cpl.1 75°C	02.19.260	154
646 200 1215 n.cpl.2 87°C	02.19.239	154
646 200 1601	02.19.190	164
646 201 0310	02.19.190	164

REF. NO.	TTC NO.	p.
646 230 0165	02.21.005	276
646 230 0365	02.21.005	276
647 014 0022	02.10.061	3
647 016 0620	02.10.131	6
647 142 0019	02.16.035	88
647 142 0219	02.16.035	88
647 200 0101	02.19.200	165
647 230 0040	02.19.108	157
648 070 0087	02.13.118	61
648 070 0187	02.13.118	61
648 070 0287	02.13.119	61
648 070 0487	02.13.119	61
648 900 0000	02.42.283	116
648 900 0100	02.42.283	116
651 014 0028	02.10.024	2
651 016 0021	02.10.146	7
651 016 0320	02.10.155	3
651 016 0320 cpl.1	02.10.194	10
651 016 0320 cpl.2	02.10.217	10
651 016 0321	02.10.029	7
651 016 0420	02.10.155	3
651 030 0020	02.11.047	25
651 050 0000	02.12.181	41
651 050 0011	02.12.181	41
651 050 0016	02.12.188	34
651 050 0016 cpl.3	02.12.250	45
651 050 0016 cpl.1	02.12.223	45
651 050 0016 cpl.2	02.12.241	45
651 050 0080	02.12.175	51
651 050 0100	02.12.181	41
651 050 0127	02.12.038	27
651 050 0127 cpl.1	02.43.310	48
651 050 0700	02.12.181	41
651 050 0800	02.12.181	41
651 050 0800 cpl.1	02.12.223	45
651 050 0800 cpl.2	02.12.241	45
651 050 0800 cpl.3	02.12.250	45
651 052 0000	02.12.208	54
651 052 0000 cpl.2	02.12.250	45
651 052 0001	02.12.208	54
651 052 0001 cpl.2	02.12.241	45
651 052 0016	02.12.186	37
651 052 0016 cpl.1	02.12.223	45
651 052 0016 cpl.2	02.12.241	45
651 052 0100	02.12.209	34
651 052 0100 cpl.1	02.12.250	45
651 053 0101	02.12.039	33
651 053 0101 cpl.1	02.43.310	48
651 070 0132	02.13.089	72
651 070 0587	02.13.130	60
651 070 2432	02.13.090	72
651 070 2433	02.13.029	64

REF. NO.	TTC NO.	p.
651 070 2533	02.13.030	64
651 070 4233	02.13.029	64
651 070 4987	02.13.130	60
651 090 0005	02.21.007	276
651 090 0037	02.14.202	86
651 090 0037 n.cpl.1	02.14.204	74
651 090 0037 n.cpl.2	02.14.202	86
651 090 0048	02.14.167	85
651 090 0051	02.14.203	83
651 090 0148	02.14.167	85
651 090 0652	02.14.105	294
651 090 0852	02.14.104	294
651 090 0952	02.14.105	294
651 090 1252	02.38.064	296
651 090 1552	02.14.105	294
651 090 1652	02.38.064	296
651 090 1952	02.38.137	294
651 090 2852	02.38.064	296
651 090 2952	02.14.105	294
651 090 3052	02.38.137	294
651 090 3152	02.14.104	294
651 091 0060	02.16.013	92
651 091 0260	02.14.096	75
651 091 0460	02.16.058	94
651 096 0480	02.16.074	90
651 096 06 80	02.10.193	3
651 096 1180	02.10.193	3
651 096 1480	02.10.193	3
651 142 0480	02.16.080	90
651 142 0580	02.16.054	89
651 142 0780	02.16.079	91
651 142 1180	02.16.076	91
651 142 1280	02.16.075	90
651 142 2380	02.16.078	91
651 142 2480	02.16.079	91
651 142 2680	02.16.076	91
651 153 0028	02.17.050	110
651 180 0009	02.18.100	124
651 180 0109	02.18.100	124
651 180 0309	02.18.100	124
651 180 0610	02.18.141	126
651 180 0610 n.cpl.1	02.18.102	126
651 180 0610 n.cpl.2	02.18.149	121
651 180 0810	02.18.141	126
651 180 0810 n.cpl.1	02.18.102	126
651 180 1001	02.18.155	130
651 180 1101	02.18.155	130
651 180 1301	02.18.105	128
651 180 1310	02.18.141	126
651 180 1310 n.cpl.1	02.18.102	126
651 180 1501	02.18.155	130
651 180 1801	02.18.155	130
651 180 2001	02.18.155	130
651 180 2401	02.18.105	128
651 180 2601	02.18.105	128
651 180 2801	02.18.105	128
651 184 0025	02.18.100	124
651 184 0080	02.18.094	119
651 184 0280	02.18.095	119
651 184 0480	02.18.093	119
651 184 0480 cpl.1	02.18.139	121
651 184 0480 cpl.2	02.18.149	121
651 184 0580	02.18.094	119
651 184 0580 cpl.1	02.18.138	121
651 184 0580 cpl.2	02.18.149	121
651 184 0680	02.18.097	120
651 184 0780	02.18.095	119
651 184 0780 cpl.1	02.18.138	121
651 184 0780 cpl.2	02.18.149	121
651 184 0880	02.18.096	119
651 184 0880 cpl.1	02.18.139	121
651 184 0880 cpl.2	02.18.149	121
651 184 0980	02.18.097	120
651 184 0980 cpl.1	02.18.138	121
651 184 0980 cpl.2	02.18.149	121
651 200 0070 n.cpl.1	02.19.323	152
651 200 0201	02.19.110	166
651 200 0270	02.19.130	159
651 200 0301	02.19.110	166
651 200 0302	02.19.110	166
651 200 0356	02.19.007	130
651 200 0401	02.19.064	163
651 200 0402	02.19.066	164
651 200 0456	02.19.007	130
651 200 0470	02.19.010	148
651 200 0470 n.cpl.1	02.19.323	152
651 200 0602	02.19.069	166
651 200 0615	02.19.023	153
651 200 0670	02.19.057	159
651 200 0770	02.19.058	159
651 200 0970	02.19.059	160
651 200 1002	02.19.067	164
651 200 1056	02.19.007	130
651 200 1101	02.19.264	161
651 200 1215	02.19.023	153
651 200 1270	02.19.009	148
651 200 1270 n.cpl.1	02.19.323	152
651 200 1301	02.19.264	161
651 200 1500	02.19.023	153
651 200 1670 n.cpl.1	02.19.323	152
651 200 1702	02.19.110	166
651 200 1707	02.19.110	166
651 200 1715	02.19.023	153
651 200 1770 n.cpl.1	02.19.323	152
651 200 1801	02.19.110	166
651 200 1802	02.19.066	164
651 200 1870	02.19.010	148
651 200 1870 n.cpl.1	02.19.323	152
651 200 1901	02.19.264	161
651 200 2101	02.19.069	166
651 200 2202	02.19.069	166
651 200 2301	02.19.110	166
651 200 2800	02.19.023	153
651 200 3201	02.19.064	163
651 200 3301	02.19.064	163
651 200 3401	02.19.065	163
651 200 3501	02.19.065	163
651 200 3701	02.19.069	166
651 200 3900	02.19.361	130
651 200 3901	02.19.066	164
651 200 4101	02.19.067	164
651 200 4801	02.19.264	161
651 200 6000	02.19.361	130
651 200 6301	02.19.264	161
651 200 6401	02.19.264	161
651 203 0380	02.19.346	131
651 203 0480	02.19.347	131
651 203 1080	02.19.346	131
651 203 1380	02.19.346	131
651 230 0265	02.21.007	276
651 230 0565	02.21.007	276
651 238 0180	02.21.009	263
651 905 0100	02.17.082	113
651 905 0200	02.42.004	107
651 906 0026	02.17.112	115
651 997 0046	02.67.263	21
661 016 3120	02.10.151	4
661 090 3055	02.14.027	294
661 092 3101	02.14.027	294
661 141 3080	02.16.018	92
661 180 3009	02.18.031	124
661 200 3070	02.19.071	151
661 542 3017	02.42.005	319
661 542 3117	02.42.265	107
661 990 3210	02.67.131	22
661 990 3310	02.67.115	23
661 990 3410	02.67.130	23
661 997 4692	07.19.139	136
662 016 3120	02.10.152	4
665 092 0001	02.38.050	293
667 320 0044	02.30.403	206
667 320 0073	02.30.194	213
667 322 0350	02.30.019	206
667 322 0650	02.30.019	206
667 323 0126	02.30.334	204
667 323 0485	02.30.041	210
667 323 0540	02.30.041	210
667 325 0084	02.30.062	198
667 420 4685	02.35.400	271
667 420 4785	02.35.401	272
667 428 0135	02.35.077	261
667 545 0013	01.42.152	326
668 016 0421	02.10.148	7
668 050 0180	02.12.147	51
668 078 0149	02.13.074	297
668 094 0004	02.14.131	82
668 094 0104	02.14.131	82
668 094 0204	02.14.131	82
668 094 0304	02.14.131	82
668 180 0065	02.18.065	125
668 184 0361	02.18.067	119
668 184 0461	02.18.068	119
668 202 0219	02.19.183	157
668 323 0126	02.30.334	204
668 330 0019	02.43.291	231
668 421 0112	02.35.055	257
668 421 0212	02.35.057	257
668 421 0612	02.35.055	257
668 423 0012	02.35.058	257
668 423 0112	02.35.059	258
668 423 0212	02.35.207	257
668 423 0312	02.35.289	257
668 423 0412	02.35.207	257
668 423 0512	02.35.289	257
669 420 0020	02.35.146	250
669 420 0120	02.35.146	250
669 420 1520	02.35.146	250
669 421 0008	02.35.144	247
669 421 0108	02.35.146	250
669 421 0112	02.35.044	257
669 421 0612	02.35.044	257
669 540 0417	02.42.078	278
669 540 0517	02.42.078	278
669 540 0617	02.42.078	278
669 540 0717	02.42.078	278
669 540 0817	02.42.078	278
669 540 0917	02.42.078	278
669 540 1117	02.42.078	278
670 411 0112	01.34.044	244
670 420 2820	02.35.146	250
670 421 0112	02.35.057	257
670 421 0312	02.35.057	257
670 428 0035	02.35.212	261
670 428 2135	02.35.212	261
670 540 0017	01.42.080	278
670 750 0084	02.55.015	378
670 760 0159	01.53.036	345
670 760 0205	02.53.072	340

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
670 760 0205 cpl.1	02.43.274	345
670 760 0205 SA:2784	02.53.072	340
670 760 0205 SA:2785	02.53.072	340
670 760 0205 SA:3108	02.53.072	340
670 890 6367	02.37.040	340
673 300 0004	01.28.014	196
673 323 0385	02.30.015	210
673 325 0144	01.30.064	197
673 540 0145	01.42.095	314
673 540 0445	01.42.095	314
673 540 0454	01.42.095	314
673 581 0001	01.43.565	383
677 540 0817	01.42.079	276
684 428 0435	02.35.212	261
684 542 7317	01.42.036	113
686 090 0151	01.14.071	69
688 323 7085	02.30.041	210
690 094 7004	02.14.063	84
690 320 0030	02.30.064	221
690 320 7030	02.30.064	221
690 320 7130	02.30.064	221
690 720 7031	02.53.240	352
690 720 7046	02.53.069	332
690 720 7146	02.53.070	332
8309858	02.59.095	370
838 315 6000	01.23.116	178
838 327 5000	01.23.116	178
88 x 24 mm	02.34.042	242
900 906 0500	02.19.261	142
901 222 0627	02.31.023	234
901 241 2413	02.22.011	167
901 241 2513	02.22.011	167
901 241 2613	02.22.011	167
901 241 2713	02.22.011	167
901 242 1413	02.22.012	169
901 242 1513	02.22.012	169
901 250 0021	02.23.160	170
901 260 1338	02.24.012	182
901 260 1438	02.24.010	182
901 260 1538	02.24.031	182
901 260 1838	02.24.010	182
901 268 0143	02.24.019	183
901 290 1916	02.27.012	196
901 290 2016	02.27.012	196
901 290 2416	02.27.012	196
901 300 0104	02.27.008	196
901 300 0304	02.27.008	196
901 320 0031	02.30.086	220
901 320 0043	02.30.056	220
901 320 0089	02.30.033	218
901 320 0131	02.30.086	220
901 320 0230	02.30.064	221

REF. NO.	TTC NO.	p.
901 320 0231	02.30.086	220
901 320 0289	02.30.031	217
901 320 0330	02.30.064	221
901 320 0389	02.30.032	218
901 320 0431	02.30.086	220
901 320 0531	02.30.086	220
901 320 0589	02.30.209	218
901 320 0631	02.30.086	220
901 320 0689	02.30.133	218
901 320 0701	02.30.060	201
901 320 0731	02.30.086	220
901 320 0830	02.30.064	221
901 320 0831	02.30.086	220
901 320 1330	02.30.064	221
901 320 1430	02.30.064	221
901 320 1530	02.30.064	221
901 320 1830	02.30.064	221
901 320 2030	02.30.064	221
901 320 2130	02.30.064	221
901 320 2230	02.30.064	221
901 320 2930	02.30.064	221
901 322 0019	02.30.201	199
901 322 0419	02.30.202	198
901 322 0619	02.30.402	206
901 322 1119	02.30.407	198
901 322 1219	02.30.405	223
901 322 1519	02.30.406	223
901 322 2119	02.30.203	198
901 322 2219	02.30.204	199
901 322 2619	02.30.205	199
901 323 0085	02.30.037	200
901 323 0085 cpl.1	02.43.270	214
901 323 0088	02.30.038	204
901 323 0185	02.30.040	210
901 323 0185 cpl.	02.30.155	215
901 323 0185 cpl.1	02.30.155	215
901 323 0198	02.30.178	219
901 323 0285	02.30.034	213
901 323 0288	02.30.038	204
901 323 0288 cpl.	02.30.155	215
901 323 1185	02.30.039	200
901 323 1185 cpl.1	02.43.270	214
901 324 0050	02.30.027	207
901 324 0150	02.30.036	206
901 324 0250	02.30.035	207
901 324 0350	02.30.035	207
901 325 0084	02.30.061	214
901 325 0144	02.30.197	198
901 325 0744	02.30.188	199
901 325 0844	02.30.198	198
901 326 0081	02.30.026	210
901 326 0181	02.30.156	211

REF. NO.	TTC NO.	p.
901 330 1025	02.31.112	230
901 330 1207	02.31.160	229
901 330 1307	02.31.161	229
901 330 1607	02.31.160	229
901 330 1707	02.31.161	229
901 330 1807	02.31.160	229
901 330 1907	02.31.161	229
901 330 2007	02.31.160	229
901 330 2107	02.31.161	229
901 330 2407	02.31.160	229
901 330 2507	02.31.161	229
901 333 0214	02.31.030	227
901 333 0627	02.31.023	234
901 333 0727	02.31.023	234
901 333 1027	02.31.023	234
901 333 1127	02.31.023	234
901 333 1227	02.31.023	234
901 333 1327	02.31.023	234
901 401 0070	02.33.024	241
901 410 0210	02.34.026	245
901 410 0210 n.cpl.1	02.34.057	245
901 410 0310	02.34.026	245
901 410 0310 n.cpl.1	02.34.057	245
901 411 0047	02.34.008	246
901 411 0097 cpl.1	02.34.026	245
901 411 0097 n.cpl.1	02.34.057	245
901 411 0312	02.34.026	245
901 411 0412	02.34.026	245
901 411 0412 n.cpl.1	02.34.057	245
901 411 0415	02.34.026	245
901 411 0415 n.cpl.1	02.34.057	245
901 420 0120	02.35.051	247
901 420 0320	02.35.051	247
901 420 0520	02.35.051	247
901 420 1044	02.35.365	275
901 420 1144	02.35.365	275
901 420 1885	02.35.258	271
901 420 2085	02.35.267	272
901 420 2185	02.35.260	273
901 420 2285	02.35.261	273
901 420 2785	02.35.402	273
901 420 2885	02.35.259	271
901 421 0110	02.35.083	250
901 421 0312	02.35.025	258
901 421 0410	02.35.082	249
901 421 0412	02.35.025	258
901 421 0510	02.35.082	249
901 421 0610	02.35.082	249
901 421 0612	02.35.025	258
901 423 0412	02.35.053	258
901 423 0612	02.35.053	258
901 423 0812	02.35.053	258

REF. NO.	TTC NO.	p.
901 423 1012	02.35.053	258
901 428 0235	02.35.047	262
901 428 0335	02.35.212	261
901 428 0435	02.35.047	262
901 428 0635	02.35.047	262
901 428 0835	02.35.214	262
901 428 9135	02.35.213	262
901 460 0048	02.37.043	292
901 460 0104	02.37.213	286
901 460 0148	02.37.043	292
901 460 0155	02.37.077	279
901 460 0205	02.37.049	288
901 460 0224 cpl.1	02.37.999	287
901 460 0224 cpl.2	02.37.998	287
901 460 0248	02.37.043	292
901 460 0255	02.37.077	279
901 460 0348	02.37.043	292
901 460 0424 cpl.1	02.37.999	287
901 460 0424 cpl.2	02.37.998	287
901 460 0455	02.37.077	279
901 460 0455 cpl.1	02.37.149	287
901 460 0800	02.37.199	285
901 460 0900	02.37.103	285
901 460 1900	02.37.199	285
901 460 1909	02.37.211	286
901 460 2700	02.37.199	285
901 460 2700 n.cpl.2	02.37.102	281
901 460 2800	02.37.103	285
901 460 2800 n.cpl.2	02.37.102	281
901 460 2900	02.37.199	285
901 460 3200	02.37.199	285
901 460 4100	02.37.199	285
901 460 4100 n.cp.1	02.37.999	287
901 460 4100 n.cpl.1	02.37.999	287
901 460 4100 n.cpl.2	02.37.102	281
901 460 4100 n.cpl.3	02.37.998	287
901 460 4200	02.37.103	285
901 460 4200 n.cpl.2	02.37.102	281
901 460 4300	02.37.199	285
901 460 4500	02.37.199	285
901 460 5100	02.37.199	285
901 460 5500	02.37.042	281
901 461 0401	02.37.199	285
901 462 0096	02.37.042	281
901 462 0179	02.37.040	340
901 462 0379	02.37.040	340
901 462 0396	02.37.042	281
901 490 0121	02.39.059	297
901 490 0519	02.39.063	298
901 490 0921	02.39.074	298
901 490 1119	02.39.063	298
901 490 2721	02.39.070	297

REF. NO.	TTC NO.	p.
901 490 3121	02.39.071	298
901 490 4021	02.39.074	298
901 490 4519	02.39.077	298
901 492 0044	02.39.042	300
901 500 0454	02.40.203	369
901 500 0554	02.40.203	369
901 500 1800	02.40.283	301
901 500 2100	02.40.171	302
901 500 2400	02.40.172	302
901 500 2800	02.40.172	302
901 500 3100	02.40.171	302
901 500 3300	02.40.171	302
901 500 3400	02.40.172	302
901 500 3500	02.40.173	302
901 500 3600	02.40.173	302
901 500 3800	02.40.286	302
901 500 3900	02.40.173	302
901 501 0701	02.40.169	307
901 501 1182	02.40.125	304
901 501 1582	02.40.126	304
901 501 1882	02.40.127	304
901 501 2582	02.40.128	304
901 501 2682	02.40.129	305
901 501 2782	02.40.130	305
901 505 1655	02.40.299	308
901 528 1882	02.40.131	78
901 528 2282	02.40.132	78
901 528 3582	02.40.133	78
901 528 3582 n.cpl.3	02.40.136	76
901 528 3982	02.40.243	79
901 528 3982 n.cpl.1	02.40.227	78
901 528 4382	02.40.116	79
901 528 4782	02.40.133	78
901 528 4782 n.cpl.1	02.40.134	78
901 528 4782 n.cpl.2	02.40.135	78
901 528 4782 n.cpl.3	02.40.136	76
901 528 4782/1	02.40.134	78
901 528 4782/2	02.40.135	78
901 528 4782/3	02.40.136	76
901 528 5282	02.40.317	79
901 528 5482	02.40.316	79
901 540 0017	02.42.084	277
901 540 0117	02.42.084	277
901 540 0217	02.42.092	278
901 540 0317	02.42.092	278
901 542 0118	02.42.309	322
901 542 0218	02.42.309	322
901 542 0318	02.42.309	322
901 542 0518	02.42.309	322
901 542 1117	02.42.312	321
901 542 1717	02.42.309	322
901 542 1817	02.42.312	321
901 580 0118	02.66.006	385
901 580 0218	02.66.006	385
901 671 0020	01.50.018	380
901 671 0220	01.50.018	380
901 680 0111 cpl.1	02.59.006	364
901 689 0908 cpl.1	02.59.006	364
901 720 0016	02.53.144	343
901 720 0116	02.53.145	343
901 720 0135	02.53.170	351
901 720 0216	02.53.144	343
901 720 0235	02.53.168	349
901 720 0316	02.53.145	343
901 720 0335	02.53.171	349
901 720 0412	02.53.144	343
901 720 0431	02.53.240	352
901 720 0435	02.53.169	349
901 720 0516	02.53.145	343
901 720 0716	02.53.144	343
901 720 0835	02.53.169	349
901 720 0916	02.53.145	343
901 720 0946	02.53.069	332
901 720 1016	02.53.144	343
901 720 1035	02.53.170	351
901 720 1046	02.53.070	332
901 720 1116	02.53.145	343
901 720 1135	02.53.168	349
901 720 1146	02.53.156	331
901 720 1235	02.53.171	349
901 720 1246	02.53.157	332
901 720 1335	02.53.169	349
901 720 1446	02.53.069	332
901 720 1546	02.53.070	332
901 720 1946	02.53.156	331
901 720 2046	02.53.157	332
901 730 1035	02.53.191	350
901 730 1135	02.54.042	350
901 730 1235	02.54.045	350
901 730 1335	02.54.041	350
901 730 1935	02.54.055	350
901 740 0135	02.53.160	350
901 740 0837	02.53.173	348
901 743 0172	02.53.163	348
901 750 0084	02.55.016	379
901 750 0284	02.55.017	378
901 750 0359	02.55.014	379
901 760 0028	02.53.137	337
901 760 0028 cpl.1	02.53.222	338
901 760 0047	02.53.135	338
901 760 0047 cpl.1	02.53.222	338
901 760 0104	02.54.053	340
901 760 0128	02.53.086	338
901 760 0128 cpl.1	02.53.172	338
901 760 0228	02.53.231	343
901 760 0304	02.54.054	340
901 760 0359	02.54.007	346
901 760 0402	07.54.016	333
901 760 0402 5B21	07.54.016	333
901 760 0459	02.54.007	346
901 760 0459 cpl.1	02.54.008	346
901 760 0647	02.53.085	337
901 760 0704	02.54.054	340
901 760 0847	02.53.084	338
901 760 0947	02.53.136	338
901 760 0947 cpl.1	02.53.222	338
901 760 1047	02.53.085	337
901 760 1047 cpl.1	02.53.172	338
901 760 1247	02.53.084	338
901 760 1347	02.53.084	338
901 760 1347 cpl.1	02.53.172	338
901 760 1361	02.53.073	347
901 766 0061	02.53.166	348
901 766 0119	02.53.161	329
901 766 0161	02.53.166	348
901 766 0219	02.53.162	352
901 810 0116	02.57.020	328
901 810 0216	02.57.022	327
901 810 0916	02.57.021	328
901 810 1016	02.57.023	328
901 810 5516	02.57.020	328
901 810 5716	02.57.021	328
901 810 6116	02.57.052	327
901 810 6416	02.57.022	327
901 810 6616	02.57.023	328
901 820 0044	02.58.049	373
901 820 0081 n.cpl.1	02.61.013	376
901 820 0092 cpl.1	02.59.006	364
901 820 0121	02.58.092	353
901 820 0144	02.58.050	373
901 820 0156	02.58.311	363
901 820 0181 n.cpl.1	02.61.016	376
901 820 0192 cpl.1	02.59.006	364
901 820 0221	02.58.093	353
901 830 0018	02.59.081	367
901 830 0084	02.59.005	365
901 830 0418	02.59.083	367
901 830 0518	02.59.081	367
901 880 0183	02.60.110	381
901 880 0270	02.60.364	382
901 880 0371	02.60.317	382
901 880 0385	02.60.119	381
901 880 0471	02.60.318	383
901 880 0571	02.60.492	382
901 880 0670	02.60.385	382
901 885 0202	02.60.216	382
901 988 0025 cpl.1	02.53.161	329
901 988 0025 cpl.2	02.53.162	352
90149005	02.39.063	298
90149011	02.39.063	298
902 320 0401	02.30.060	201
902 321 0203	02.30.060	201
902 350 0068 cpl.1	02.32.077	238
902 350 0068 n.cpl.1	02.32.089	238
902 350 1410	02.32.089	238
902 420 1101	02.35.244	253
902 420 1201	02.35.245	253
902 421 0110	02.35.083	250
902 421 0312	02.35.025	258
902 421 0412	02.35.025	258
902 421 0612	02.35.025	258
902 421 0712	02.35.025	258
902 421 0912	02.35.025	258
902 423 0112	02.35.054	259
902 423 0312	02.35.054	259
902 423 0412	02.35.054	259
902 423 0510	02.35.082	249
902 423 0512	02.35.054	259
902 423 0612	02.35.054	259
902 997 0146	02.32.100	239
902 997 0246	02.32.100	239
903 260 0009	02.24.026	180
903 260 0189	02.24.014	183
903 320 0001	02.30.337	201
903 320 0005	02.30.337	201
903 320 0031	02.30.086	220
903 320 0130	02.30.064	221
903 320 0131	02.30.056	220
903 320 0230	02.30.064	221
903 320 0330	02.30.077	221
903 320 0406	02.30.339	201
903 320 0501	02.30.183	201
903 320 0506	02.30.339	201
903 320 0530	02.30.077	221
903 320 0606	02.30.340	202
903 320 0706	02.30.340	202
903 320 1706	02.30.339	201
903 320 1806	02.30.340	202
903 320 1906	02.30.342	202
903 330 4107 n.cpl.1	02.31.102	235
903 410 0010	02.34.026	245
903 410 0010 n.cpl.1	02.34.057	245
903 421 0012	02.35.423	258
903 421 0112	02.35.423	258
903 423 0123	02.35.054	259
903 820 0045	02.58.432	376
904 010 4505	01.10.246	10
904 014 0622	01.10.078	2

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
904 014 0722	01.10.080	2
904 014 1022	01.10.078	2
904 016 0721	01.10.161	9
904 016 1120	01.10.155	6
904 016 1320	01.10.155	6
904 030 0320	01.11.068	25
904 141 0280	01.16.098	93
904 180 0009	01.18.103	125
904 180 0210	01.18.103	125
904 180 0620	01.18.133	128
904 188 0280	01.18.107	120
904 188 0480	01.18.107	120
904 200 0004	01.43.537	146
904 200 0170	01.19.076	148
904 200 0201	01.19.143	165
904 200 0322	02.19.285	142
904 200 0401	01.19.143	165
904 200 0601	01.19.143	165
904 200 0701	01.19.143	165
904 200 0801	01.19.143	165
904 200 0922	02.19.285	142
904 200 1122	02.19.285	142
904 200 1901	01.19.143	165
904 200 2001	01.19.143	165
904 200 2201	01.19.143	165
904 200 2501	01.19.143	165
904 200 2601	01.19.143	165
904 200 2701	01.19.143	165
904 200 2801	01.19.143	165
904 200 2901	01.19.143	165
904 200 3201	01.19.143	165
904 200 3801	01.19.143	165
904 200 4301	01.19.143	165
904 200 4701	01.19.190	165
904 200 4901	01.19.143	165
904 200 5001	01.19.143	165
904 200 5101	01.19.190	165
904 201 0201	01.19.143	165
904 201 0601	01.19.143	165
904 201 0701	01.19.143	165
904 201 1001	01.19.143	165
904 205 0106	01.19.247	145
904 320 0131	02.30.081	221
904 320 0201	02.30.338	202
904 320 0231	02.30.081	221
904 320 0301	02.30.338	202
904 320 0331	02.30.086	220
904 320 0363	02.30.187	206
904 320 0401	02.30.338	202
904 320 0506	02.30.341	202
904 320 0563	02.30.187	206
904 320 0601	02.30.183	201

REF. NO.	TTC NO.	p.
904 320 0606	02.30.341	202
904 320 0730	02.30.077	221
904 320 0830	02.30.077	221
904 320 1106	02.30.341	202
904 320 1330	02.30.077	221
904 320 1406	02.30.343	202
904 320 1430	02.30.077	221
904 320 1606	02.30.341	202
904 320 1630	02.30.077	221
904 320 1806	02.30.341	202
904 320 1830	02.30.077	221
904 320 1906	02.30.343	202
904 320 1930	02.30.077	221
904 320 2106	02.30.341	202
904 320 2330	02.30.077	221
904 320 2530	02.30.077	221
904 320 2630	02.30.077	221
904 323 0085	02.30.025	211
904 323 0085 cpl.1	02.43.267	215
904 326 0100	02.30.081	221
904 326 0840	02.30.404	204
904 326 0881	02.30.084	211
904 326 0981	02.30.083	211
904 326 1081	02.30.082	211
904 420 0101	02.35.244	253
904 420 0185	02.35.262	272
904 420 02 01 n.cpl.1	02.35.395	267
904 420 0201	02.35.245	253
904 420 0220	02.35.052	247
904 420 0285	02.35.263	272
904 420 0320	02.35.052	247
904 420 0385	02.35.403	273
904 420 0420	02.35.052	247
904 420 0585	02.35.264	272
904 420 0685	02.35.265	272
904 420 0785	02.35.386	273
904 420 0801	02.35.244	253
904 420 0901	02.35.245	253
904 420 3601	02.35.245	253
904 423 0112	02.35.056	258
904 423 0212	02.35.056	258
904 423 0312	02.35.056	258
904 423 0412	02.35.056	258
904 428 0435	02.35.215	261
904 428 0535	02.35.299	262
904 428 0635	02.35.047	262
904 490 1421	02.39.085	298
904 580 0018	02.66.006	385
904 760 0447	02.53.179	339
905 320 0489	02.30.179	218
905 320 0589	02.30.180	218
905 325 0144	02.30.199	199

REF. NO.	TTC NO.	p.
905 420 0020	02.35.146	250
905 420 0072	02.35.482	259
905 421 0012	02.35.241	258
905 428 0035	02.35.268	262
906 016 0080	01.10.190	9
906 016 0669	01.10.130	23
906 016 0769	01.10.130	23
906 016 0791	01.10.144	28
906 017 0260	01.10.213	56
906 017 0260 cpl.2	01.10.215	57
906 030 0220	01.11.068	25
906 030 2080	01.11.068	25
906 030 3205	01.11.037	26
906 030 3805	01.11.037	26
906 030 5705	01.11.037	26
906 030 6805	01.11.037	26
906 050 0326	01.12.122	33
906 050 0326 cpl.1 (8x)	01.43.529	41
906 050 0326 cpl.2 (12x)	01.43.530	41
906 050 0327	01.12.123	28
906 050 0327 cpl.1 (4x)	01.43.529	41
906 050 0327 cpl.2 (6x)	01.43.530	41
906 053 0025	01.12.130	53
906 053 0058	01.12.135	31
906 053 0125	01.12.130	53
906 053 0130	01.12.125	49
906 053 0131	01.12.118	50
906 053 0131 cpl.1 (8x)	01.43.522	40
906 053 0131 cpl.2 (12x)	01.43.523	40
906 053 0132	01.12.119	50
906 053 0158	01.12.135	31
906 053 0258	01.12.135	31
906 053 0358	01.12.135	31
906 053 0458	01.12.135	31
906 053 0529	01.12.125	49
906 053 1232	01.12.119	50
906 053 1232 cpl.1 (4x)	01.43.522	40
906 053 1232 cpl.2 (6x)	01.43.523	40
906 054 0205	01.12.133	47
906 054 0701	01.12.112	52
906 054 1001	01.12.112	52
906 070 1433	01.13.183	68
906 070 2133	01.13.183	68
906 070 2233	01.13.183	68
906 090 0051	01.14.071	69
906 092 0505	01.14.071	69
906 094 0080	01.14.172	56
906 104 81001	02.37.079	292
906 104 81003	02.37.079	292
906 141 0180	01.16.097	93
906 141 0480	01.16.097	93
906 142 0280	01.16.096	89

REF. NO.	TTC NO.	p.
906 142 1180	01.16.096	89
906 155 0815	01.17.045	99
906 155 1515	01.17.045	99
906 180 0109	01.18.103	125
906 180 0201	01.18.118	129
906 180 0543	01.18.123	122
906 180 0601	01.18.118	129
906 180 0801	01.18.118	129
906 180 1101	01.18.118	129
906 184 0225	01.18.103	125
906 184 0280	01.18.117	118
906 200 0004	01.43.537	146
906 200 0270	01.19.097	148
906 200 0370	01.19.178	149
906 200 0815	01.17.045	99
906 200 1270	01.19.178	149
906 200 1470	01.19.097	148
906 200 1770	01.19.097	148
906 200 2070	01.19.097	148
906 200 2270	01.19.076	148
906 200 3370	01.19.188	159
906 200 3770	01.19.177	148
906 200 4470	01.19.188	159
906 200 4570	01.19.177	148
906 200 4670	01.19.178	149
906 200 5970	01.19.177	148
906 203 0015	01.19.238	130
906 203 0176	01.19.217	131
906 203 0180	01.19.218	131
906 203 0415	01.19.238	130
906 203 0615	01.19.238	130
906 241 1013	02.22.051	168
906 241 1113	02.22.052	169
906 241 1313	02.22.086	168
906 241 1513	02.22.051	168
906 241 1613	02.22.052	169
906 241 1713	02.22.052	169
906 241 1813	02.22.086	168
906 242 0013	02.22.087	170
906 250 0015	02.23.035	180
906 260 0051	02.24.023	182
906 260 0151	02.24.021	182
906 260 1451	02.24.023	182
906 260 1551	02.24.021	182
906 260 1802	02.24.032	181
906 260 3309	02.24.032	181
906 260 6809	02.24.032	181
906 268 0166	02.24.028	183
906 290 0112	02.23.134	173
906 290 0212	02.23.134	173
906 320 0031	02.30.106	222
906 320 0131	02.30.106	222

REF. NO.	TTC NO.	p.
906 320 0206	02.30.345	203
906 320 0231	02.30.106	222
906 320 0306	02.30.344	203
906 320 0406	02.30.347	203
906 320 0431	02.30.106	222
906 320 0433	02.30.096	222
906 320 0531	02.30.106	222
906 320 0633	02.30.096	222
906 320 0731	02.30.106	222
906 320 0733	02.30.107	221
906 320 0831	02.30.106	222
906 320 0931	02.30.106	222
906 320 0933	02.30.096	222
906 320 1033	02.30.096	222
906 320 1131	02.30.106	222
906 320 1231	02.30.106	222
906 320 1389	02.30.133	218
906 320 1489	02.30.088	219
906 320 1789	02.30.078	219
906 320 1789 cpl.1	02.31.906	231
906 320 1806	02.30.344	203
906 320 1889	02.30.079	219
906 320 1889 cpl.1	02.31.906	231
906 320 3206	02.30.346	203
906 320 4430	02.30.107	221
906 320 4530	02.30.107	221
906 320 4630	02.30.096	222
906 320 4730	02.30.096	222
906 320 4830	02.30.107	221
906 320 5530	02.30.107	221
906 320 5630	02.30.107	221
906 320 5730	02.30.096	222
906 320 5730 cpl.	02.30.110	214
906 320 5930	02.30.107	221
906 320 6030	02.30.107	221
906 320 6130	02.30.107	221
906 320 6230	02.30.107	221
906 320 6330	02.30.107	221
906 320 6430	02.30.096	222
906 320 6430 cpl.	02.30.110	214
906 320 6530	02.30.107	221
906 320 6630	02.30.107	221
906 320 6730	02.30.107	221
906 320 7030	02.30.096	222
906 320 7130	02.30.096	222
906 320 7230	02.30.096	222
906 320 7430	02.30.096	222
906 320 7430 cpl.	02.30.110	214
906 320 7430 cpl. 1	02.30.110	214
906 320 7506	02.30.344	203
906 320 7530	02.30.096	222
906 320 7630	02.30.107	221

REF. NO.	TTC NO.	p.
906 320 8130	02.30.096	222
906 320 8330	02.30.096	222
906 321 0903	02.30.184	202
906 321 1003	02.30.348	203
906 321 1103	02.30.185	203
906 321 1403	02.30.184	202
906 321 1503	02.30.348	203
906 321 1603	02.30.185	203
906 322 0619	02.30.191	207
906 323 0040	02.30.158	204
906 323 0192	02.30.109	219
906 323 0292	02.30.109	219
906 323 0320	02.30.097	200
906 323 0520	02.30.097	200
906 323 1485	02.30.087	211
906 323 1685	02.30.080	212
906 323 3585	02.30.320	213
906 323 3685	02.30.181	213
906 323 3685 64	02.30.181	213
906 323 3785	02.30.306	212
906 324 0050	02.30.189	207
906 325 0044	02.30.188	199
906 325 0144	02.30.199	199
906 325 1444	02.30.188	199
906 325 1544	02.30.199	199
906 326 0000	02.30.108	222
906 326 0281	02.30.152	212
906 326 0381	02.30.135	212
906 326 0481	02.30.085	213
906 326 0600	02.30.108	222
906 326 0781	02.30.135	212
906 326 0800	02.30.108	222
906 326 0881	02.30.152	212
906 326 0981	02.30.099	209
906 326 1300	02.30.108	222
906 326 1400	02.30.108	222
906 326 1900	02.30.106	222
906 326 1940	02.30.159	204
906 326 2000	02.30.229	222
906 326 2100	02.30.106	222
906 326 2181	02.30.324	212
906 326 2200	02.30.229	222
906 326 2281	02.30.195	212
906 326 2381	02.30.325	209
906 326 2481	02.30.084	211
906 326 2581	02.30.083	211
906 326 2681	02.30.085	213
906 330 0227 n.cpl.1	02.31.102	235
906 330 2420	02.31.390	223
906 330 2420 n.cpl.1	02.32.098	230
906 330 2520	02.31.391	224
906 330 2520 n.cpl.1	02.32.098	230

REF. NO.	TTC NO.	p.
906 330 3120 n.cpl.1	02.32.098	230
906 330 3420	02.31.390	223
906 330 3420 n.cpl.1	02.32.098	230
906 330 3520	02.31.391	224
906 330 3520 n.cpl.1	02.32.098	230
906 330 4007	02.31.149	229
906 330 4007 cpl.1	02.31.906	231
906 330 4007 n.cpl.1	02.31.102	235
906 330 4020	02.31.390	223
906 330 4020 n.cpl.1	02.32.098	230
906 330 4107	02.31.148	230
906 330 4107 cpl.1	02.31.906	231
906 330 4107 n.cpl.1	02.31.102	235
906 330 4120	02.31.391	224
906 330 4120 n.cpl.1	02.32.098	230
906 330 4320 n.cpl.1	02.32.098	230
906 330 4607 n.cpl.1	02.31.102	235
906 330 4707 n.cpl.1	02.31.102	235
906 330 4920	02.31.390	223
906 330 4920 n.cpl.1	02.32.098	230
906 330 5020	02.31.391	224
906 330 5020 n.cpl.1	02.32.098	230
906 333 0014	02.31.103	227
906 333 0114	02.31.104	227
906 333 0227 n.cpl.1	02.31.102	235
906 338 0227 n.cpl.1	02.31.102	235
906 350 0249	02.32.097	238
906 350 0335 n.cpl.1	02.32.133	239
906 350 2410	02.32.184	235
906 350 2410 n.cpl.1	02.32.133	239
906 350 2510	02.32.185	235
906 350 2510 n.cpl.1	02.32.133	239
906 350 2510 n.cpl.2	02.32.193	235
906 350 2610	02.32.186	235
906 350 2610 n.cpl.1	02.32.133	239
906 350 2710	02.32.187	236
906 350 2710 n.cpl.1	02.32.133	239
906 350 3710	02.32.184	235
906 350 3710 n.cpl.1	02.32.133	239
906 350 3710 n.cpl.2	02.32.134	235
906 350 3810	02.32.185	235
906 350 3810 n.cpl.1	02.32.133	239
906 350 3810 n.cpl.2	02.32.193	235
906 350 3910	02.32.186	235
906 350 3910 n.cpl.1	02.32.133	239
906 350 3910 n.cpl.2	02.32.147	236
906 350 4010	02.32.187	236
906 350 4010 n.cpl.1	02.32.133	239
906 351 0080	02.32.163	236
906 351 0180	02.32.168	236
906 410 0131	02.34.044	242
906 410 0181	02.34.030	245

REF. NO.	TTC NO.	p.
906 410 0281	02.34.029	245
906 410 0381	02.34.030	245
906 410 0581	02.34.030	245
906 410 0681	02.34.029	245
906 410 0781	02.34.030	245
906 410 0881	02.34.029	245
906 410 1081	02.34.030	245
906 410 1181	02.34.029	245
906 410 1281	02.34.030	245
906 410 1381	02.34.029	245
906 410 1581	02.34.030	245
906 410 1681	02.34.029	245
906 410 1781	02.34.030	245
906 410 1881	02.34.029	245
906 410 3900	02.34.054	245
906 410 4000	02.34.055	245
906 420 0220	02.35.367	247
906 420 0320	02.35.205	246
906 420 0320 28	02.35.205	246
906 420 0420	02.35.367	247
906 420 2085	02.35.405	275
906 420 2285	02.35.412	274
906 420 2385	02.35.414	275
906 420 2485	02.35.407	274
906 420 2785	02.35.408	274
906 420 2885	02.35.409	275
906 420 2985	02.35.266	275
906 420 3085	02.35.410	273
906 420 3485	02.35.414	275
906 420 4385	02.35.416	274
906 420 4485	02.35.410	273
906 420 5085	02.35.407	274
906 420 5185	02.35.412	274
906 420 5285	02.35.413	274
906 420 5385	02.35.409	275
906 420 5585	02.35.408	274
906 420 5985	02.35.414	275
906 420 6885	02.35.405	275
906 420 6985	02.35.266	275
906 420 7085	02.35.410	273
906 420 7185	02.35.415	274
906 420 7285	02.35.416	274
906 421 0012	02.35.194	259
906 421 0112	02.35.194	259
906 421 0212	02.35.194	259
906 421 0300	02.35.201	251
906 421 0400	02.35.196	248
906 423 0012	02.35.193	259
906 423 0112	02.35.202	259
906 423 0420	02.35.455	275
906 428 0235	02.35.214	262
906 428 0335	02.35.278	263

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
906 428 0435	02.35.213	262
906 428 0535	02.35.214	262
906 428 0635	02.35.279	263
906 428 0735	02.35.280	263
906 428 0835	02.35.281	263
906 428 0935	02.35.213	262
906 428 1135	02.35.213	262
906 460 0048	02.37.079	292
906 460 0048 cpl.1	02.31.906	231
906 460 0055	02.37.078	279
906 460 0055 cpl.1	02.37.087	287
906 460 0055 cpl.2	02.31.906	231
906 460 0096	02.37.080	282
906 460 0096 cpl.1	02.31.906	231
906 460 01 48 cpl.1	02.37.087	287
906 460 0148	02.37.079	292
906 460 0148 cpl.2	02.31.906	231
906 460 0155	02.37.078	279
906 460 0200	02.37.204	286
906 460 0348	02.37.079	292
906 460 0348 cpl.1	02.31.906	231
906 460 0400	02.37.204	286
906 460 0600	02.37.204	286
906 460 0600 n.cpl.	02.37.904	287
906 460 0600 n.cpl.1	02.37.904	287
906 460 0800	02.37.204	286
906 460 1300	02.37.204	286
906 460 1500	02.37.204	286
906 460 1700	02.37.204	286
906 460 1900	02.37.080	282
906 460 99 55 cpl.1	02.37.087	287
906 466 0201	02.37.096	285
906 500 0002	02.40.198	302
906 500 0054	02.40.278	370
906 500 0102	02.40.198	302
906 500 0202	02.40.198	302
906 500 0302	02.40.195	302
906 500 0402	02.40.195	302
906 501 0015	02.19.332	309
906 501 0101	02.40.235	307
906 501 0182	02.40.044	305
906 501 0201	02.40.258	307
906 501 0301	02.40.235	307
906 501 0482	02.40.051	305
906 501 0503	02.40.300	301
906 501 0503 cpl.1	07.40.090	301
906 501 0582	02.40.059	305
906 501 0682	02.40.067	305
906 501 0782	02.40.079	306
906 501 1482	02.40.181	306
906 501 2482	02.40.249	306
906 501 2982	02.40.250	306
906 501 3082	02.40.181	306
906 501 3682	02.40.254	306
906 505 0855	02.40.303	308
906 505 0955	02.40.304	308
906 528 0182	02.40.228	79
906 528 0282	02.40.200	80
906 528 0382	02.40.199	80
906 528 0882	02.40.201	80
906 528 1182	02.40.202	80
906 528 1582	02.40.264	81
906 528 2282	02.40.200	80
906 528 2582	02.40.229	81
906 528 2682	02.40.230	80
906 528 3282	02.40.201	80
906 528 3382	02.40.231	80
906 528 3782	02.40.264	81
906 528 4082	02.40.267	81
906 528 4182	02.40.267	81
906 528 5082	02.40.268	81
906 528 5182	02.40.269	81
906 540 0117	02.42.310	322
906 540 0217	02.42.058	323
906 540 0317	02.42.311	323
906 540 0417	02.42.059	322
906 540 1117	02.42.060	322
906 540 1217	02.42.061	322
906 540 1317	02.42.096	278
906 540 1417	02.42.095	277
906 540 1517	02.42.095	277
906 540 3917	02.42.062	324
906 540 4017	02.42.063	322
906 540 4117	02.42.064	323
906 540 4217	02.42.065	323
906 540 4317	02.42.066	323
906 540 4417	02.42.067	323
906 545 0110	02.42.099	314
906 545 0213	02.42.113	317
906 545 0310	02.42.099	314
906 545 0513	02.42.115	317
906 545 1213	02.42.113	317
906 545 1513	02.42.115	317
906 720 0016	02.53.150	344
906 720 0035	02.53.212	351
906 720 0046	02.53.158	332
906 720 0135	02.53.208	351
906 720 0146	02.53.159	332
906 720 0316	02.53.150	344
906 720 1735	02.53.208	351
906 720 2135	02.53.212	351
906 730 0335	02.54.050	351
906 730 1335	02.54.047	351
906 730 4335	02.54.050	351
906 740 0016	02.53.193	344
906 740 0032	02.53.248	344
906 740 0216	02.53.193	344
906 740 0935	02.53.218	351
906 740 1035	02.53.218	351
906 750 0021	02.55.021	379
906 750 0121	02.55.022	379
906 750 0350	02.55.019	378
906 750 0450	02.55.018	378
906 760 0005 n.cpl.	02.54.065	326
906 760 0047	02.53.235	339
906 760 0047 n.cpl.1	02.53.253	339
906 760 0061	02.53.250	346
906 760 0061 cpl.1	02.53.250	346
906 760 0070	02.53.087	346
906 760 0077	02.53.249	344
906 760 0120	02.54.064	326
906 760 0147	02.53.153	339
906 760 0147 n.cpl.1	02.53.253	339
906 760 0161	02.53.242	347
906 760 0161 7J69	02.53.242	347
906 760 0170	02.54.011	346
906 760 0228	02.53.195	344
906 760 0247	02.53.234	339
906 760 0261	02.53.243	347
906 760 0261 7J69	02.53.243	347
906 760 0328	02.53.195	344
906 760 0347	02.53.155	339
906 760 0428	02.53.247	344
906 760 0447	02.53.236	340
906 760 0547	02.53.164	340
906 760 0934	02.53.293	348
906 760 1034	02.53.292	348
906 760 1228	02.53.221	345
906 760 1234	02.53.294	348
906 760 1334	02.53.295	349
906 766 0161	02.54.060	333
906 766 0262	02.54.059	326
906 810 4816	02.57.015	328
906 810 4916	02.57.087	328
906 810 6016	02.57.016	328
906 810 6116	02.57.088	329
906 820 0040 n.cpl.1	02.61.014	377
906 820 0045	02.58.409	374
906 820 0145	02.58.051	374
906 820 0161	02.58.368	362
906 820 0164	02.58.236	364
906 820 0169	02.42.107	316
906 820 0261	02.58.369	362
906 820 0264	02.58.237	364
906 820 0269	02.42.111	316
906 820 0561	02.58.366	362
906 820 0644	02.58.051	374
906 820 0661	02.58.367	362
906 820 0969	02.42.106	316
906 820 1000	02.58.409	374
906 820 1069	02.42.314	316
906 820 1100	02.58.437	376
906 820 3369	02.42.107	316
906 820 3769	02.42.106	316
906 820 4169	02.42.111	316
906 820 4569	02.42.314	316
906 830 0218	02.59.082	367
906 830 0318	02.59.084	367
906 869 0072	02.61.015	372
906 880 0371	02.62.025	383
906 880 0371 9B51	02.62.025	383
906 880 0385	02.60.118	381
906 880 0385 C:9051	02.60.118	381
906 880 0570	02.60.367	383
906 885 0011	02.60.397	381
906 885 0053	02.60.128	381
906 905 0601	02.42.062	324
906 905 0701	02.42.063	322
906 905 0801	02.42.064	323
906 905 0901	02.42.065	323
906 905 1001	02.42.066	323
906 905 1101	02.42.067	323
906 906 2100	02.58.239	362
906 993 2296	01.19.224	140
906 993 3696	04.19.015	139
906 993 3996	01.19.234	139
906 993 7196	01.19.153	139
906 993 7996	05.19.012	139
906 993 8996	04.19.072	139
906 995 0102	02.30.158	204
906 997 1192	01.19.224	140
906 997 1492	01.19.207	139
906 997 2392	02.19.304	140
906 997 2492	01.19.153	139
906 997 2992	02.19.233	140
906 997 3292	04.19.015	139
906-880-05-70 9B51	02.60.367	383
907 320 5701	02.30.469	222
907 326 0000	02.30.470	222
907 421 0100	02.35.194	259
907 423 0100	02.35.202	259
910 420 2600	02.35.205	246
910 420 3600	02.35.580	252
910 420 3700	02.35.580	252
910 420 4000	02.35.196	248
910 421 0000	02.35.194	259
910 421 0100	02.35.194	259
910 423 0000	02.35.193	259

REF. NO.	TTC NO.	p.
910 423 0100	02.35.193	259
910 423 0200	02.35.585	259
910 423 0300	02.35.585	259
910 423 2100	02.35.587	260
910 423 5600	02.35.580	252
910 830 1100	02.59.164	366
921 421 0312	02.35.025	258
921 421 0612	02.35.025	258
926 142 0080	01.16.096	89
941 760 0102	01.53.087	333
941 760 0102 5C38	01.53.087	333
942 460 0104	02.37.040	340
970 310 0173	02.60.029	380
970 410 0031	01.34.038	243
970 411 0012	01.34.040	243
970 411 0112	01.34.040	243
973 720 0031	02.53.240	352
973 760 0002	07.54.016	333
973 760 0002 5B21	07.54.016	333
973 760 0002 5C38	07.54.016	333
979 320 0173	02.30.194	213
997 920 1315	02.19.302	134
U059	02.34.042	242
U110	02.34.041	242
U325	02.34.012	243
U728/4	02.34.053	243
U741	02.34.011	241
W 901	02.31.901	231
W 906	02.31.906	231
Mercedes DIN		
000 074 1671	79.08.001	393
000 074 6671	79.08.001	393
000 094 0772	81.10.006	398
000 325 0775	80.20.002	409
000 429 0001	54.04.001	404
000 429 0001 n.cpl.2	83.14.004	412
000 429 0001 n.cpl.3	83.15.004	413
000 429 0001 n.cpl.5	83.34.004	415
000 429 0001 n.cpl.6	83.44.004	416
000 476 2101	54.13.001	405
000 476 2401	54.13.001	405
000 727 0046	02.53.165	391
000 987 2627	54.06.001	404
000 987 2727	54.08.001	404
000 987 2827	54.12.001	405
000 987 2827 n.cpl.1	61.09.004	403
000 988 1581	02.67.044	385
000 988 5581	02.67.028	385
000 988 5681	02.67.151	393
000 988 8425	02.67.201	410
000 990 2192	02.67.188	400

REF. NO.	TTC NO.	p.
000 990 2292	02.67.187	411
000 990 2850	81.10.006	398
000 990 3150	81.10.006	398
000 990 3250	02.67.230	398
000 990 3492	02.67.202	411
000 990 3792	02.67.204	410
000 990 3888	61.04.003	402
000 990 4088	61.08.004	403
000 990 4188	61.08.005	404
000 990 4288	61.04.005	403
000 990 4388	61.04.004	403
000 990 5088	61.08.005	404
000 990 5188	61.04.002	402
000 990 5705	01.67.525	414
000 990 5888	61.06.004	403
000 990 6005	80.10.001	414
000 990 6588	61.06.005	404
000 990 6688	61.06.003	402
000 990 7892	02.67.153	391
000 990 8288	61.09.005	404
000 990 8988	61.06.003	402
000 991 2422	87.06.202	397
000 991 2498	02.67.170	386
000 994 0645	02.67.164	391
000 994 1060	02.67.011	410
000 994 2545	02.67.160	392
000 994 2960	02.67.011	410
000 997 3320	02.67.150	417
000 997 4752	20.07.012	395
000 997 7040 cpl.2	88.99.003	389
000 997 8952	20.01.009	395
000 997 9440 cpl.2	88.99.003	389
000000 000065	88.58.007	354
000000 000069	88.58.112	355
000000 000172	88.58.114	357
000000 000268	88.58.101	355
000000 000374	88.58.103	355
000000 000375	88.58.101	355
000000 000853	88.58.118	356
000000 001002 cpl.2	88.99.003	389
000000 001085 cpl.5	88.99.003	389
000000 001605	88.58.105	356
000000 001606	88.58.106	356
000000 002142	88.58.004	356
000000 002723	88.58.123	357
000000 004221	88.58.004	356
000000 004255	88.58.125	357
000000 006035	02.13.114	388
000125 004311	82.04.001	415
000125 010513	80.12.007	408
000125 010517	80.12.007	408
000125 010518	80.12.007	408

REF. NO.	TTC NO.	p.
000125 010532	80.12.007	408
0002481V002L044	88.58.118	356
000439 008201	81.08.002	398
000439 008211	81.08.002	398
000443 017000	02.67.057	12
000443 018003	02.67.120	12
000443 025003	02.67.042	12
000443 034002	02.67.043	12
000835 016017	80.16.001	415
000908 012009	02.67.003	18
000908 020001	01.67.005	418
000908 020001 cpl.1	01.43.504	418
000908 024004	01.67.056	239
000912 006066	02.67.032	408
000931 012025	80.12.004	409
000931 012032	80.12.005	409
000931 012114	81.12.002	399
000931 012132	80.12.005	409
000931 012247	80.12.004	409
000933 012068	80.12.009	409
000933 012069	80.12.009	409
000934 016002	81.16.001	399
000934 016003	81.16.001	399
000934 016020	81.16.001	399
000936 008015	81.08.002	398
000939 010009	80.10.001	414
000939 012041	80.12.001	415
000960 020123	80.20.001	409
000961 012097	80.12.007	408
000961 012106	80.12.007	408
000961 012163	80.12.007	408
001 988 0325	02.67.153	391
001 988 2081	02.67.116	387
001 988 4681	02.67.176	386
001 988 4981	02.67.215	392
001 988 5181	02.67.216	392
001 988 7681	02.67.228	386
001 988 9642	02.67.174	391
001 989 1051	02.35.290	401
001 990 0192	02.67.194	411
001 990 1692	02.67.205	411
001 990 4205	01.67.525	414
001 990 4605	01.67.525	414
001 990 6651	81.10.006	398
001 994 4145	02.67.203	411
001 994 9845	02.67.193	400
001 997 0652	54.10.001	405
001 997 0652 n.cpl.2	83.14.010	413
001 997 0652 n.cpl.3	83.15.010	414
001 997 0652 n.cpl.4	83.24.010	402
001 997 0652 n.cpl.6	83.34.010	416
001 997 1740 cpl.2	88.99.003	389

REF. NO.	TTC NO.	p.
002 997 3386	02.67.154	386
002 997 5086	02.67.152	388
002 997 9140	01.67.029	389
003 988 1978	02.67.167	386
003 988 4178	02.67.171	386
003 994 9345	02.67.156	392
003 997 5748	01.67.029	389
003 997 8972 n.clp.1	83.14.008	413
003 997 8972 n.clp.2	83.15.008	414
003 997 8972 n.clp.3	83.24.008	401
003 997 8972 n.clp.5	83.34.008	416
003 997 8972 n.clp.6	83.44.008	417
003 997 9172 n.cpl.2	83.14.006	412
003 997 9172 n.cpl.3	83.15.006	413
003 997 9172 n.cpl.4	83.24.004	401
003 997 9172 n.cpl.5	83.24.006	401
003 997 9172 n.cpl.7	83.34.006	416
004 997 1772 n.cpl.1	83.14.012	413
004 997 1772 n.cpl.2	83.15.012	414
004 997 1772 n.cpl.3	83.24.010	402
004 997 1772 n.cpl.4	83.24.012	402
004 997 1772 n.cpl.6	83.34.012	416
004 997 1772 n.cpl.7	83.44.012	417
005 988 8278	02.67.177	387
005 997 1345	01.67.029	389
005 997 4372 plastic 16mm	83.14.016	413
005 997 5582	20.01.001	396
006 988 3078	02.67.226	392
006 988 4378	02.67.172	387
006 997 7548	02.67.254	389
007 988 7178	02.67.218	392
007338 008212	01.35.166	266
007349 010003	01.67.077	390
007349 010007	01.67.077	390
007349 013005	01.67.091	390
007603 008100	02.67.049	389
007603 008100 cpl.3	88.99.003	389
007603 008101	02.67.049	389
007603 008101 cpl.3	88.99.003	389
007603 008109	02.18.089	389
007603 010107 cpl.5	88.99.003	389
007603 012102	02.13.114	388
007603 012110	02.67.047	388
007603 012110 cpl.2	88.99.003	389
007603 012113	02.67.047	388
007603 012113 cpl.2	88.99.003	389
007603 014102 cpl.2	88.99.003	389
007603 014106	02.67.048	388
007603 014108	02.67.048	388
007603 016103 cpl.2	88.99.003	389
007603 016105 cpl.4	88.99.003	389
007603 016401 cpl.4	88.99.003	389

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
007603 022102 cpl.5	88.99.003	389
007603 022103 cpl.5	88.99.003	389
007603 022105	02.67.046	388
007603 024105	02.67.046	388
007603 026109	88.26.002	389
007603 026301	88.26.002	389
007603 026305	88.26.002	389
007603 260305	88.26.001	388
007604 012102	02.67.003	18
007604 012105	02.67.003	18
007604 014100	86.14.001	418
007604 014101	86.14.001	418
007604 014106	86.14.001	418
007604 014110	86.14.001	418
007604 022100	86.22.001	418
007604 022102	86.22.001	418
007623 002100	79.08.001	393
007623 008100	79.14.001	394
008 997 4782	20.01.001	396
008 997 5482	54.11.001	405
008 997 6082	54.06.001	404
008 997 9082	54.08.001	404
009021 010202	82.10.001	415
010 997 4682	54.15.001	406
010 997 5982	54.12.001	405
011 988 7678	02.67.169	387
011 997 7782	20.05.003	396
011 997 7782	20.05.903	396
011 997 7782 cpl.1	20.01.001	396
012 997 4082	20.01.001	396
012 997 6582	20.01.001	396
013 997 6782	20.01.001	396
015 997 9082	54.10.001	405
017 997 8082	54.12.003	405
020 997 1148	01.67.029	389
024 997 2848	01.67.029	389
049846 000001	88.58.013	361
072601 012122	88.58.125	357
072601 012130	88.58.123	357
072601 012190	88.58.109	357
072601 012210	88.58.110	357
072601 012251	88.58.122	357
072601 012290	88.58.102	361
072601 012702	88.58.116	358
072601 012803	88.58.103	355
072601 012900	88.58.119	358
072601 024121	88.58.011	362
072601 024131	88.58.010	361
072601 024190	88.58.006	354
072601 024192	88.58.006	354
072601 024210	88.58.005	354
072601 024250	88.58.012	358
072601 024270	88.58.001	355
072601 024701	88.58.009	354
072601 024702	88.58.008	354
072601 024704	88.58.008	354
072601 024802	88.58.003	355
074297 015302	01.35.002	390
074305 026202	81.26.001	400
074361 014202	02.33.018	240
074361 014204	02.33.018	240
074361 014205	02.33.018	240
074361 022201	83.22.002	240
074361 022204	83.22.002	240
074361 022205	83.22.003	240
076030 5570009	02.67.049	389
102 078 1581	02.13.001	396
107 476 3126	20.01.006	397
107 476 3726	20.01.006	397
112 476 1226	20.01.010	397
114 997 1882	20.01.008	397
115 078 0781	02.13.001	396
117 997 0982	20.06.001	396
123 504 0246	02.40.075	391
123 990 0092	02.67.186	411
123 990 0136	02.67.157	385
123 990 0292	02.67.206	412
123 990 0351	81.08.001	398
124 470 2875 n.cpl.1	61.08.003	403
124 988 0478	02.67.222	393
124 988 9478	02.67.229	387
124 990 0492	02.67.192	412
124 990 0792	02.67.225	393
140 000 6002	88.58.006	354
163 990 0292	02.67.195	412
201 990 0050	02.67.189	398
201 990 0292	02.67.173	412
201 990 0536	02.67.184	385
201 992 1205	02.67.209	415
201 997 0382	20.07.010	395
211 988 0578	02.67.224	387
304035 008001	81.08.002	398
305 476 0126	20.01.008	397
308676 012014	80.12.007	408
308765 020010	80.20.001	409
312 476 0026	20.01.008	397
319 993 0510	01.67.197	391
321 990 0663	79.14.001	394
326 070 0063	79.08.002	393
326 990 0063	79.08.002	393
326 990 0163	79.08.001	393
335 997 2282	54.04.001	404
346 997 0230	86.22.001	418
355 180 1265 n.cpl.1	01.67.242	414
356 180 0065 n.cpl.1	01.67.242	414
387 990 0040	01.67.091	390
400809 000006	88.58.002	358
400809 000007	88.58.104	355
403 997 0230	86.22.001	418
422 997 0130	86.14.001	418
427 997 0982	20.05.003	396
427 997 0982	20.05.903	396
605 078 0581	02.38.049	396
615 078 0081	02.38.049	396
615 476 0126	02.38.049	396
615 476 0326	02.38.049	396
615 476 0426	02.38.049	396
900271 015037	20.06.015	406
900271 015044	20.06.015	406
900271 055000	98.01.001	406
900421 006002	02.67.128	395
910113 008002	81.08.001	398
910113 008003	81.08.001	398
910113 010000	81.10.005	399
910113 012002	81.12.006	399
910113 012003	81.12.006	399
910113 014000	81.14.005	399
910113 016001	81.16.005	400
910139 000000	88.58.016	358
910139 000001	88.58.017	358
910139 000002	88.58.018	359
910151 024000	88.58.011	362
913002 008004	81.08.001	398
913004 008001	81.08.001	398
913004 008004	81.08.001	398
913004 008006	81.08.001	398
913004 010001	81.10.006	398
913004 010008	81.10.005	399
913004 012000	81.12.006	399
913004 012008	81.12.006	399
913004 012009	81.12.006	399
913004 012010	81.12.002	399
913004 014005	81.14.005	399
913004 016001	81.16.001	399
913004 016004	81.16.005	400
913004 016005	81.16.005	400
913004 020000	81.20.001	400
913004 020003	81.20.001	400
913004 020004	81.20.001	400
913113 010000	81.10.005	399
913113 016002	81.16.005	400
914020 006000	02.67.032	408
914020 006009	02.67.031	408
914112 020200	80.20.002	409
914142 020103	80.20.002	409
915011 002102	79.08.001	393
915011 004103	79.10.001	394
915011 006102	79.12.001	394
915011 006104	79.12.001	394
915011 008100	79.14.001	394
915011 008101	79.14.001	394
915011 008102	79.12.001	394
915011 008103	79.14.001	394
915011 010101	79.16.001	395
915011 010102	79.16.001	395
915013 002000	79.08.001	393
915036 005100	79.08.001	393
915036 006101	79.14.001	394
915036 006103	79.10.001	394
915036 006200	79.10.001	394
915036 006201	79.10.001	394
915036 008100	79.12.001	394
915036 008102	79.12.001	394
915036 008200	79.12.001	394
915036 008202	79.12.001	394
915036 010100	79.14.001	394
915036 010101	79.14.001	394
915036 010103	79.14.001	394
915036 010108	79.14.001	394
915036 010200	79.14.001	394
915036 012101	79.16.001	395
915036 012200	79.16.001	395
915036 012203	79.16.001	395
915047 006100	79.10.002	394
915047 006202	79.10.002	394
915047 008100	79.12.002	394
915047 008200	79.12.002	394
915047 008201	79.12.002	394
915047 008202	79.12.002	394
915047 010100	79.14.002	394
915047 010101	79.14.002	394
915047 010200	79.14.002	394
915047 010201	79.14.002	394
915047 012100	79.16.002	395
915047 012200	79.16.002	395
915047 012203	79.16.002	395
915052 004002	61.04.005	403
915052 004003	61.04.002	402
915052 004016	61.04.002	402
915052 004026	61.04.004	403
915052 006002	61.06.005	404
915052 006003	61.06.002	402
915052 008016	61.08.004	403
915052 009009	61.09.005	404
915065 015101	01.35.002	390
917003 026000	01.18.108	120
917003 026003	01.18.108	120
999901 008000	81.08.001	398

REF. NO.	TTC NO.	p.
999901 010000	81.10.003	399
Conti-TCH-OLNS 8x3	20.07.008	401
D2R	88.58.016	358
D2S	88.58.017	358
A TE		
03.0137-0170.2	02.35.006	246
03.0137-0383.2	02.35.046	247
03.0137-0385.2	02.35.203	246
03.0137-0397.2	02.35.051	247
03.0137-0410.2	02.35.052	247
03.0137-4001.2	02.35.051	247
03.0137-4003.2	02.35.205	246
03.0137-4008.2	02.35.367	247
03.0137-4009.2	02.35.243	246
03.0137-4011.2	02.35.046	247
03.0137-4013.2	02.35.203	246
03.0137-4015.2	02.35.052	247
03.0350-1926.2	02.43.182	179
03.2523-0811.3	02.23.124	179
03.2523-0812.3	02.23.128	179
03.3125-0401.3	02.35.286	265
11.0101-5402.2	02.35.304	264
11.0101-5407.2	02.35.304	264
11.0101-5409.2	02.35.304	264
11.0441-4502.2	02.35.397	267
11.0441-5203.2	02.35.308	267
11.0441-5404.2	02.43.134	266
11.0441-6007.2	02.35.312	267
11.8171-0008 1	02.35.304	264
11.8190-0067.1	02.35.304	264
13.0460.3842.2	02.35.200	252
13.0460-2709.2	02.35.449	248
13.0460-2712.2	02.35.147	247
13.0460-2742.2	02.35.445	248
13.0460-2744.2	02.35.448	248
13.0460-2855.2	02.35.147	247
13.0460-2975.2	02.35.104	251
13.0460-3819.2	02.35.160	250
13.0460-3821.2	02.35.161	250
13.0460-3832.2	02.35.195	251
13.0460-3837.2	02.35.195	251
13.0460-3945.2	02.35.302	249
13.0460-3980.2	02.35.117	249
13.0460-3985.2	02.35.118	249
13.0460-3990.2	02.35.086	251
13.0460-4401.2	02.35.144	247
13.0460-4826.2	02.35.196	248
13.0460-4827.2	02.35.201	251
13.0460-4877.2	02.35.196	248
13.0460-4882.2	02.35.517	248
13.0460-4884.2	02.35.497	248

REF. NO.	TTC NO.	p.
13.0460-4975.2	02.35.242	250
13.0460-5801.2	02.35.449	248
13.0460-6015.2	02.35.146	250
13.0460-7082.2	02.35.082	249
13.0460-7083.2	02.35.085	251
13.0460-7084.2	02.35.085	251
13.0460-7085.2	02.35.145	249
13.0460-7196.2	02.35.082	249
13.0460-7904.2	02.35.083	250
13.0460-7909.2	02.35.083	250
13.0463-2975.2	02.35.104	251
13.0470-2709.2	02.35.449	248
13.0470-2712.2	02.35.147	247
13.0470-2855.2	02.35.147	247
13.0470-2975.2	02.35.104	251
13.0470-4884.2	02.35.497	248
24.0108-0111.1	02.35.226	254
24.0110-0228.1	02.35.075	256
24.0110-0280.1	02.35.133	256
24.0111-0182.2	02.35.471	255
24.0112-0142.1	02.35.053	258
24.0112-0213.1	02.35.559	255
24.0116-0100.1	02.35.039	254
24.0116-0107.2	02.35.071	256
24.0116-0110.1	02.35.054	259
24.0116-0121.1	02.35.193	259
24.0122-0140.1	02.35.073	255
24.0122-0161.1	02.35.025	258
24.0122-0162.1	02.35.074	256
24.0122-0196.1	02.35.056	258
24.0122-0245.1	02.35.423	258
24.0122-0270.1	02.35.442	254
24.0124-0222.1	02.35.443	255
24.0126-0144.1	02.35.241	258
24.0126-0180.1	02.35.443	255
24.0128-0145.1	02.35.134	255
24.0128-0202.1	02.35.202	259
24.0128-0203.1	02.35.194	259
24.0130-0103.1	02.35.057	257
24.0130-0190.1	02.35.058	257
24.0130-0191.1	02.35.059	258
24.0130-0198.1	02.35.044	257
24.0308-0111.1	02.35.226	254
24.0322-0161.1	02.35.025	258
24.0322-0162.1	02.35.074	256
24.0711-5531.3	02.42.062	324
24.0711-5532.3	02.42.063	322
24.0711-6396.3	02.42.066	323
24.0711-6397.3	02.42.067	323
24.0711-6398.3	02.42.064	323
24.0711-6399.3	02.42.065	323
24.1112-0142.1	02.35.053	258

REF. NO.	TTC NO.	p.
24.1116-0110.1	02.35.054	259
24.1122-0196.1	02.35.056	258
24.2123-1711.3	02.35.286	265
24.2123-1754.3	02.35.288	265
24.2125-1727.3	02.35.285	265
24.2125-1728.3	02.35.554	265
24.2419/0901.2	02.27.005	172
24.2419-0901.3	02.27.005	172
24.2419-0917.3	02.23.129	172
24.2419-0932.3	01.27.057	172
24.2419-0935.3	02.27.005	172
24.2419-0936.3	02.27.005	172
24.2419-0937.3	02.27.010	172
24.2419-1712.3	02.23.033	172
24.2522-1703.3	02.23.034	179
24.2536-5001.3	02.23.136	180
24.3215-0902.3	02.35.392	266
24.3441-1701.5	02.35.244	253
24.3441-1702.5	02.35.245	253
24.3451-1717 7	02.35.244	253
24.3481-1789.5	02.35.488	254
24.3481-1790.5	02.35.487	254
24.3481-1803.7	02.35.477	252
24.3727-0179.2	02.35.262	272
24.3727-0180.2	02.35.263	272
24.3727-0413 2	02.35.275	269
24.3727-0414 2	02.35.274	269
24.3727-0415 2	02.35.273	269
24.3727-0420.2	02.35.270	268
24.3727-0435 2	02.35.277	270
24.3727-0438.2	02.35.258	271
24.3727-0441.2	02.35.261	273
24.3727-0442.2	02.35.267	272
24.3727-0443.2	02.35.260	273
24.3727-0444.2	02.35.403	273
24.3727-0445.2	02.35.402	273
24.3727-0453.2	02.35.369	270
24.3727-0454.2	02.35.370	270
24.3727-0459.2	02.35.042	268
24.3727-0460.2	02.35.043	269
24.3727-0463.2	02.35.259	271
24.3727-0471.2	02.35.415	274
24.3727-0472.2	02.35.407	274
24.3727-0473.2	02.35.266	275
24.3727-0474.2	02.35.412	274
24.5113-0515.3	02.35.212	261
24.5123-0280.3	02.35.154	260
24.5123-0281.3	02.35.154	260
24.5123-0328.3	02.35.219	261
24.5131-0415.3	02.35.278	263
24.5131-0495-3	02.35.217	260
24.5137-0365.3	02.35.268	262

REF. NO.	TTC NO.	p.
24.5137-0385.3	02.35.214	262
24.5137-0455.3	02.35.279	263
24.5137-0470.3	02.35.213	262
24.5137-0490.3	02.35.213	262
24.5137-0495.3	02.35.281	263
24.5140-0498.3	02.35.218	261
24.5232-0388.3	02.35.298	260
24.5237-0235.3	02.35.215	261
24.5237-0490.3	02.35.213	262
24.8190-0005.2	02.42.096	278
24.8190-0401.2	02.42.006	277
24.8190-0407.2	02.42.084	277
24.8190-0410.2	02.42.036	277
24.8190-0415.2	02.42.078	278
24.8190-0417.2	02.42.092	278
24.8190-0418.2	02.42.094	277
24.8190-0423.2	02.42.078	278
24.8190-0424.2	02.42.095	277
24.8190-0425.2	02.42.094	277
83.6104-0470.3	02.35.077	261
83.6105-0510.3	02.35.212	261
83.6133-0551.3	02.35.013	260
83.6204-0470.3	02.35.297	260
83.7704-0421.3	02.35.013	260
83.7705-0386.3	02.35.235	263
83.7705-0386.3	02.35.069	262
83.7716-0363.3	02.35.047	262
Bosch		
0 001 231 002	01.17.052	115
0 001 231 003	01.17.053	114
0 001 360 022	01.17.056	114
0 001 367 034	01.17.057	114
0 001 368 024	01.17.056	114
0 001 368 309	01.17.056	114
0 001 523 310	02.17.014	105
0 120 468 053	01.17.060	97
0 120 469 588	02.17.051	97
0 120 469 744	02.17.052	97
0 120 469 982	01.17.059	97
0 123 335 002	02.17.053	97
0 123 335 006	02.17.053	97
0 124 325 077	02.17.084	100
0 124 515 102	02.17.084	100
0 124 555 001	01.17.062	98
0 124 615 025	02.17.084	100
0 124 625 006	02.17.084	100
0 130 703 233	02.40.180	308
0 192 052 006	01.17.011	100
0 192 053 006	01.17.031	99
0 192 053 013	01.17.031	99
0 192 053 017	01.17.031	99

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
0 192 053 022	01.17.031	99
0 192 053 023	01.17.031	99
0 204 004 513	02.35.477	252
0 204 004 514	02.35.478	253
0 204 004 515	02.35.479	252
0 204 004 516	02.35.480	252
0 204 004 523	02.35.474	253
0 204 004 524	02.35.475	253
0 204 054 486	02.35.384	265
0 204 102 913 n.cpl.1	02.35.395	267
0 204 123 370	02.35.285	265
0 204 204 174	02.35.086	251
0 204 204 673	02.35.477	252
0 204 204 675	02.35.479	252
0 204 204 676	02.35.480	252
0 204204674	02.35.478	253
0 204205234	02.35.478	253
0 221 503 012	02.17.041	117
0 221 503 035	02.17.041	117
0 221 506 002	02.17.040	116
0 221 506 444	02.17.040	116
0 227 100 023	02.42.018	107
0 227 100 042	02.42.018	107
0 227 100 043	02.42.018	107
0 227 100 114	02.42.018	107
0 227 100 115	02.42.018	107
0 227 100 121	02.42.018	107
0 227 100 122	02.42.018	107
0 227 100 126	02.42.018	107
0 227 100 129	02.42.018	107
0 232 103 037	02.17.048	112
0 232 103 107	02.17.082	113
0 232 103 108	02.17.082	113
0 258 003 047	08.39.045	104
0 258 003 320	02.39.055	103
0 258 003 365	02.39.049	104
0 258 003 640	02.39.048	103
0 258 003 642	02.39.044	105
0 258 003 870	02.39.050	104
0 258 005 083	02.39.045	104
0 258 006 749	02.39.094	104
0 258 017 016	02.42.050	104
0 258 017 017	02.42.050	104
0 258 017 018	02.42.051	105
0 258 986 502	08.39.045	104
0 258 986 602	02.39.094	104
0 261 210 170	02.17.134	103
0 261 210 171	02.17.031	102
0 261 230 140	02.17.062	111
0 261 230 142	02.17.060	111
0 261 230 143	02.17.079	112
0 261 230 153	02.17.007	111
0 261 230 154	02.17.007	111
0 261 230 189	02.17.062	111
0 261 230 190	02.17.062	111
0 261 230 191	02.17.060	111
0 261 230 192	02.17.060	111
0 261 230 193	02.17.079	112
0 261 230 194	02.17.079	112
0 261 230 195	02.17.007	111
0 261 230 196	02.17.007	111
0 261 230 227	02.17.062	111
0 261 230 439	02.17.007	111
0 261 230 440	02.17.007	111
0 261 231 110	02.17.134	103
0 263 003 167	02.42.345	318
0 263 009 637	02.42.057	318
0 263 009 638	02.42.056	318
0 263 023 939	02.42.345	318
0 265 004 009	02.42.309	322
0 265 004 010	02.42.312	321
0 265 006 214	02.42.321	321
0 265 006 368	02.42.387	321
0 265 006 370	02.42.386	321
0 265 009 338	02.42.310	322
0 265 009 339	02.42.058	323
0 265 009 340	02.42.060	322
0 265 009 341	02.42.061	322
0 265 009 588	02.42.311	323
0 280 160 512	02.13.044	69
0 280 160 587	02.13.044	69
0 280 217 515	02.14.028	85
0 280 217 517	02.14.052	85
0 281 002 124	02.17.032	103
0 281 002 238	02.17.035	111
0 281 002 241	02.13.080	58
0 281 002 241	02.13.180	59
0 281 002 244	01.17.076	112
0 281 002 456	02.14.121	112
0 281 002 468	01.17.077	112
0 281 002 498	02.17.035	111
0 281 002 585	02.14.165	85
0 281 002 586	02.14.165	85
0 281 002 678	02.14.227	75
0 281 002 698	02.13.079	59
0 281 002 698	02.13.179	59
0 281 002 699	02.13.079	59
0 281 002 699	02.13.179	59
0 281 002 700	02.17.036	111
0 281 002 703	02.17.036	111
0 281 002 761	02.17.077	108
0 281 002 762	02.17.077	108
0 281 002 822	02.17.077	108
0 281 002 823	02.17.077	108
0 281 002 894	02.14.227	75
0 281 002 896	02.14.166	85
0 281 002 897	02.14.166	85
0 281 002 924	02.17.077	108
0 281 002 925	02.17.077	108
0 281 002 942	02.17.036	111
0 281 006 022	02.17.036	111
0 281 006 025	02.17.077	108
0 281 006 146	02.14.165	85
0 281 006 213	02.42.003	108
0 281 006 214	02.42.003	108
0 281 006 278	02.17.077	108
0 281 006 282	01.17.082	114
0 281006279	02.17.077	108
0 331 303 003	02.17.014	105
0 331 303 007	02.17.014	105
0 331 303 035	02.17.016	105
0 331 303 053	02.17.016	105
0 331 303 061	02.17.024	105
0 331 303 154	02.17.020	106
0 332 014 113	07.42.064	314
0 332 014 134	07.42.064	314
0 332 204 122	02.42.280	314
0 332 205 004	02.42.090	314
0 332 207 307	02.42.272	314
0 332 209 137	02.42.280	314
0 332 209 152	02.42.280	314
0 342 106 005	01.42.001	325
0 342 106 009	01.42.001	325
0 344 004 005	01.42.061	310
0 344 004 006	01.42.040	310
0 344 004 014	01.42.040	310
0 344 004 015	01.42.040	310
0 344 101 080	02.42.034	107
0 344 101 089	02.42.265	107
0 390 241 345	02.61.017	377
0 390 242 400	01.58.053	377
0 390 242 404	01.58.053	377
0 392 020 024	07.59.036	371
0 392 020 026	02.59.090	371
0 392 023 004	02.59.150	371
0 414 799 003	01.13.195	62
0 414 799 004	01.13.195	62
0 414 799 008	01.13.195	62
0 440 003 018	01.14.005	63
0 440 003 091	01.14.045	71
0 440 003 092	01.14.045	71
0 440 003 184	01.14.045	71
0 440 003 240	01.14.045	71
0 440 003 998	01.14.045	71
0 440 011 007	01.14.048	72
0 440 017 011	01.14.046	72
0 440 017 996	01.14.046	72
0 440 020 088	02.13.081	71
0 445 110 024	02.13.032	62
0 445 110 025	02.13.032	62
0 445 110 034	02.13.128	60
0 445 110 035	02.13.128	60
0 445 110 054	02.13.102	61
0 445 110 055	02.13.102	61
0 445 110 069	02.13.112	60
0 445 110 070	02.13.112	60
0 445 110 071	02.13.108	60
0 445 110 072	02.13.108	60
0 445 110 095	02.13.128	60
0 445 110 096	02.13.128	60
0 445 110 097	02.13.112	60
0 445 110 098	02.13.112	60
0 445 110 099	02.13.108	60
0 445 110 100	02.13.108	60
0 445 110 105	02.13.112	60
0 445 110 106	02.13.112	60
0 445 110 107	02.13.106	62
0 445 110 108	02.13.106	62
0 445 110 139	02.13.115	60
0 445 110 140	02.13.115	60
0 445 110 155	02.13.118	61
0 445 110 156	02.13.118	61
0 445 110 176	02.13.119	61
0 445 110 177	02.13.119	61
0 445 110 179	02.13.123	61
0 445 110 181	02.13.112	60
0 445 110 182	02.13.112	60
0 445 110 189	02.13.106	62
0 445 110 190	02.13.106	62
0 445 110 199	02.13.108	60
0 445 110 201	02.13.128	60
0 445 110 263	02.13.123	61
0 445 110 264	02.13.123	61
0 445 110 294	02.13.126	62
0 445 110 295	02.13.126	62
0 445 115 016	02.13.138	61
0 445 115 017	02.13.138	61
0 445 115 026	02.13.138	61
0 445 115 027	02.13.138	61
0 445 115 032	02.13.116	61
0 445 115 033	02.13.116	61
0 445 115 063	02.13.138	61
0 445 115 064	02.13.138	61
0 445 115 068	02.13.116	61
0 445 115 069	02.13.116	61
0 445 115 071	02.13.138	61
0 445 115 072	02.13.138	61
0 445 115 073	02.13.116	61

REF. NO.	TTC NO.	p.
0 445 115 076	02.13.138	61
0 450 905 030	08.14.003	295
0 450 905 201	08.14.003	295
0 450 905 264	08.14.003	295
0 450 905 275	08.14.003	295
0 450 905 930	02.38.043	293
0 484 210 001	01.35.157	264
0 484 210 017	01.35.159	264
0 928 400 286	02.13.085	73
0 928 400 293	02.13.086	73
0 928 400 293 cpl.1	02.13.215	73
0 928 400 293 n.cpl.1	02.13.217	55
0 928 400 508	02.13.110	74
0 928 400 590	02.13.088	74
0 928 400 624	02.13.110	74
0 928 402 033	02.13.086	73
0 928 402 033 n.cpl.1	02.13.217	55
0 928 402 045	02.13.098	73
0 928 402 045 cpl.1	02.13.216	73
0 928 402 045 n.cpl.1	02.13.218	55
0 928 402 046	02.13.086	73
0 928 402 046 cpl.1	02.13.215	73
0 928 402 046 n.cpl.1	02.13.217	55
0 928 402 086	02.13.120	73
0 928 402033 cpl.1	02.13.215	73
0 986 011 240	01.17.057	114
0 986 011 247	01.17.057	114
0 986 025 940	02.17.112	115
0 986 034 030	02.17.052	97
0 986 134 019	02.35.488	254
0 986 134 032	02.35.477	252
0 986 134 035	02.35.002	253
0 986 134 062	02.35.474	253
0 986 135 019	02.35.487	254
0 986 135 032	02.35.478	253
0 986 135 035	02.35.076	254
0 986 135 062	02.35.475	253
0 986 221 015	07.17.021	116
0 986 301 025	88.58.115	356
0 986 332 002	02.42.400	315
0 986 332 003	07.42.064	314
0 986 332 041	02.42.280	314
0 986 344 080	02.42.034	107
0 986 344 089	02.42.265	107
0 986 345 114	01.42.040	310
0 986 345 115	01.42.040	310
0 986 345 116	01.42.061	310
0 986 424 218	02.35.082	249
0 986 424 463	02.35.085	251
0 986 424 516	02.35.086	251
0 986 424 522	02.35.147	247
0 986 424 795	02.35.449	248

REF. NO.	TTC NO.	p.
0 986 424 832	02.35.083	250
0 986 435 012	02.13.128	60
0 986 435 020	02.13.032	62
0 986 435 037	02.13.128	60
0 986 435 039	02.13.112	60
0 986 435 040	02.13.106	62
0 986 435 041	02.13.108	60
0 986 435 045	02.13.112	60
0 986 435 046	02.13.112	60
0 986 435 047	02.13.106	62
0 986 435 048	02.13.106	62
0 986 435 053	02.13.112	60
0 986 435 055	02.13.106	62
0 986 435 056	02.13.106	62
0 986 435 061	02.13.108	60
0 986 435 063	02.13.128	60
0 986 435 071	02.13.108	60
0 986 435 107	02.13.115	60
0 986 435 108	02.13.115	60
0 986 435 111	02.13.119	61
0 986 435 115	02.13.123	61
0 986 435 116	02.13.123	61
0 986 435 133	02.13.102	61
0 986 435 135	02.13.118	61
0 986 435 158	02.13.112	60
0 986 435 159	02.13.126	62
0 986 435 355	02.13.138	61
0 986 435 356	02.13.116	61
0 986 445 103	01.13.195	62
0 986 450 506	02.38.043	293
0 986 455 003	01.13.195	62
0 986 460 002	02.35.118	249
0 986 460 977	02.35.104	251
0 986 467 840	02.35.144	247
0 986 468 350	02.35.146	250
0 986 473 231	02.35.244	253
0 986 473 338	02.35.479	252
0 986 474 231	02.35.245	253
0 986 474 231 n.cpl.1	02.35.395	267
0 986 474 338	02.35.480	252
0 986 478 201	02.35.039	254
0 986 478 357	02.35.071	256
0 986 478 406	02.35.044	257
0 986 478 407	02.35.057	257
0 986 478 433	02.35.054	259
0 986 478 456	02.35.055	257
0 986 478 457	02.35.057	257
0 986 478 475	02.35.226	254
0 986 478 529	02.35.073	255
0 986 478 555	02.35.056	258
0 986 478 643	02.35.072	256
0 986 478 849	02.35.025	258

REF. NO.	TTC NO.	p.
0 986 478 863	02.35.053	258
0 986 478 873	02.35.075	256
0 986 479 015	02.35.471	255
0 986 479 137	02.35.134	255
0 986 479 138	02.35.133	256
0 986 479 212	02.35.423	258
0 986 479 294	02.35.194	259
0 986 479 295	02.35.193	259
0 986 479 296	02.35.202	259
0 986 479 555	02.35.443	255
0 986 479 556	02.35.442	254
0 986 479 600	02.35.059	258
0 986 479 601	02.35.058	257
0 986 479 602	02.35.241	258
0 986 479 695	02.35.471	255
0 986 479 D12	02.35.559	255
0 986 479 D13	02.35.558	255
0 986 479 E47	02.35.207	257
0 986 479 E48	02.35.289	257
0 986 479 R78	02.35.194	259
0 986 479 S05	02.35.193	259
0 986 479 S90	02.35.442	254
0 986 480 997	02.35.554	265
0 986 480 998	02.35.288	265
0 986 486 013	02.27.010	172
0 986 486 023	02.27.005	172
0 986 486 053	02.23.033	172
0 986 486 056	02.23.129	172
0 986 486 059	02.27.005	172
0 986 486 502	02.23.124	179
0 986 486 546	02.23.034	179
0 986 486 547	02.23.128	179
0 986 486 587	02.23.125	180
0 986 486 613	02.23.131	180
0 986 486 654	02.27.016	172
0 986 487 543	02.35.006	246
0 986 487 582	02.35.203	246
0 986 487 605	02.35.046	247
0 986 487 610	02.35.051	247
0 986 487 611	02.35.052	247
0 986 487 718	02.35.243	246
0 986 487 720	02.35.205	246
0 986 494 081	02.35.160	250
0 986 494 082	02.35.161	250
0 986 494 121	02.35.196	248
0 986 494 122	02.35.200	252
0 986 494 123	02.35.195	251
0 986 494 194	02.35.201	251
0 986 494 266	02.35.242	250
0 986 494 331	02.35.448	248
0 986 494 332	02.35.445	248
0 986 494 612	02.35.445	248

REF. NO.	TTC NO.	p.
0 986 494 738	02.35.497	248
0 986 495 107	02.35.201	251
0 986 594 590	02.42.311	323
0 986 AF0 004	02.18.033	124
0 986 AF2 423	02.14.136	84
0 986 B01 575	02.18.083	125
0 986 B03 510	01.37.058	282
0 986 BB3 547	02.35.051	247
0 986 BB4 024	02.35.025	258
0 986 BB4 088	02.35.054	259
0 986 BF0 201	01.14.071	69
0 986 GL0 008	88.58.103	355
0 986 GL0 027	88.58.101	355
0 986 GL0 030	88.58.103	355
0 986 GL0 032	88.58.101	355
0 986 GL0 035	88.58.001	355
0 986 GL0 136	88.58.101	355
0 986 GL0 193	88.58.112	355
0 986 MF2 276	02.14.142	296
0 986 TB3 062	02.35.445	248
0 986 TB3 063	02.35.448	248
0 986 TB3 159	02.35.449	248
0 986 TF0 066	02.38.044	295
0 986 TF0 129	02.18.083	125
1 126 601 568	02.17.027	98
1 126 601 572	02.17.029	98
1 126 601 580	02.17.114	99
1 126 601 597	02.17.028	98
1 127 320 989	05.17.004	102
1 197 311 001	01.17.011	100
1 197 311 003	02.17.005	100
1 197 311 009	02.17.005	100
1 197 311 021	02.17.005	100
1 197 311 023	02.17.005	100
1 197 311 027	02.17.005	100
1 197 311 030	02.17.006	99
1 197 311 090	01.17.011	100
1 197 311 213	02.17.013	100
1 197 311 301	01.17.031	99
1 197 311 305	01.17.031	99
1 280 210 752	08.13.004	56
1 287 213 607	02.17.050	110
1 307 337 018	88.58.017	358
1 307 337 019	88.58.016	358
1 417 413 025	01.13.139	74
1 417 413 047	01.13.139	74
1 450 109 041	01.38.004	56
1 450 410 011	01.14.011	69
1 457 429 080	02.14.106	82
1 457 429 116	02.18.032	123
1 457 429 122	02.18.022	124
1 457 429 126	02.18.083	125

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
1 457 429 138	02.18.115	123
1 457 429 142	07.18.010	124
1 457 429 147	02.18.115	123
1 457 429 261	02.18.040	124
1 457 429 263	02.18.140	125
1 457 429 265	02.18.117	122
1 457 429 267	02.18.117	122
1 457 429 274	02.18.031	124
1 457 429 278	02.18.033	124
1 457 429 416	02.37.011	283
1 457 429 606	02.18.116	123
1 457 429 820	01.37.058	282
1 457 431 158	01.38.045	293
1 457 431 707	01.14.071	69
1 457 433 005	02.14.065	83
1 457 433 069	02.14.131	82
1 457 433 626	02.14.109	84
1 457 433 748	02.14.067	83
1 457 433 748 cpl.1	02.14.867	83
1 457 433 753	02.14.111	83
1 457 434 123	02.14.027	294
1 457 434 437	02.38.044	295
1 457 437 001	02.18.032	123
1 928 405 567	02.10.159	14
1 987 237 060	02.17.006	99
1 987 301 003	88.58.101	355
1 987 301 007	88.58.102	361
1 987 301 014	88.58.124	359
1 987 301 022	88.58.117	360
1 987 301 023	88.58.119	358
1 987 301 025	88.58.115	356
1 987 301 026	88.58.118	356
1 987 301 035	88.58.114	357
1 987 301 038	88.58.101	355
1 987 301 042	88.58.104	355
1 987 301 047	88.58.103	355
1 987 301 048	88.58.104	355
1 987 301 052	88.58.118	356
1 987 301 062	88.58.113	360
1 987 301 063	88.58.112	355
1 987 301 065	88.58.103	355
1 987 301 066	88.58.104	355
1 987 302 011	88.58.101	355
1 987 302 012	88.58.101	355
1 987 302 031	88.58.102	361
1 987 302 035	88.58.102	361
1 987 302 041	88.58.103	355
1 987 302 042	88.58.103	355
1 987 302 045	88.58.103	355
1 987 302 047	88.58.103	355
1 987 302 049	88.58.103	355
1 987 302 071	88.58.104	355

REF. NO.	TTC NO.	p.
1 987 302 073	88.58.104	355
1 987 302 078	88.58.104	355
1 987 302 084	88.58.106	356
1 987 302 153	88.58.112	355
1 987 302 202	88.58.110	357
1 987 302 206	88.58.118	356
1 987 302 210	88.58.124	359
1 987 302 211	88.58.123	357
1 987 302 215	88.58.111	360
1 987 302 222	88.58.121	361
1 987 302 241	88.58.122	357
1 987 302 250	88.58.108	360
1 987 302 251	88.58.120	361
1 987 302 411	88.58.001	355
1 987 302 431	88.58.002	358
1 987 302 441	88.58.003	355
1 987 302 442	88.58.101	355
1 987 302 481	88.58.014	356
1 987 302 504	88.58.013	361
1 987 302 507	88.58.010	361
1 987 302 518	88.58.012	358
1 987 302 521	88.58.011	362
1 987 302 524	88.58.005	354
1 987 302 742	88.58.101	355
1 987 302 771	88.58.101	355
1 987 302 902	88.58.017	358
1 987 302 903	88.58.016	358
1 987 302 904	88.58.017	358
1 987 302 905	88.58.018	359
1 987 429 401	02.14.136	84
1 987 431 037	02.59.062	365
1 987 431 044	02.59.061	366
1 987 431 174	01.59.019	365
1 987 432 037	02.59.062	365
1 987 432 043	02.59.081	367
1 987 432 044	02.59.061	366
1 987 432 078	02.59.134	366
1 987 432 195	02.59.068	366
1 987 432 213	02.59.082	367
1 987 432 337	02.59.071	366
1 987 432 343	02.59.083	367
1 987 432 495	02.59.076	366
1 987 432 513	02.59.084	367
1 987 470 287	02.43.134	266
1 987 470 506	02.35.304	264
1 987 470 631	02.35.303	266
1 987 472 294	02.43.154	268
1 987 473 006	02.42.094	277
1 987 473 007	02.42.092	278
1 987 473 037	02.42.095	277
1 987 473 038	02.42.096	278
1 987 473 070	02.42.036	277

REF. NO.	TTC NO.	p.
1 987 474 901	02.42.006	277
1 987 474 911	02.42.006	277
1 987 474 969	02.42.084	277
1 987 476 077	02.35.013	260
1 987 476 294	02.35.213	262
1 987 476 295	02.35.047	262
1 987 476 296	02.35.214	262
1 987 476 297	02.35.279	263
1 987 476 300	02.35.214	262
1 987 476 391	02.35.077	261
1 987 476 427	02.35.154	260
1 987 476 439	02.35.235	263
1 987 477 117	02.35.273	269
1 987 477 118	02.35.043	269
1 987 477 119	02.35.042	268
1 987 477 199	02.35.277	270
1 987 477 208	02.35.271	269
1 987 477 209	02.35.272	269
1 987 477 211	02.35.270	268
1 987 477 326	02.35.275	269
1 987 477 327	02.35.274	269
1 987 477 702	02.35.401	272
1 987 477 703	02.35.400	271
1 987 477 852	02.35.258	271
1 987 477 853	02.35.267	272
1 987 477 854	02.35.260	273
1 987 477 855	02.35.261	273
1 987 477 857	02.35.259	271
1 987 477 858	02.35.262	272
1 987 477 859	02.35.263	272
1 987 477 860	02.35.264	272
1 987 477 861	02.35.265	272
1 987 481 001	02.35.219	261
1 987 481 005	02.35.217	260
1 987 481 006	02.35.218	261
1 987 481 007	02.35.212	261
1 987 481 008	02.35.215	261
1 987 481 461	02.35.296	261
1 987 481 490	02.35.281	263
1 987 481 541	02.35.278	263
1 987 481 777	02.35.280	263
1 987 482 025	02.35.370	270
1 987 482 026	02.35.369	270
1 987 482 029	02.35.413	274
1 987 482 032	02.35.405	275
1 987 482 033	02.35.410	273
1 987 482 034	02.35.415	274
1 987 482 312	02.35.409	275
1 987 482 751	02.35.266	275
1 987 946 016	02.19.226	138
1 987 946 039	08.19.261	135
1 987 946 041	07.19.141	137

REF. NO.	TTC NO.	p.
1 987 946 045	02.19.302	134
1 987 946 047	02.19.170	137
1 987 946 082	07.19.234	137
1 987 946 275	02.19.258	137
1 987 946 277	02.19.341	138
1 987 947 050	01.19.153	139
1 987 947 059	04.19.072	139
1 987 947 067	01.19.224	140
1 987 947 090	05.19.012	139
1 987 947 615	01.19.183	133
1 987 947 617	01.19.043	133
1 987 947 620	01.19.186	134
1 987 947 639	14.19.033	133
1 987 947 647	04.19.050	134
1 987 947 666	04.19.050	134
1 987 947 821	07.19.140	136
1 987 947 824	08.19.079	136
1 987 947 832	02.19.230	135
1 987 947 833	07.19.139	136
1 987 947 834	07.19.138	136
1 987 947 956	07.19.128	135
1 987 947 987	02.19.169	135
1 987 948 114	01.19.186	134
1 987 948 393	07.19.236	138
1 987 948 403	02.19.336	138
1 987 948 435	02.19.360	135
1 987 948 478	02.19.336	138
1 987 972 076	02.10.078	20
1987 477 197	02.35.461	270
2 339 303 263	02.17.020	106
2 339 305 013	02.17.038	105
2 417 413 018	01.13.139	74
2 417 413 024	01.13.139	74
2 417 413 056	01.13.139	74
2 430 105 049	01.10.213	56
2 430 501 011	02.10.071	20
2 433 356 109	02.13.037	292
2 440 109 005	01.67.010	56
2 447 010 011	01.43.046	72
2 447 010 016	01.14.014	69
2 447 010 017	01.14.015	69
2 447 010 017 cpl.1	01.14.015	69
2 447 010 033	01.14.049	64
2 447 222 126	01.14.049	64
2 911 201 701	79.10.001	394
2 911 201 702	79.12.001	394
2 911 201 703	79.14.001	394
2 911 201 704	79.16.001	395
2 911 202 701	79.10.001	394
2 911 202 702	79.12.001	394
2 911 202 703	79.14.001	394
2 911 222 700	79.14.001	394

REF. NO.	TTC NO.	p.
2 916 710 609 cpl.2	88.99.003	389
2 916 710 611 cpl.4	88.99.003	389
3 341 982 101	01.42.002	318
3 397 001 725	02.58.425	375
3 397 007 100	02.58.413	375
3 397 007 215	02.58.051	374
3 397 007 216	02.58.437	376
3 397 007 311	02.58.413	375
3 397 008 051	02.58.419	376
3 397 008 057	07.58.030	375
3 397 008 537	02.58.426	374
3 397 009 053	02.58.416	374
3 397 018 966	01.58.073	375
3 397 118 906	02.58.417	375
3 397 118 930	07.58.054	375
3 397 118 938	02.58.416	374
3 397 118 967	02.58.444	374
3 398 009 408	02.61.013	376
3 398 102 725	02.58.049	373
3 398 102 726	02.58.050	373
3 398 122 386	02.58.050	373
3 398 122 387	02.58.049	373
3 398 122 814	02.58.050	373
3 398 122 815	02.58.049	373
8 787 510 023	88.58.001	355
F 000 99H 000	01.13.183	68
F 000 KR9 134	01.19.182	133
F 000 KR9 139	01.19.043	133
F 000 KR9 153	04.19.050	134
F 000 KR9 154	04.19.050	134
F 000 KR9 296	01.19.153	139
F 00E 160 371	02.18.140	125
F 00E 369 873	02.18.140	125
F 00E 369 874	02.18.140	125
F 00M 061 023	02.17.028	98
F 00M 144 107	01.17.067	101
F 00M 144 123	01.17.067	101
F 00M 144 139	02.17.063	101
F 00M 144 143	02.17.084	100
F 00M 144 147	02.17.111	101
F 00M 144 150	02.17.089	101
F 00M 145 256	01.17.067	101
F 00M 145 267	02.17.084	100
F 00M 145 287	02.17.084	100
F 00M 145 298	01.17.067	101
F 00M 145 307	01.17.067	101
F 00M 145 372	02.17.084	100
F 00M 391 160	02.17.044	99
F 00M 991 303	02.17.083	98
F 00M 991 391	02.17.027	98
F 00M 991 393	02.17.114	99
F 00M A45 301	02.17.088	101

REF. NO.	TTC NO.	p.
F 00R 000 105	02.13.075	66
F 00V C17 503	02.10.078	20
F 01C 600 194	02.38.083	293
F 026 003 370	02.35.285	265
F 026 003 484	02.35.286	265
F 026 400 055	02.14.064	84
F 026 400 122	02.14.097	84
F 026 400 250	02.14.134	82
F 026 400 480	02.14.209	83
F 026 400 505	02.14.203	83
F 026 402 003	02.14.142	296
F 026 402 044	02.38.050	293
F 026 402 056	02.38.045	295
F 026 402 065	02.14.101	295
F 026 402 103	02.14.102	295
F 026 402 104	02.14.103	296
F 026 402 131	01.14.058	69
F 026 402 825	02.38.056	294
F 026 402 836	02.14.100	296
F 026 402 838	02.14.104	294
F 026 402 839	02.38.064	296
F 026 402 840	02.14.105	294
F 026 402 841	02.38.137	294
F 026 407 008	02.18.049	125
F 026 407 040	01.18.103	125
F 026 407 112	02.18.100	124
F 026 407 125	02.18.156	123
F 026 407 166	02.18.147	123
F 026 407 176	02.18.122	123
F 042 002 084	01.17.052	115
F 042 310 079	05.17.004	102
F 042 320 295	01.17.031	99
K S00 000 590	02.37.091	285
K S00 000 621	02.37.136	283
K S00 000 622	02.37.135	283
K S00 000 625	02.37.019	283
K S00 000 633	02.37.054	284
K S00 000 664	02.37.092	284
K S000 000 422	01.37.163	284
K S01 000 011	02.37.199	285
K S01 000 012	02.37.103	285
K S01 000 014	02.37.204	286
K S01 000 560	02.37.091	285
K S01 000 591	02.37.136	283
K S01 000 592	02.37.135	283
K S01 000 595	02.37.019	283
K S01 000 603	02.37.054	284
K S01 000 634	02.37.092	284
K S01 002 386	02.37.222	285
K S01 002 390	02.37.133	285
Q 092 840 2184	02.10.159	14
N 443 7	02.38.044	295

REF. NO.	TTC NO.	p.
P 911 6	02.18.032	123
A 930 S	07.58.054	375
A 967 S	02.58.444	374
A 216 S	02.58.437	376
A 402 H	07.58.030	375
A 425 H	02.58.419	376
A 938 S	02.58.416	374
AR 22 U	02.58.426	374
AR 550 S	02.58.417	375
BS 824	02.35.203	246
Contitech		
5PK1745	02.19.302	134
5PK1750	02.19.302	134
650385	02.35.203	246
6PK1198	02.19.360	135
6PK1199	02.19.360	135
6PK1200	02.19.360	135
6PK1201	02.19.360	135
6PK1202	02.19.360	135
6PK1891	08.19.261	135
6PK1892	08.19.261	135
6PK1893	08.19.261	135
6PK1894	08.19.261	135
6PK1895	08.19.261	135
6PK1978	02.19.230	135
6PK1979	02.19.230	135
6PK1980	02.19.230	135
6PK1981	02.19.230	135
6PK1982	02.19.230	135
6PK2000	07.19.128	135
6PK2020	02.19.169	135
6PK2025	02.19.169	135
6PK2048	02.19.166	136
6PK2049	02.19.166	136
6PK2050	02.19.166	136
6PK2051	02.19.166	136
6PK2052	02.19.166	136
6PK2080	08.19.079	136
6PK2100	07.19.139	136
6PK2120	07.19.140	136
6PK2139	02.19.303	136
6PK2140	02.19.303	136
6PK2141	02.19.303	136
6PK2142	02.19.303	136
6PK2143	07.19.138	136
6PK2144	07.19.138	136
6PK2145	07.19.138	136
6PK2146	07.19.138	136
6PK2147	07.19.138	136
6PK2155	07.19.141	137
6PK2160	08.19.089	137

REF. NO.	TTC NO.	p.
6PK2215	02.19.258	137
6PK2216	02.19.258	137
6PK2217	02.19.258	137
6PK2260	07.19.107	137
6PK2270	02.19.170	137
6PK2285	07.19.234	137
6PK2315	02.19.314	138
6PK2380	02.19.315	138
6PK2404	07.19.236	138
6PK2412	02.19.226	138
6PK2413	02.19.226	138
6PK2414	02.19.226	138
6PK2415	02.19.226	138
6PK2416	02.19.226	138
6PK2417	02.19.226	138
6PK2418	02.19.226	138
6PK691	02.19.340	135
7PK1967	02.19.336	138
7PK1968	02.19.336	138
7PK1970	02.19.336	138
7PK1971	02.19.336	138
7PK1972	02.19.336	138
7PK1973	02.19.336	138
7PK2035	02.19.341	138
7PK1969	02.19.336	138
8PK1175	01.19.207	139
8PK1178	01.19.207	139
8PK1179	01.19.207	139
8PK1180	01.19.207	139
8PK1181	01.19.207	139
8PK1182	01.19.207	139
8PK1183	01.19.207	139
8PK1367	01.19.234	139
8PK1368	01.19.234	139
8PK1369	01.19.234	139
8PK1370	01.19.234	139
8PK1371	01.19.234	139
8PK1372	01.19.234	139
8PK1373	01.19.234	139
8PK1374	05.19.012	139
8PK1376	05.19.012	139
8PK1377	05.19.012	139
8PK1378	05.19.012	139
8PK1379	05.19.012	139
8PK1416	01.19.153	139
8PK1417	01.19.153	139
8PK1418	01.19.153	139
8PK1419	01.19.153	139
8PK1420	01.19.153	139
8PK1421	01.19.153	139
8PK1422	01.19.153	139
8PK1423	01.19.153	139

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

REF. NO.	TTC NO.	p.
8PK1424	01.19.153	139
8PK1791	04.19.072	139
8PK1792	04.19.072	139
8PK1793	04.19.072	139
8PK1794	04.19.072	139
8PK1795	04.19.072	139
8PK1796	04.19.072	139
8PK1797	04.19.072	139
8PK1798	04.19.072	139
8PK1799	04.19.072	139
8PK1974	04.19.015	139
8PK1975	04.19.015	139
8PK1976	04.19.015	139
8PK1977	04.19.015	139
8PK1978	04.19.015	139
8PK1979	04.19.015	139
8PK1980	04.19.015	139
8PK1981	04.19.015	139
8PK1982	04.19.015	139
8PK1983	04.19.015	139
8PK1984	04.19.015	139
8PK2040	02.19.304	140
8PK2080	01.19.224	140
8PK2081	01.19.224	140
8PK2082	01.19.224	140
8PK2083	01.19.224	140
8PK2084	01.19.224	140
8PK2085	01.19.224	140
8PK2175	01.19.224	140
8PK2523	02.19.233	140
AVX10X925	14.19.033	133
AVX13X1000	01.19.043	133
AVX13X1001	01.19.043	133
AVX13X1002	01.19.043	133
AVX13X1003	01.19.043	133
AVX13X1004	01.19.043	133
AVX13X1005	01.19.043	133
AVX13X1025	07.19.142	133
AVX13X1250	01.19.186	134
AVX13X1275	04.19.049	134
AVX13X1300	04.19.050	134
AVX13X1375	05.19.067	134
AVX13X1375La	05.19.067	134
AVX13X1825	04.19.061	134
AVX13X925	01.19.182	133
AVX13X950	01.19.183	133
AVX13X975	01.19.184	133
AVX13X995	01.19.043	133
AVX13X996	01.19.043	133
AVX13X997	01.19.043	133
AVX13X998	01.19.043	133
AVX13X999	01.19.043	133

REF. NO.	TTC NO.	p.
F & S		
101 496	01.30.058	219
101 497	02.30.056	220
101 498	02.30.056	220
101 516	02.30.056	220
101 597	01.30.058	219
115 899	02.30.064	221
115 901	02.30.077	221
115 904	02.30.077	221
115 905	02.30.077	221
115 906	02.30.064	221
115 907	02.30.077	221
124 654	02.30.081	221
125 433	02.30.103	220
170 585	02.30.056	220
290 043	02.30.103	220
290 377	02.30.086	220
290 378	02.30.056	220
290 379	02.30.086	220
290 955	02.30.086	220
310 016	02.30.101	220
311 645	02.30.104	220
311 646	02.30.169	221
311 647	02.30.105	221
311 648	02.30.105	221
312 124	02.30.102	220
314 421	02.30.107	221
314 422	02.30.096	222
314 606	02.30.108	222
314 608	02.30.106	222
315 465	02.30.229	222
315 466	02.30.106	222
801 013	02.30.190	223
802 068	02.30.177	200
802 323	02.30.037	200
802 324	02.30.039	200
802 330	02.30.322	200
802 419	02.30.097	200
08 3000 725 001	02.23.155	175
14 1700 006 887	02.30.229	222
14 1700 006 888	02.30.106	222
14 1700 007 090	02.30.106	222
14 1700 009 102	02.30.106	222
14 1700 007 091	02.30.229	222
14 1700 009 101	02.30.229	222
18 1864 503 201	02.23.113	178
18 1864 503 231	02.23.113	178
1861 006 436	02.23.100	177
1861 174 134	01.23.138	177
1861 219 179	01.23.114	176
1861 254 037	01.23.138	177
1861 291 033	01.23.114	176

REF. NO.	TTC NO.	p.
1861 291 036	01.23.114	176
1861 291 136	01.23.114	176
1861 303 237	01.23.116	178
1861 303 243	01.23.116	178
1861 303 248	01.23.116	178
1861 617 232	02.23.100	177
1861 618 231	02.23.100	177
1861 618 232	02.23.100	177
1861 619 232	02.23.167	177
1861 620 231	02.23.108	177
1861 620 233	02.23.108	177
1861 620 234	02.23.108	177
1861 697 001	02.23.110	176
1861 775 035	02.23.167	177
1861 775 037	02.23.167	177
1861 775 141	02.23.167	177
1861 856 131	02.23.101	177
1861 856 132	02.23.101	177
1861 919 034	01.23.138	177
1861 919 035	01.23.138	177
1861 919 134	01.23.138	177
1861 919 139	01.23.138	177
1861 935 031	02.23.101	177
1861 935 032	02.23.101	177
1861 936 142	02.23.110	176
1862 087 031	02.23.167	177
1862 375 001	02.23.103	177
1862 375 031	02.23.103	177
1862 696 001	02.23.110	176
1862 697 001	02.23.110	176
1863 869 012	02.23.001	171
1864 464 031	02.23.114	178
1864 503 031	02.23.113	178
1864 503 231	02.23.113	178
1864 504 031	02.23.112	178
1878 002 221	02.23.133	179
1878 004 692	02.23.133	179
1878 005 554	02.23.133	179
1878 048 741	01.23.168	178
1878 052 842	01.23.168	178
1878 600 501	02.23.175	178
1878 994 001	02.23.114	178
1878 994 001 cpl.1	02.23.937	176
1878 994 001 cpl.2	02.23.938	176
2100 024 136	02.19.213	143
2100 024 139	02.19.101	141
2100 041 031	02.19.216	143
2100 042 031	02.19.215	142
2100 042 033	02.19.261	142
2100 042 033 cpl.1	02.19.271	144
2100 082 031	02.19.101	141
2100 087 031	02.19.214	142

REF. NO.	TTC NO.	p.
2100 088 031	02.19.211	143
2100 502 023	02.19.285	142
2294 000 519 cpl.1	02.23.010	180
3000 023 002	02.23.165	174
3000 048 011	02.23.168	174
3000 049 003	02.23.163	174
3000 049 005	02.23.163	174
3000 297 001	02.23.165	174
3000 297 002	02.23.169	174
3000 586 001	02.23.169	174
3000 725 001	02.23.155	175
3000 726 001	02.23.140	175
3000 826 901	02.23.141	175
3000 827 601	02.23.169	174
3000 827 603	02.23.169	174
3000 827 702	02.23.169	174
3000 828 701	02.23.141	175
3000 830 201	02.23.168	174
3000 830 301	02.23.165	174
3000 830 401	02.23.127	174
3000 830 402	02.23.163	174
3000 951 109	02.23.038	176
3000 951 109 n.cpl.1	02.23.938	176
3000 951 784	02.23.143	175
3000 951 785	02.23.155	175
3000 970 009	02.23.037	176
3000 970 009 n.cpl.1	02.23.937	176
3082 001 032	02.23.166	173
3082 054 132	02.23.166	173
3082 067 031	02.23.164	173
3082 078 032	02.23.164	173
3082 121 031	02.23.166	173
3082 268 031	02.23.161	173
3082 268 232	02.23.161	173
3082 269 031	02.23.162	173
3151 000 206	02.23.028	171
3151 000 211	02.23.042	171
3151 000 396	02.23.042	171
3151 044 031	01.23.056	171
3151 069 031	02.23.028	171
3151 069 131	02.23.028	171
3151 133 331	02.23.028	171
3151 170 131	02.23.029	171
3151 248 031	02.23.030	171
3151 254 041	02.23.028	171
3151 261 031	02.23.042	171
3151 602 005	02.23.029	171
3182 654 192	02.23.035	180
3182 997 801	02.23.131	180
3182 997 802	02.23.136	180
3182 997 803	02.23.035	180
3182 997 804	02.23.035	180

REF. NO.	TTC NO.	p.
3182 997 804	02.23.035	180
3182 998 701	02.23.125	180
3400 127 701	02.23.040	175
3421 601 052	01.11.037	26
3482 000 462	02.23.041	173
3482 005 031	01.23.411	174
3482 055 132	01.23.411	174
3482 126 331	02.23.041	173
6283 600 114	02.23.128	179
6283 600 115	02.23.034	179
6284 600 109	02.27.005	172
6284 600 110	02.23.129	172
6284 600 573	02.23.033	172
6284 605 004	02.23.134	173
6284 605 008	02.27.016	172
86 1864 503 231	02.23.113	178
Solex		
003 2013N	02.43.015	58
003 2021N cpl.1	02.43.076	58
4.00304.00	02.43.013	58
4.00308.00	02.43.013	58
4.02323.04E	02.43.020	57
4.02323.04N	02.43.021	57
4.02323.06E	02.43.022	58
4.02323.06N	02.43.023	58
5.19961.00	02.13.038	60
5.19961.01	02.13.038	60
5.19961.04	02.13.023	59
SWF		
116154	02.58.425	375
119299	02.58.416	374
119360	02.58.416	374
119293	02.58.417	375
119388	02.58.409	374
119398	02.58.413	375
119407	02.58.409	374
119409	02.58.437	376
119508	02.58.419	376
119519	07.58.030	375
119855	02.58.426	374
132551	02.58.427	376
132600	01.58.073	375
132603	01.58.073	375
402308	01.58.053	377
403071	01.58.053	377

REF. NO.	TTC NO.	p.

REF. NO.	TTC NO.	p.

REF. NO.	TTC NO.	p.

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

QUALITY SPARE PARTS



Umschlüsselung
Cross Reference

Index

TRUCKTEC

➔ Seite, Page

TRUCKTEC INDEX

TTC NO.	p.
01.10.007	56
01.10.073	22
01.10.078	2
01.10.080	2
01.10.129	13
01.10.130	23
01.10.134	74
01.10.144	28
01.10.155	6
01.10.158	9
01.10.161	9
01.10.189	9
01.10.190	9
01.10.213	56
01.10.215	57
01.10.246	10
01.11.002	25
01.11.023	26
01.11.037	26
01.11.056	25
01.11.068	25
01.11.075	26
01.12.003	50
01.12.008	50
01.12.013	50
01.12.014	52
01.12.016	51
01.12.032	48
01.12.112	52
01.12.118	50
01.12.119	50
01.12.122	33
01.12.123	28
01.12.125	49
01.12.130	53
01.12.133	47
01.12.135	31
01.12.136	30
01.13.139	74
01.13.183	68
01.13.195	62
01.14.005	63
01.14.011	69
01.14.014	69
01.14.015	69
01.14.045	71
01.14.046	72
01.14.048	72
01.14.049	64
01.14.056	292
01.14.058	69
01.14.061	70
01.14.071	69
01.14.172	56
01.14.182	63
01.14.183	71
01.16.096	89
01.16.097	93
01.16.098	93
01.16.107	293
01.17.003	103
01.17.005	114
01.17.007	114
01.17.011	100
01.17.018	103
01.17.031	99
01.17.044	110
01.17.045	99
01.17.052	115
01.17.053	114
01.17.056	114
01.17.057	114
01.17.059	97
01.17.060	97
01.17.062	98
01.17.067	101
01.17.069	321
01.17.070	321
01.17.076	112
01.17.077	112
01.17.082	114
01.18.007	117
01.18.008	127
01.18.015	121
01.18.097	127
01.18.103	125
01.18.107	120
01.18.108	120
01.18.117	118
01.18.118	129
01.18.123	122
01.18.133	128
01.19.043	133
01.19.045	152
01.19.076	148
01.19.097	148
01.19.143	165
01.19.153	139
01.19.156	161
01.19.177	148
01.19.178	149
01.19.182	133
01.19.183	133
01.19.184	133
01.19.186	134
01.19.188	159
01.19.189	165
01.19.190	165
01.19.207	139
01.19.217	131
01.19.218	131
01.19.224	140
01.19.234	139
01.19.238	130
01.19.247	145
01.23.056	171
01.23.114	176
01.23.116	178
01.23.138	177
01.23.168	178
01.23.411	174
01.24.297	183
01.27.057	172
01.28.014	196
01.28.015	63
01.30.023	208
01.30.024	208
01.30.025	208
01.30.040	205
01.30.048	214
01.30.058	219
01.30.064	197
01.30.218	266
01.32.018	239
01.34.038	243
01.34.040	244
01.34.044	245
01.35.002	391
01.35.157	265
01.35.158	264
01.35.159	264
01.35.166	266
01.37.003	280
01.37.004	280
01.37.023	282
01.37.058	282
01.37.104	284
01.37.163	285
01.38.004	56
01.38.045	293
01.40.017	132
01.42.001	325
01.42.002	318
01.42.003	317
01.42.004	325
01.42.005	325
01.42.009	319
01.42.010	325
01.42.011	310
01.42.012	312
01.42.013	297
01.42.020	325
01.42.021	324
01.42.036	113
01.42.039	312
01.42.040	310
01.42.045	325
01.42.051	312
01.42.059	318
01.42.060	324
01.42.061	310
01.42.075	318
01.42.079	277
01.42.080	278
01.42.085	313
01.42.087	312
01.42.090	312
01.42.095	314
01.42.104	310
01.42.105	310
01.42.106	309
01.42.107	309
01.42.108	312
01.42.137	319
01.42.152	326
01.43.046	72
01.43.111	333
01.43.120	72
01.43.126	132
01.43.133	281
01.43.160	127
01.43.257	214
01.43.258	214
01.43.504	418
01.43.522	40
01.43.523	40
01.43.529	41
01.43.530	41
01.43.537	146
01.43.565	384
01.43.566	385
01.43.567	384
01.43.568	384
01.43.864	384
01.43.865	384
01.43.866	385
01.43.867	385
01.43.868	384

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

TRUCKTEC INDEX

TTC NO.	p.
01.50.017	383
01.50.018	380
01.53.007	330
01.53.008	330
01.53.014	345
01.53.015	345
01.53.024	352
01.53.025	352
01.53.036	345
01.53.039	330
01.53.040	331
01.53.044	334
01.53.045	334
01.53.054	352
01.53.055	353
01.53.087	333
01.57.002	329
01.58.053	377
01.58.073	376
01.59.019	366
01.60.001	373
01.61.007	373
01.63.006	372
01.66.007	378
01.67.005	418
01.67.008	39
01.67.010	56
01.67.029	389
01.67.056	239
01.67.077	390
01.67.091	391
01.67.106	39
01.67.161	353
01.67.197	391
01.67.242	414
01.67.525	414
02.10.006	1
02.10.008	6
02.10.009	7
02.10.011	8
02.10.012	7
02.10.013	9
02.10.018	6
02.10.019	7
02.10.024	2
02.10.029	7
02.10.030	13
02.10.031	2
02.10.041	3
02.10.043	2
02.10.045	8
02.10.046	17

TTC NO.	p.
02.10.060	14
02.10.061	3
02.10.062	15
02.10.063	15
02.10.064	1
02.10.065	17
02.10.070	19
02.10.071	20
02.10.073	8
02.10.074	8
02.10.077	24
02.10.078	20
02.10.079	20
02.10.080	20
02.10.082	24
02.10.086	17
02.10.087	24
02.10.089	4
02.10.090	4
02.10.091	3
02.10.092	4
02.10.099	18
02.10.100	2
02.10.101	17
02.10.102	17
02.10.103	8
02.10.104	18
02.10.110	4
02.10.111	5
02.10.112	5
02.10.113	5
02.10.115	11
02.10.116	9
02.10.117	11
02.10.119	11
02.10.120	8
02.10.121	11
02.10.129	14
02.10.131	6
02.10.133	13
02.10.135	1
02.10.136	1
02.10.137	1
02.10.138	22
02.10.146	7
02.10.148	7
02.10.151	4
02.10.152	4
02.10.153	5
02.10.154	6
02.10.155	3
02.10.158	14

TTC NO.	p.
02.10.159	14
02.10.161	14
02.10.171	22
02.10.172	24
02.10.178	13
02.10.182	10
02.10.183	10
02.10.186	6
02.10.187	5
02.10.188	5
02.10.189	13
02.10.192	18
02.10.193	3
02.10.194	10
02.10.195	11
02.10.202	21
02.10.208	13
02.10.209	12
02.10.210	10
02.10.211	11
02.10.217	10
02.10.218	12
02.10.224	16
02.10.225	17
02.11.006	24
02.11.007	27
02.11.008	27
02.11.011	27
02.11.016	26
02.11.017	25
02.11.018	26
02.11.019	25
02.11.028	276
02.11.047	25
02.11.054	26
02.12.001	29
02.12.003	28
02.12.008	29
02.12.009	29
02.12.012	41
02.12.021	30
02.12.023	29
02.12.024	28
02.12.030	29
02.12.034	33
02.12.038	27
02.12.039	33
02.12.042	31
02.12.045	55
02.12.051	55
02.12.056	48
02.12.071	48

TTC NO.	p.
02.12.073	48
02.12.076	53
02.12.077	54
02.12.080	41
02.12.083	51
02.12.084	49
02.12.085	54
02.12.086	33
02.12.088	48
02.12.089	53
02.12.090	42
02.12.091	34
02.12.093	34
02.12.094	54
02.12.096	53
02.12.097	35
02.12.099	51
02.12.102	35
02.12.103	52
02.12.106	52
02.12.108	39
02.12.109	39
02.12.110	39
02.12.111	51
02.12.112	52
02.12.113	41
02.12.116	54
02.12.119	35
02.12.121	35
02.12.122	35
02.12.123	36
02.12.124	36
02.12.125	36
02.12.126	34
02.12.128	34
02.12.129	50
02.12.130	54
02.12.131	49
02.12.132	49
02.12.133	49
02.12.134	49
02.12.137	32
02.12.138	27
02.12.139	32
02.12.140	27
02.12.141	32
02.12.142	28
02.12.143	33
02.12.144	28
02.12.145	53
02.12.146	53
02.12.147	51

TRUCKTEC INDEX

TTC NO.	p.
02.12.148	42
02.12.149	35
02.12.150	36
02.12.158	96
02.12.159	22
02.12.162	29
02.12.163	37
02.12.164	37
02.12.165	42
02.12.167	40
02.12.168	40
02.12.169	30
02.12.172	30
02.12.173	30
02.12.175	51
02.12.178	42
02.12.179	42
02.12.181	41
02.12.182	36
02.12.183	37
02.12.184	36
02.12.185	37
02.12.186	37
02.12.188	34
02.12.208	54
02.12.209	34
02.12.210	45
02.12.211	46
02.12.213	46
02.12.214	46
02.12.217	47
02.12.218	46
02.12.219	45
02.12.221	46
02.12.222	46
02.12.223	45
02.12.238	39
02.12.239	40
02.12.240	40
02.12.241	45
02.12.250	45
02.13.001	397
02.13.023	59
02.13.029	64
02.13.030	64
02.13.032	62
02.13.037	293
02.13.038	60
02.13.044	69
02.13.050	63
02.13.051	63
02.13.052	63
02.13.054	68
02.13.055	67
02.13.056	67
02.13.057	67
02.13.058	67
02.13.059	67
02.13.060	68
02.13.061	65
02.13.062	65
02.13.063	65
02.13.064	65
02.13.066	64
02.13.067	64
02.13.068	64
02.13.069	65
02.13.070	62
02.13.071	68
02.13.072	65
02.13.074	297
02.13.075	66
02.13.076	66
02.13.077	66
02.13.078	66
02.13.079	59
02.13.080	58
02.13.081	71
02.13.082	62
02.13.085	73
02.13.086	73
02.13.088	74
02.13.089	72
02.13.090	72
02.13.091	66
02.13.092	67
02.13.093	71
02.13.094	70
02.13.095	70
02.13.096	70
02.13.097	71
02.13.098	73
02.13.100	59
02.13.101	74
02.13.102	61
02.13.104	66
02.13.106	62
02.13.108	60
02.13.110	74
02.13.112	60
02.13.114	389
02.13.115	60
02.13.116	61
02.13.118	61
02.13.119	61
02.13.120	73
02.13.121	57
02.13.122	57
02.13.123	61
02.13.124	55
02.13.125	55
02.13.126	62
02.13.128	60
02.13.130	60
02.13.133	57
02.13.134	70
02.13.137	70
02.13.138	61
02.13.141	59
02.13.179	59
02.13.180	59
02.13.182	71
02.13.215	73
02.13.216	73
02.13.217	55
02.13.218	55
02.13.937	292
02.14.003	296
02.14.016	14
02.14.020	75
02.14.022	82
02.14.026	85
02.14.027	295
02.14.028	85
02.14.029	77
02.14.052	85
02.14.058	81
02.14.062	75
02.14.063	84
02.14.064	84
02.14.065	83
02.14.066	82
02.14.067	83
02.14.071	86
02.14.072	86
02.14.091	82
02.14.093	86
02.14.096	75
02.14.097	84
02.14.099	295
02.14.100	296
02.14.101	295
02.14.102	295
02.14.103	296
02.14.104	294
02.14.105	294
02.14.106	82
02.14.109	84
02.14.111	83
02.14.113	75
02.14.121	112
02.14.131	82
02.14.134	82
02.14.136	84
02.14.142	296
02.14.154	79
02.14.165	85
02.14.166	85
02.14.167	85
02.14.174	95
02.14.175	95
02.14.176	95
02.14.182	86
02.14.202	86
02.14.203	83
02.14.204	74
02.14.209	83
02.14.214	86
02.14.227	75
02.14.228	87
02.14.867	83
02.16.001	92
02.16.008	92
02.16.011	88
02.16.013	92
02.16.017	88
02.16.018	92
02.16.019	92
02.16.021	300
02.16.022	93
02.16.024	90
02.16.026	88
02.16.028	87
02.16.029	87
02.16.030	87
02.16.031	88
02.16.032	88
02.16.033	87
02.16.034	87
02.16.035	88
02.16.046	301
02.16.047	300
02.16.048	94
02.16.050	93
02.16.051	92
02.16.052	89
02.16.054	89
02.16.055	94

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

TTC NO.	p.
02.16.056	94
02.16.057	95
02.16.058	94
02.16.061	89
02.16.062	89
02.16.063	94
02.16.064	89
02.16.066	93
02.16.067	94
02.16.068	90
02.16.069	90
02.16.074	90
02.16.075	90
02.16.076	91
02.16.078	91
02.16.079	91
02.16.080	90
02.16.081	95
02.16.082	95
02.16.083	96
02.16.084	91
02.16.085	91
02.16.091	410
02.17.005	100
02.17.006	99
02.17.007	111
02.17.013	100
02.17.014	105
02.17.016	105
02.17.020	106
02.17.021	107
02.17.022	107
02.17.024	105
02.17.027	98
02.17.028	98
02.17.029	98
02.17.031	102
02.17.032	103
02.17.033	113
02.17.035	111
02.17.036	111
02.17.037	320
02.17.038	105
02.17.039	113
02.17.040	116
02.17.041	117
02.17.044	99
02.17.048	112
02.17.050	110
02.17.051	97
02.17.052	97
02.17.053	97

TTC NO.	p.
02.17.060	111
02.17.061	111
02.17.062	111
02.17.063	101
02.17.064	99
02.17.065	98
02.17.068	113
02.17.076	100
02.17.077	108
02.17.079	112
02.17.080	108
02.17.081	97
02.17.082	113
02.17.083	98
02.17.084	100
02.17.087	101
02.17.088	101
02.17.089	101
02.17.093	102
02.17.094	109
02.17.097	110
02.17.098	110
02.17.099	110
02.17.101	110
02.17.102	109
02.17.103	108
02.17.104	109
02.17.105	116
02.17.106	102
02.17.107	102
02.17.108	102
02.17.110	100
02.17.111	101
02.17.112	115
02.17.114	99
02.17.129	108
02.17.134	103
02.17.135	106
02.17.136	106
02.17.137	106
02.17.138	106
02.17.145	109
02.17.146	108
02.17.152	106
02.18.016	130
02.18.017	130
02.18.022	124
02.18.024	128
02.18.031	124
02.18.032	123
02.18.033	124
02.18.035	33

TTC NO.	p.
02.18.036	129
02.18.038	129
02.18.039	128
02.18.040	124
02.18.042	15
02.18.045	15
02.18.046	15
02.18.047	16
02.18.048	16
02.18.049	125
02.18.050	126
02.18.051	126
02.18.052	117
02.18.054	118
02.18.055	117
02.18.057	117
02.18.058	3
02.18.060	128
02.18.061	126
02.18.062	127
02.18.065	125
02.18.066	118
02.18.067	119
02.18.068	119
02.18.072	127
02.18.073	121
02.18.074	121
02.18.079	120
02.18.082	15
02.18.083	125
02.18.084	128
02.18.085	16
02.18.086	16
02.18.087	16
02.18.089	389
02.18.090	117
02.18.091	118
02.18.092	120
02.18.093	119
02.18.094	119
02.18.095	119
02.18.096	119
02.18.097	120
02.18.100	124
02.18.101	127
02.18.102	126
02.18.104	129
02.18.105	128
02.18.115	123
02.18.116	123
02.18.117	122
02.18.118	129

TTC NO.	p.
02.18.119	129
02.18.122	123
02.18.128	120
02.18.129	118
02.18.130	126
02.18.136	122
02.18.138	121
02.18.139	121
02.18.140	125
02.18.141	126
02.18.142	118
02.18.147	123
02.18.149	121
02.18.152	125
02.18.155	130
02.18.156	123
02.19.001	140
02.19.004	140
02.19.005	153
02.19.006	153
02.19.007	130
02.19.009	148
02.19.010	148
02.19.012	149
02.19.013	156
02.19.020	150
02.19.021	149
02.19.022	149
02.19.023	153
02.19.025	150
02.19.027	146
02.19.030	146
02.19.038	151
02.19.044	150
02.19.052	150
02.19.053	159
02.19.054	160
02.19.055	160
02.19.056	160
02.19.057	159
02.19.058	159
02.19.059	160
02.19.060	144
02.19.061	144
02.19.062	143
02.19.064	163
02.19.065	163
02.19.066	164
02.19.067	164
02.19.069	166
02.19.071	151
02.19.073	158

TRUCKTEC INDEX

TTC NO.	p.
02.19.074	151
02.19.088	303
02.19.092	147
02.19.095	150
02.19.099	155
02.19.101	141
02.19.104	158
02.19.108	157
02.19.110	166
02.19.112	154
02.19.113	156
02.19.114	156
02.19.115	154
02.19.116	157
02.19.118	156
02.19.119	154
02.19.120	144
02.19.121	147
02.19.123	151
02.19.125	146
02.19.126	146
02.19.127	155
02.19.130	159
02.19.131	147
02.19.132	145
02.19.133	145
02.19.134	145
02.19.137	145
02.19.143	154
02.19.144	155
02.19.146	162
02.19.147	160
02.19.158	161
02.19.160	163
02.19.161	162
02.19.166	136
02.19.167	158
02.19.168	162
02.19.169	135
02.19.170	137
02.19.173	165
02.19.174	163
02.19.175	155
02.19.177	157
02.19.178	163
02.19.179	163
02.19.183	157
02.19.184	148
02.19.185	160
02.19.187	151
02.19.190	164
02.19.200	165

TTC NO.	p.
02.19.203	162
02.19.207	152
02.19.208	162
02.19.209	161
02.19.210	165
02.19.211	143
02.19.212	142
02.19.213	143
02.19.214	142
02.19.215	142
02.19.216	143
02.19.218	157
02.19.220	145
02.19.221	147
02.19.222	150
02.19.226	138
02.19.230	135
02.19.233	140
02.19.238	320
02.19.239	154
02.19.244	159
02.19.245	147
02.19.246	303
02.19.249	152
02.19.250	152
02.19.251	158
02.19.252	158
02.19.254	164
02.19.256	288
02.19.258	137
02.19.260	154
02.19.261	142
02.19.264	161
02.19.271	144
02.19.273	162
02.19.274	164
02.19.275	131
02.19.276	149
02.19.277	144
02.19.278	157
02.19.281	142
02.19.282	141
02.19.284	141
02.19.285	142
02.19.286	143
02.19.287	144
02.19.288	132
02.19.289	166
02.19.295	166
02.19.296	304
02.19.297	304
02.19.302	134

TTC NO.	p.
02.19.303	136
02.19.304	140
02.19.308	161
02.19.314	138
02.19.315	138
02.19.316	141
02.19.317	141
02.19.320	156
02.19.323	152
02.19.327	153
02.19.329	152
02.19.330	151
02.19.332	309
02.19.334	164
02.19.336	138
02.19.337	147
02.19.340	135
02.19.341	138
02.19.345	166
02.19.346	131
02.19.347	131
02.19.350	166
02.19.358	91
02.19.360	135
02.19.361	130
02.19.373	156
02.19.393	161
02.19.922	149
02.19.927	146
02.19.967	158
02.21.005	276
02.21.007	276
02.21.009	264
02.21.010	264
02.22.011	167
02.22.012	169
02.22.021	167
02.22.022	167
02.22.024	169
02.22.025	169
02.22.027	167
02.22.028	167
02.22.032	170
02.22.040	169
02.22.051	168
02.22.052	169
02.22.053	167
02.22.054	168
02.22.079	170
02.22.080	170
02.22.081	170
02.22.082	168

TTC NO.	p.
02.22.083	168
02.22.086	168
02.22.087	170
02.22.091	169
02.22.097	168
02.23.001	171
02.23.010	180
02.23.028	171
02.23.029	171
02.23.030	171
02.23.033	172
02.23.034	179
02.23.035	180
02.23.037	176
02.23.038	176
02.23.039	175
02.23.040	175
02.23.041	173
02.23.042	171
02.23.100	177
02.23.101	177
02.23.103	177
02.23.108	177
02.23.110	176
02.23.112	178
02.23.113	178
02.23.114	178
02.23.124	179
02.23.125	180
02.23.127	174
02.23.128	179
02.23.129	172
02.23.131	180
02.23.133	179
02.23.134	173
02.23.136	180
02.23.140	175
02.23.141	175
02.23.143	175
02.23.155	175
02.23.160	170
02.23.161	173
02.23.162	173
02.23.163	174
02.23.164	173
02.23.165	174
02.23.166	173
02.23.167	177
02.23.168	174
02.23.169	174
02.23.175	178
02.23.937	176

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

TRUCKTEC INDEX

TTC NO.	p.
02.23.938	176
02.24.010	182
02.24.012	182
02.24.013	183
02.24.014	183
02.24.015	183
02.24.018	181
02.24.019	183
02.24.021	182
02.24.023	182
02.24.024	182
02.24.025	181
02.24.026	180
02.24.027	181
02.24.028	183
02.24.029	181
02.24.031	182
02.24.032	181
02.25.003	194
02.25.004	194
02.25.005	185
02.25.008	186
02.25.009	187
02.25.010	186
02.25.011	188
02.25.012	186
02.25.013	186
02.25.017	192
02.25.028	187
02.25.029	187
02.25.031	193
02.25.033	194
02.25.034	193
02.25.039	191
02.25.040	187
02.25.041	188
02.25.042	186
02.25.043	186
02.25.044	189
02.25.045	189
02.25.046	195
02.25.048	194
02.25.049	192
02.25.050	190
02.25.051	189
02.25.052	189
02.25.053	189
02.25.054	188
02.25.055	188
02.25.056	188
02.25.062	193
02.25.066	189

TTC NO.	p.
02.25.069	190
02.25.070	190
02.25.077	190
02.25.078	190
02.25.080	192
02.25.083	192
02.25.084	194
02.25.085	187
02.25.086	188
02.25.087	187
02.25.088	191
02.25.089	191
02.25.090	190
02.25.091	191
02.25.094	192
02.25.095	194
02.27.001	197
02.27.002	197
02.27.005	172
02.27.007	179
02.27.008	196
02.27.009	196
02.27.010	172
02.27.012	196
02.27.013	196
02.27.016	172
02.28.011	196
02.30.001	216
02.30.002	200
02.30.009	206
02.30.010	205
02.30.012	209
02.30.013	208
02.30.014	210
02.30.015	210
02.30.017	197
02.30.018	197
02.30.019	206
02.30.024	207
02.30.025	211
02.30.026	211
02.30.027	207
02.30.028	205
02.30.029	208
02.30.030	214
02.30.031	217
02.30.032	218
02.30.033	218
02.30.034	213
02.30.035	207
02.30.036	206
02.30.037	200

TTC NO.	p.
02.30.038	204
02.30.039	200
02.30.040	210
02.30.041	210
02.30.045	201
02.30.046	201
02.30.049	208
02.30.056	220
02.30.060	201
02.30.061	214
02.30.062	198
02.30.064	221
02.30.077	221
02.30.078	219
02.30.079	219
02.30.080	212
02.30.081	221
02.30.082	211
02.30.083	211
02.30.084	211
02.30.085	213
02.30.086	220
02.30.087	212
02.30.088	219
02.30.090	217
02.30.091	217
02.30.092	216
02.30.093	216
02.30.094	216
02.30.095	217
02.30.096	222
02.30.097	201
02.30.098	209
02.30.099	209
02.30.100	209
02.30.101	220
02.30.102	220
02.30.103	220
02.30.104	220
02.30.105	221
02.30.106	222
02.30.107	221
02.30.108	222
02.30.109	219
02.30.110	214
02.30.133	218
02.30.135	212
02.30.143	205
02.30.145	205
02.30.152	213
02.30.155	215
02.30.156	211

TTC NO.	p.
02.30.158	205
02.30.159	204
02.30.169	221
02.30.177	200
02.30.178	219
02.30.179	218
02.30.180	218
02.30.181	213
02.30.183	201
02.30.184	203
02.30.185	203
02.30.186	206
02.30.187	206
02.30.188	199
02.30.189	207
02.30.190	223
02.30.191	207
02.30.194	213
02.30.195	212
02.30.196	197
02.30.197	198
02.30.198	198
02.30.199	199
02.30.201	199
02.30.202	198
02.30.203	198
02.30.204	199
02.30.205	199
02.30.207	216
02.30.208	216
02.30.209	218
02.30.229	222
02.30.306	212
02.30.312	200
02.30.315	210
02.30.316	210
02.30.317	209
02.30.318	215
02.30.319	215
02.30.320	213
02.30.322	200
02.30.324	212
02.30.325	209
02.30.333	204
02.30.334	204
02.30.336	84
02.30.337	201
02.30.338	202
02.30.339	202
02.30.340	202
02.30.341	202
02.30.342	202

TRUCKTEC INDEX

TTC NO.	p.
02.30.343	202
02.30.344	203
02.30.345	203
02.30.346	204
02.30.347	203
02.30.348	203
02.30.387	199
02.30.401	223
02.30.402	207
02.30.403	206
02.30.404	204
02.30.405	223
02.30.406	223
02.30.407	198
02.30.469	222
02.30.470	222
02.31.002	225
02.31.009	224
02.31.023	235
02.31.030	227
02.31.065	217
02.31.066	217
02.31.099	234
02.31.100	234
02.31.102	235
02.31.103	227
02.31.104	227
02.31.110	226
02.31.111	226
02.31.112	230
02.31.144	228
02.31.145	229
02.31.146	229
02.31.147	229
02.31.148	230
02.31.149	229
02.31.152	290
02.31.153	290
02.31.155	291
02.31.156	234
02.31.157	288
02.31.158	291
02.31.159	291
02.31.160	229
02.31.161	229
02.31.164	228
02.31.165	228
02.31.179	224
02.31.180	224
02.31.181	224
02.31.182	224
02.31.183	232
02.31.184	232
02.31.197	230
02.31.199	227
02.31.200	228
02.31.203	230
02.31.211	223
02.31.228	215
02.31.229	233
02.31.255	227
02.31.256	227
02.31.263	226
02.31.277	292
02.31.279	226
02.31.301	226
02.31.331	234
02.31.332	234
02.31.333	225
02.31.334	225
02.31.348	225
02.31.350	225
02.31.357	228
02.31.358	228
02.31.362	230
02.31.366	225
02.31.367	234
02.31.368	226
02.31.390	223
02.31.391	224
02.31.901	231
02.31.906	231
02.32.001	237
02.32.003	398
02.32.013	237
02.32.067	237
02.32.077	238
02.32.078	238
02.32.080	181
02.32.089	238
02.32.091	237
02.32.097	239
02.32.098	230
02.32.099	238
02.32.100	239
02.32.133	239
02.32.134	235
02.32.147	236
02.32.156	238
02.32.163	236
02.32.164	236
02.32.165	238
02.32.166	237
02.32.167	237
02.32.168	236
02.32.184	235
02.32.185	235
02.32.186	236
02.32.187	236
02.32.193	235
02.33.001	241
02.33.004	240
02.33.016	241
02.33.018	240
02.33.019	240
02.33.020	241
02.33.021	241
02.33.022	241
02.33.024	241
02.33.031	240
02.34.004	242
02.34.008	246
02.34.009	244
02.34.010	244
02.34.011	242
02.34.012	243
02.34.013	242
02.34.017	242
02.34.023	243
02.34.026	245
02.34.029	245
02.34.030	245
02.34.031	244
02.34.032	244
02.34.033	282
02.34.034	244
02.34.041	243
02.34.042	242
02.34.043	243
02.34.044	242
02.34.046	282
02.34.053	243
02.34.054	245
02.34.055	246
02.34.057	245
02.34.060	246
02.35.002	254
02.35.004	278
02.35.006	246
02.35.013	260
02.35.025	258
02.35.039	254
02.35.042	269
02.35.043	269
02.35.044	258
02.35.046	247
02.35.047	262
02.35.051	247
02.35.052	247
02.35.053	259
02.35.054	259
02.35.055	257
02.35.056	258
02.35.057	257
02.35.058	257
02.35.059	258
02.35.069	263
02.35.071	256
02.35.072	256
02.35.073	256
02.35.074	256
02.35.075	256
02.35.076	254
02.35.077	261
02.35.082	250
02.35.083	250
02.35.084	251
02.35.085	251
02.35.086	251
02.35.104	251
02.35.117	249
02.35.118	249
02.35.123	249
02.35.128	251
02.35.133	257
02.35.134	255
02.35.144	247
02.35.145	249
02.35.146	250
02.35.147	248
02.35.154	260
02.35.160	250
02.35.161	250
02.35.193	259
02.35.194	259
02.35.195	251
02.35.196	249
02.35.200	252
02.35.201	252
02.35.202	259
02.35.203	246
02.35.205	247
02.35.207	257
02.35.212	261
02.35.213	262
02.35.214	262
02.35.215	262
02.35.216	256

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

TRUCKTEC INDEX

TTC NO.	p.
02.35.217	261
02.35.218	261
02.35.219	261
02.35.226	254
02.35.235	263
02.35.240	264
02.35.241	258
02.35.242	250
02.35.243	246
02.35.244	253
02.35.245	253
02.35.258	271
02.35.259	271
02.35.260	273
02.35.261	273
02.35.262	272
02.35.263	272
02.35.264	272
02.35.265	272
02.35.266	275
02.35.267	273
02.35.268	262
02.35.270	268
02.35.271	269
02.35.272	269
02.35.273	269
02.35.274	269
02.35.275	270
02.35.276	270
02.35.277	270
02.35.278	263
02.35.279	263
02.35.280	263
02.35.281	263
02.35.285	265
02.35.286	265
02.35.288	265
02.35.289	257
02.35.290	401
02.35.292	279
02.35.296	261
02.35.297	260
02.35.298	260
02.35.299	262
02.35.302	249
02.35.303	266
02.35.304	264
02.35.305	268
02.35.308	267
02.35.309	268
02.35.312	267
02.35.365	275

TTC NO.	p.
02.35.367	247
02.35.369	270
02.35.370	270
02.35.382	271
02.35.383	271
02.35.384	265
02.35.386	273
02.35.392	266
02.35.393	267
02.35.394	267
02.35.395	268
02.35.397	267
02.35.398	270
02.35.399	271
02.35.400	272
02.35.401	272
02.35.402	273
02.35.403	273
02.35.405	275
02.35.407	274
02.35.408	274
02.35.409	275
02.35.410	274
02.35.412	274
02.35.413	275
02.35.414	275
02.35.415	274
02.35.416	274
02.35.423	258
02.35.425	279
02.35.442	255
02.35.443	255
02.35.445	248
02.35.448	248
02.35.449	248
02.35.455	276
02.35.461	271
02.35.471	255
02.35.474	253
02.35.475	253
02.35.477	253
02.35.478	253
02.35.479	252
02.35.480	252
02.35.482	259
02.35.487	254
02.35.488	254
02.35.497	248
02.35.502	252
02.35.517	248
02.35.524	266
02.35.554	265

TTC NO.	p.
02.35.558	255
02.35.559	255
02.35.580	252
02.35.585	260
02.35.587	260
02.36.054	215
02.36.057	276
02.36.058	276
02.37.011	283
02.37.019	284
02.37.040	340
02.37.042	281
02.37.043	292
02.37.046	289
02.37.047	290
02.37.049	288
02.37.050	288
02.37.051	291
02.37.054	284
02.37.056	288
02.37.057	289
02.37.065	290
02.37.066	290
02.37.069	281
02.37.077	279
02.37.078	280
02.37.079	292
02.37.080	282
02.37.081	291
02.37.082	291
02.37.083	279
02.37.084	282
02.37.085	287
02.37.086	279
02.37.087	287
02.37.088	288
02.37.089	289
02.37.090	289
02.37.091	285
02.37.092	284
02.37.096	285
02.37.100	284
02.37.101	284
02.37.102	281
02.37.103	285
02.37.104	286
02.37.133	285
02.37.135	283
02.37.136	283
02.37.137	283
02.37.149	287
02.37.150	286

TTC NO.	p.
02.37.199	286
02.37.204	286
02.37.209	289
02.37.210	289
02.37.211	286
02.37.213	286
02.37.219	290
02.37.222	285
02.37.223	279
02.37.904	287
02.37.998	287
02.37.999	287
02.38.043	293
02.38.044	296
02.38.045	295
02.38.049	396
02.38.050	293
02.38.051	296
02.38.055	294
02.38.056	294
02.38.064	297
02.38.083	293
02.38.132	294
02.38.134	297
02.38.137	294
02.39.002	299
02.39.004	300
02.39.008	299
02.39.010	299
02.39.014	299
02.39.016	300
02.39.032	299
02.39.042	300
02.39.044	105
02.39.045	104
02.39.048	103
02.39.049	104
02.39.050	104
02.39.055	103
02.39.057	299
02.39.059	297
02.39.063	298
02.39.070	298
02.39.071	298
02.39.074	298
02.39.077	298
02.39.085	298
02.39.087	297
02.39.094	104
02.40.044	305
02.40.051	305
02.40.059	306

TRUCKTEC INDEX

TTC NO.	p.
02.40.067	306
02.40.069	303
02.40.070	303
02.40.071	304
02.40.072	304
02.40.074	309
02.40.075	392
02.40.079	306
02.40.116	79
02.40.119	309
02.40.125	304
02.40.126	304
02.40.127	305
02.40.128	305
02.40.129	305
02.40.130	305
02.40.131	78
02.40.132	78
02.40.133	78
02.40.134	78
02.40.135	78
02.40.136	76
02.40.169	307
02.40.171	302
02.40.172	302
02.40.173	302
02.40.180	308
02.40.181	306
02.40.195	303
02.40.198	303
02.40.199	80
02.40.200	80
02.40.201	80
02.40.202	80
02.40.203	370
02.40.204	309
02.40.206	302
02.40.219	319
02.40.226	369
02.40.227	78
02.40.228	79
02.40.229	81
02.40.230	80
02.40.231	80
02.40.232	77
02.40.233	77
02.40.234	77
02.40.235	308
02.40.236	76
02.40.237	77
02.40.238	76
02.40.239	76
02.40.240	76
02.40.241	77
02.40.242	76
02.40.243	79
02.40.249	306
02.40.250	306
02.40.254	307
02.40.258	308
02.40.264	81
02.40.267	81
02.40.268	81
02.40.269	81
02.40.272	307
02.40.273	307
02.40.274	307
02.40.275	307
02.40.277	301
02.40.278	370
02.40.283	302
02.40.286	302
02.40.299	308
02.40.300	301
02.40.303	308
02.40.304	308
02.40.316	79
02.40.317	79
02.40.323	301
02.42.001	318
02.42.002	311
02.42.003	108
02.42.004	107
02.42.005	319
02.42.006	277
02.42.009	113
02.42.018	107
02.42.029	321
02.42.032	315
02.42.034	107
02.42.036	277
02.42.050	104
02.42.051	105
02.42.056	319
02.42.057	319
02.42.058	323
02.42.059	322
02.42.060	322
02.42.061	323
02.42.062	324
02.42.063	322
02.42.064	323
02.42.065	324
02.42.066	323
02.42.067	324
02.42.068	321
02.42.070	116
02.42.078	278
02.42.081	277
02.42.084	278
02.42.085	313
02.42.090	315
02.42.092	278
02.42.094	277
02.42.095	277
02.42.096	278
02.42.097	314
02.42.098	314
02.42.099	314
02.42.106	316
02.42.107	316
02.42.111	316
02.42.113	317
02.42.115	317
02.42.119	326
02.42.120	116
02.42.122	115
02.42.264	316
02.42.265	107
02.42.266	313
02.42.267	313
02.42.268	311
02.42.269	311
02.42.270	311
02.42.271	310
02.42.272	314
02.42.273	313
02.42.278	311
02.42.280	315
02.42.281	317
02.42.282	115
02.42.283	116
02.42.284	195
02.42.309	322
02.42.310	323
02.42.311	323
02.42.312	322
02.42.313	313
02.42.314	316
02.42.316	96
02.42.317	96
02.42.318	320
02.42.320	311
02.42.321	322
02.42.322	115
02.42.323	115
02.42.324	320
02.42.332	324
02.42.339	317
02.42.341	317
02.42.345	318
02.42.346	318
02.42.349	326
02.42.353	316
02.42.357	96
02.42.368	112
02.42.386	321
02.42.387	321
02.42.399	320
02.42.400	315
02.42.401	315
02.42.416	109
02.42.418	109
02.43.005	31
02.43.006	31
02.43.008	32
02.43.013	58
02.43.015	58
02.43.020	57
02.43.021	57
02.43.022	58
02.43.023	58
02.43.033	268
02.43.051	141
02.43.054	140
02.43.072	283
02.43.073	283
02.43.076	58
02.43.117	18
02.43.129	280
02.43.133	191
02.43.134	267
02.43.145	300
02.43.146	281
02.43.149	280
02.43.151	31
02.43.154	268
02.43.157	191
02.43.160	280
02.43.166	32
02.43.180	281
02.43.182	179
02.43.190	193
02.43.192	195
02.43.201	42
02.43.202	232
02.43.205	233
02.43.259	31

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

TTC NO.	p.
02.43.262	231
02.43.263	231
02.43.264	19
02.43.265	96
02.43.266	32
02.43.267	215
02.43.268	233
02.43.269	233
02.43.270	233
02.43.271	232
02.43.272	232
02.43.273	232
02.43.274	346
02.43.286	19
02.43.287	19
02.43.288	122
02.43.289	233
02.43.291	231
02.43.292	231
02.43.294	47
02.43.295	47
02.43.296	47
02.43.297	47
02.43.298	68
02.43.299	68
02.43.300	122
02.43.301	122
02.43.303	195
02.43.306	21
02.43.307	21
02.43.310	48
02.43.311	193
02.43.312	193
02.53.069	332
02.53.070	332
02.53.071	346
02.53.072	340
02.53.073	347
02.53.084	338
02.53.085	338
02.53.086	339
02.53.087	346
02.53.135	338
02.53.136	339
02.53.137	338
02.53.144	344
02.53.145	344
02.53.150	344
02.53.153	339
02.53.155	340
02.53.156	332
02.53.157	332
02.53.158	332
02.53.159	333
02.53.160	350
02.53.161	329
02.53.162	352
02.53.163	348
02.53.164	340
02.53.165	391
02.53.166	348
02.53.168	349
02.53.169	350
02.53.170	351
02.53.171	350
02.53.172	338
02.53.173	348
02.53.174	349
02.53.175	349
02.53.176	336
02.53.177	335
02.53.178	336
02.53.179	339
02.53.180	333
02.53.187	331
02.53.188	331
02.53.189	331
02.53.190	332
02.53.191	350
02.53.193	345
02.53.195	344
02.53.208	351
02.53.212	351
02.53.218	352
02.53.221	345
02.53.222	338
02.53.225	335
02.53.228	331
02.53.229	331
02.53.231	343
02.53.233	334
02.53.234	340
02.53.235	339
02.53.236	340
02.53.237	337
02.53.238	337
02.53.239	337
02.53.240	353
02.53.242	348
02.53.243	348
02.53.244	334
02.53.245	343
02.53.247	344
02.53.248	344
02.53.249	345
02.53.250	347
02.53.251	347
02.53.252	347
02.53.253	339
02.53.254	347
02.53.255	347
02.53.259	343
02.53.280	334
02.53.281	334
02.53.282	335
02.53.283	335
02.53.284	335
02.53.285	335
02.53.286	336
02.53.287	336
02.53.288	337
02.53.289	337
02.53.290	336
02.53.291	337
02.53.292	349
02.53.293	348
02.53.294	349
02.53.295	349
02.53.296	336
02.54.007	346
02.54.008	346
02.54.011	346
02.54.041	351
02.54.042	350
02.54.045	350
02.54.047	351
02.54.050	352
02.54.053	341
02.54.054	341
02.54.055	351
02.54.056	380
02.54.059	326
02.54.060	333
02.54.064	326
02.54.065	326
02.55.014	379
02.55.015	379
02.55.016	379
02.55.017	379
02.55.018	378
02.55.019	378
02.55.020	380
02.55.021	379
02.55.022	379
02.56.018	266
02.57.015	328
02.57.016	329
02.57.020	328
02.57.021	328
02.57.022	328
02.57.023	328
02.57.025	327
02.57.027	327
02.57.028	342
02.57.029	341
02.57.030	342
02.57.031	342
02.57.034	341
02.57.052	328
02.57.087	329
02.57.088	329
02.57.102	342
02.57.103	342
02.57.104	343
02.57.149	342
02.57.150	343
02.57.151	343
02.57.152	327
02.57.153	327
02.57.154	327
02.57.155	327
02.57.156	341
02.57.157	341
02.58.002	365
02.58.023	353
02.58.031	363
02.58.032	363
02.58.049	374
02.58.050	374
02.58.051	374
02.58.052	374
02.58.092	353
02.58.093	353
02.58.236	364
02.58.237	364
02.58.239	363
02.58.250	364
02.58.251	364
02.58.311	363
02.58.361	364
02.58.363	354
02.58.364	354
02.58.366	362
02.58.367	363
02.58.368	362
02.58.369	362
02.58.370	364
02.58.383	315

TRUCKTEC INDEX

TTC NO.	p.
02.58.390	330
02.58.391	330
02.58.393	363
02.58.395	329
02.58.396	330
02.58.409	375
02.58.413	376
02.58.416	375
02.58.417	375
02.58.419	376
02.58.425	375
02.58.426	374
02.58.427	376
02.58.432	376
02.58.434	377
02.58.437	376
02.58.444	374
02.58.447	355
02.59.001	371
02.59.002	365
02.59.005	365
02.59.006	365
02.59.051	371
02.59.061	366
02.59.062	366
02.59.068	367
02.59.071	366
02.59.076	367
02.59.081	367
02.59.082	367
02.59.083	367
02.59.084	367
02.59.089	368
02.59.090	371
02.59.091	369
02.59.095	371
02.59.113	372
02.59.114	372
02.59.115	372
02.59.116	372
02.59.117	369
02.59.118	369
02.59.120	372
02.59.121	370
02.59.122	368
02.59.123	368
02.59.124	365
02.59.125	368
02.59.126	368
02.59.133	370
02.59.134	366
02.59.135	369
02.59.136	369
02.59.145	368
02.59.148	370
02.59.150	371
02.59.157	365
02.59.164	366
02.59.175	370
02.60.029	380
02.60.041	380
02.60.110	381
02.60.118	381
02.60.119	381
02.60.128	382
02.60.202	381
02.60.203	381
02.60.204	381
02.60.216	382
02.60.317	383
02.60.318	383
02.60.364	382
02.60.367	383
02.60.385	383
02.60.387	382
02.60.397	382
02.60.492	382
02.61.003	373
02.61.006	373
02.61.013	377
02.61.014	377
02.61.015	373
02.61.016	377
02.61.017	377
02.62.008	378
02.62.009	378
02.62.025	383
02.62.028	378
02.66.002	75
02.66.006	385
02.67.003	18
02.67.005	20
02.67.006	131
02.67.008	93
02.67.011	410
02.67.028	386
02.67.031	408
02.67.032	408
02.67.042	12
02.67.043	12
02.67.044	386
02.67.046	388
02.67.047	389
02.67.048	388
02.67.049	389
02.67.057	12
02.67.064	38
02.67.066	292
02.67.067	43
02.67.071	43
02.67.072	38
02.67.073	43
02.67.076	43
02.67.077	38
02.67.078	43
02.67.090	44
02.67.094	38
02.67.101	195
02.67.102	195
02.67.105	143
02.67.112	1
02.67.115	23
02.67.116	388
02.67.120	12
02.67.125	18
02.67.128	395
02.67.130	23
02.67.131	22
02.67.132	23
02.67.138	19
02.67.139	23
02.67.140	23
02.67.141	44
02.67.142	37
02.67.143	44
02.67.145	38
02.67.146	21
02.67.148	192
02.67.150	418
02.67.151	393
02.67.152	388
02.67.153	391
02.67.154	386
02.67.156	392
02.67.157	385
02.67.160	392
02.67.164	392
02.67.167	387
02.67.169	387
02.67.170	386
02.67.171	387
02.67.172	387
02.67.173	412
02.67.174	391
02.67.176	386
02.67.177	387
02.67.184	385
02.67.186	412
02.67.187	411
02.67.188	400
02.67.189	398
02.67.192	412
02.67.193	400
02.67.194	411
02.67.195	412
02.67.201	411
02.67.202	411
02.67.203	411
02.67.204	410
02.67.205	411
02.67.206	412
02.67.209	415
02.67.215	392
02.67.216	392
02.67.218	393
02.67.222	393
02.67.224	388
02.67.225	393
02.67.226	393
02.67.228	386
02.67.229	387
02.67.230	398
02.67.231	45
02.67.242	20
02.67.243	44
02.67.244	44
02.67.245	44
02.67.246	43
02.67.247	38
02.67.251	239
02.67.254	390
02.67.263	21
02.67.264	21
02.67.265	380
03.19.200	410
04.19.015	139
04.19.049	134
04.19.050	134
04.19.061	134
04.19.072	139
05.17.004	102
05.19.012	139
05.19.067	134
07.10.008	22
07.12.054	30
07.12.078	52
07.17.021	116
07.18.010	124

On www.trucktec.de/info you will find all detailed models and references.

All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

TRUCKTEC INDEX

TTC NO.	p.
07.19.015	155
07.19.107	137
07.19.128	135
07.19.138	136
07.19.139	136
07.19.140	136
07.19.141	137
07.19.142	133
07.19.234	137
07.19.236	138
07.19.242	155
07.40.090	301
07.42.064	314
07.42.077	320
07.54.016	333
07.58.030	375
07.58.054	375
07.59.036	371
07.61.009	373
07.67.001	19
08.13.004	56
08.14.003	295
08.19.049	153
08.19.050	153
08.19.079	136
08.19.089	137
08.19.261	135
08.39.045	104
14.19.033	133
20.01.001	396
20.01.006	397
20.01.008	397
20.01.009	396
20.01.010	397
20.01.013	398
20.02.008	397
20.05.003	396
20.05.903	396
20.06.001	397
20.06.015	406
20.07.006	401
20.07.008	401
20.07.010	396
20.07.012	395
20.07.014	401
54.04.001	404
54.06.001	404
54.08.001	405
54.10.001	405
54.10.002	405
54.11.001	405
54.12.001	405

TTC NO.	p.
54.12.003	405
54.13.001	406
54.15.001	406
61.04.002	402
61.04.003	402
61.04.004	403
61.04.005	404
61.06.002	402
61.06.003	403
61.06.004	403
61.06.005	404
61.08.003	403
61.08.004	403
61.08.005	404
61.09.004	403
61.09.005	404
79.08.001	393
79.08.002	394
79.08.003	394
79.10.001	394
79.10.002	394
79.12.001	394
79.12.002	394
79.14.001	395
79.14.002	395
79.16.001	395
79.16.002	395
80.10.001	415
80.12.001	415
80.12.004	409
80.12.005	409
80.12.007	409
80.12.009	409
80.16.001	415
80.20.001	409
80.20.002	409
81.08.001	399
81.08.002	398
81.10.003	301
81.10.005	399
81.10.006	399
81.12.002	399
81.12.006	399
81.14.005	399
81.16.001	400
81.16.005	400
81.20.001	400
81.26.001	400
82.04.001	415
82.10.001	415
83.14.004	412
83.14.006	413

TTC NO.	p.
83.14.008	413
83.14.010	413
83.14.012	413
83.14.016	413
83.15.004	413
83.15.006	414
83.15.008	414
83.15.010	414
83.15.012	414
83.22.002	240
83.22.003	240
83.24.004	401
83.24.006	402
83.24.008	401
83.24.010	402
83.24.012	402
83.34.004	416
83.34.006	416
83.34.008	416
83.34.010	416
83.34.012	416
83.34.016	416
83.44.004	417
83.44.006	417
83.44.008	417
83.44.010	417
83.44.012	417
83.44.016	417
86.14.001	418
86.22.001	418
87.06.202	398
88.19.001	132
88.19.003	132
88.19.005	132
88.25.001	184
88.25.002	185
88.25.003	185
88.25.004	185
88.25.005	184
88.25.006	184
88.25.008	185
88.25.009	185
88.25.011	184
88.25.012	184
88.25.013	184
88.26.001	388
88.26.002	389
88.58.001	356
88.58.002	358
88.58.003	355
88.58.004	356
88.58.005	354

TTC NO.	p.
88.58.006	354
88.58.007	355
88.58.008	354
88.58.009	354
88.58.010	362
88.58.011	362
88.58.012	358
88.58.013	362
88.58.014	356
88.58.015	361
88.58.016	359
88.58.017	359
88.58.018	359
88.58.019	359
88.58.020	360
88.58.021	360
88.58.022	360
88.58.023	359
88.58.101	355
88.58.102	361
88.58.103	355
88.58.104	355
88.58.105	356
88.58.106	356
88.58.107	360
88.58.108	360
88.58.109	357
88.58.110	358
88.58.111	361
88.58.112	356
88.58.113	360
88.58.114	357
88.58.115	357
88.58.116	358
88.58.117	361
88.58.118	357
88.58.119	358
88.58.120	361
88.58.121	361
88.58.122	358
88.58.123	357
88.58.124	359
88.58.125	357
88.99.001	390
88.99.002	390
88.99.003	390
88.99.005	390
88.99.006	410
88.99.007	410
88.99.100	406
88.99.101	406
88.99.102	407

TRUCKTEC INDEX

TTC NO.	p.
88.99.103	407
88.99.104	407
88.99.105	407
88.99.106	407
88.99.107	407
88.99.108	408
88.99.109	408
88.99.110	408
88.99.111	408
98.01.001	406

TTC NO.	p.


TTC NO.	p.

TTC NO.	p.


On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.





On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0
cm
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24



On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.


18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0
cm
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24



On www.trucktec.de/info you will find all detailed models and references.
All stated genuine numbers serve only for comparison purpose and may not be used as original reference.

FURTHER BRANDS

PKW
Cars

AUDI
BMW
MERCEDES



Transporter
LCV

MERCEDES
VW



LKW
Truck

MAN
MERCEDES
SCANIA
VOLVO





Händleradresse / Dealer address

TRUCKTEC

GERMAN DRIVEN PRECISION

TRUCKTEC Automotive GmbH

Katharina-Loth-Str. 2
66386 St. Ingbert
Germany

☎ +49(0) 6894 9269-0
🖷 +49(0) 6894 9269-90
✉ info@trucktec.de

2020: **00.98.319**